

International Journal of Technology

Volume 14 Issue 3 May 2023



www.ijtech.eng.ui.ac.id

Focus and Scope

International Journal of Technology aims to provide cutting-edge research and practices in the management and design of technology, a forum for debate and reflection as well as an anchor point for many technology practitioners and academics programs.

Submission are invited concerning any theoretical or practical treatment of technology design, development and application (from various field of study such as: architecture, chemical, civil, electrical, industrial, material, and mechanical engineering). The subject of papers contributed may cover, but is not limited to:

- Discussion and exploration of new theory and knowledge of technology, innovation and sustainable development.
- Industrial and service management, product and process design, and performance improvement.
- Proficiency in the understanding technology design, development and application derived from experimental data analysis.
- Case studies reporting insights and best practices regarding technology design and development drawn from practices.
- Technology tools, techniques and other structured approaches to understand, measure, or provide value.
- Empirical observations resulting in original and significant conclusions or application papers in the above areas are also welcome.

There is no strict limitation on the length of submitted manuscripts. All manuscripts should be written in English and prepared in accordance with the guidelines of the journal. Manuscripts should be compiled in the following order: title, abstract, detailed description, acknowledgments (if any), references and author(s) information. Please visit International Journal of Technology manuscript style guidelines found in the journal's Web site: <http://www.ijtech.eng.ui.ac.id> for more detailed information on the submission requirements.

Please contact our secretariat at ijtech@eng.ui.ac.id and we will be delighted to accept and respond to any comment and enquiry on the direction and content of International Journal of Technology. Your valuable contribution and feedback is important for the success of our journal as it will guide the journal's future development.

Editorial Team

Editor in Chief

1. [Dr. Yudan Whulanza](#), Universitas Indonesia, Indonesia

Managing Editor

1. [Dr. Eny Kusrini](#), Universitas Indonesia, Indonesia

Members

1. [Dr. Ahmad Gamal](#), Universitas Indonesia, Indonesia
2. [Prof. Dr. Akhmad Herman Yuwono](#), Universitas Indonesia, Indonesia
3. [Prof. Dr. Akhmad Hidayatno](#), Universitas Indonesia, Indonesia
4. [Prof. Dr. Anwar Usman](#), Universiti Brunei Darussalam, Brunei Darussalam
5. [Dr. Arnas](#), Universitas Indonesia, Indonesia
6. [Prof. Dr. Bambang Sugiarto](#), Universitas Indonesia, Indonesia
7. [Dr. Cecilia Vale](#), University of Porto, Portugal
8. [Prof. Dr. Dedi Priadi](#), Universitas Indonesia, Indonesia
9. [Prof. Dr. Esah Hamzah](#), Universiti Teknologi Malaysia, Malaysia
10. [Dr. Giuseppe Lo Papa](#), Teagasc Rural Economy Research Centre, Ireland
11. [Prof. Dr. Hamzah Abdul Rahman](#), Universiti Malaya, Malaysia
12. [Dr. Hendri Dwi Saptioratri](#), Universitas Indonesia, Indonesia
13. [Prof. Dr. Heri Hermansyah](#), Universitas Indonesia, Indonesia
14. [Dr. Hng Huey Hoon](#), Nanyang Technological University, Singapore, Singapore
15. [Dr. Imam Jauhari Maknun](#), Universitas Indonesia, Indonesia, Indonesia
16. [Dr. Ismi Rosyiana Fitri](#), Universitas Indonesia, Indonesia
17. [Dr. Johannes Widodo](#), National University of Singapore, Singapore
18. [Prof. Dr. Jong-Taek Oh](#), Chonnam National University, Korea, Republic of
19. [Dr. Lee Wilson](#), University of Saskatchewan, Canada
20. [Prof. Mahmud Sudibandriyo](#), Universitas Indonesia, Indonesia
21. [Dr. Muhamad Asvial](#), Universitas Indonesia, Indonesia
22. [Dr. Muhamad Sahlan](#), Universitas Indonesia, Indonesia
23. [Dr. Muhammad Arif Budiyanoto](#), Universitas Indonesia, Indonesia
24. [Prof. Dr. Muhammad Idris Saleh](#), Universiti Sains Malaysia, Malaysia
25. [Dr. Nofrijon Sofyan](#), Universitas Indonesia, Indonesia
26. [Dr. Nyoman Suwartha](#), Universitas Indonesia, Indonesia
27. [Dr. Ova Candra Dewi](#), Universitas Indonesia, Indonesia
28. [Prof. Dr. Prof. Dr. Hideaki Ohgaki](#), Kyoto University, Japan
29. [Prof. Dr. Raimundo Delgado](#), University of Porto, Portugal
30. [Dr. Reza Kia](#), Sharif University of Technology, Iran (Islamic Republic of)
31. [Dr. Roy Woodhead](#), Sheffield Hallam University, United Kingdom
32. [Prof. Rui Calcada](#), University of Porto, Portugal
33. [Dr. Ruki Harwahyu](#), Universitas Indonesia, Indonesia
34. [Dr. Sam P. Sinha](#), Scientific Research & Development, United States
35. [Prof. Dr. Simon P. Ringer](#), University of Sydney, Australia
36. [Prof. Sri Harjanto](#), Universitas Indonesia, Indonesia
37. [Prof. Dr. Sutrasno Kartohardjono](#), Universitas Indonesia, Indonesia
38. [Prof. Dr. T. Yuri M. Zagloel](#), Universitas Indonesia, Indonesia
39. [Prof. Dr. Toshio Shudo](#), Tokyo Metropolitan University, Japan
40. [Prof. Yanuar](#), Universitas Indonesia, Indonesia
41. [Prof. Dr. Yung- Hui Lee](#), National Taiwan University, Taiwan
42. [Dr. Yung-Jung Hsu](#), National Chiao Tung University, Taiwan

Progressing the Sustainable Mobility: View of Electric Vehicles

Yudan Whulanza

Pages : 455-459

Proposing a Lean Manufacturing Framework Adapted to Very Small Businesses: Multiple Case Studies

Laila Driouach, Beidouri Zitouni, Zarbane Khalid

Pages : 460-473

An Analysis of End-of-Life Vehicle Management in Indonesia from the Perspectives of Regulation and Social Opinion

Charli Sitinjak, Rozmi Ismail, Rizqon Fajar, Edward Bantu, Lukman Shalahuddin, Siti Yubaidah, Wiyanti Fransisca Simanullang, Vladimir Simic

Pages : 474-483

Numerical Investigation for Single-Phase and Two-Phase Flow in Duct Banks with Multi Types of Vortex Generators

Adnan Qahtan Ibrahim, Riyadh Sabah Alturaihi

Pages : 484-500

Ca8MgY(PO4)7:Eu2+,Mn2+: A Promising Phosphor in Near-Ultraviolet WLED Devices

My Hanh Nguyen Thi, Nguyen Le Thai, Thuc Minh Bui, Nguyen Thi Phuong Thao

Pages : 501-509

Implementation of Motion Detection Methods on Embedded Systems: A Performance Comparison

Kamal Sehairi, Fatima Chouireb

Pages : 510-521

Thermal and Hydrodynamic Performance Analysis of a Shell and Tube Heat Exchanger Using the AHP Multicriteria Method

Karol Yuliete Ravelo-Mendivelso, Mercy Tatiana Villate-Fonseca, José Daniel Hernández-Vásquez, Orlando Miguel Miranda-Samper, Pedro Jessid Pacheco-Torres, Manuel J. Campuzano

Pages : 522-535

Traction Force Investigation of The New Working Body of The Sod Seeder

Sayakhat Nukeshev, Kairat Yeskhozhin, Yerzhan Akhmetov, Dinara Kossatbekova, Kaldibek Tleumbetov, Khozhakeldi Tanbayev

Pages : 536-548

Performance Evaluation of Anomaly Detection System on Portable LTE Telecommunication Networks Using OpenAirInterface and ELK

Yeremia Nikanor Nugroho, Ruki Harwahyu, Riri Fitri Sari, Navid Nikaein, Ray-Guang Cheng

Publication Date (Online):

Pages : 549-560

Enhancing A Reliable Ship Performance Evaluation in Dynamic Maneuvering Conditions – A Gap Analysis

Sunarsih, Edi Jadmiko, Muhammad Badrus Zaman, Adi Maimun Abdul Malik, Arifah Ali

Pages : 561-575

The Simultaneously Removal of NOx and SO2 Processes through a Polysulfone Hollow Fiber Membrane Module

Sutrasno Kartohardjono, Eva Fathul Karamah, Grace Nathalie Talenta, Thariq Ahmad Ghazali, Woei Jye Lau

Pages : 576-583

Short-Term Wind Energy Resource Prediction Using Weather Research Forecasting Model for a Location in Indonesia

Dian Galuh Cendrawati, Nurry Widya Hesty, Bono Pranoto, Aminuddin, Arief Heru Kuncoro, Ahmad Fudholi
Pages : 584-595

Comparison of Phase Change Materials of Modified Soy Wax using Graphene and MAXene for Thermal Energy Storage Materials in Buildings

Titin Trisnadewi, Eny Kusriani, Dwi Marta Nurjaya, Byrne Paul, Maré Thierry, Nandy Putra
Pages : 596-605

Design of Graphic Concept Model for Specialty Coffee Packaging Labels

Zulkarnain, Machfud, Marimin, Emmy Darmawati, Sugiarto
Pages : 606-617

A New Multi-Component Solid of Atorvastatin Calcium with a Dipicolinic Acid Coformer for Improving the Water Solubility

Yudi Wicaksono, Ari Satia Nugraha, Eka Deddy Irawan, Nadifa Nada, Sofyan Dimas Nurhansyah
Pages : 618-627

Effect of Pressure on Salt Water Spray as Alternative Methods of Desalination Using Droplet Evaporation-Air Entrainment

Muhamad Agil Fadhel Kurnianto, Ridho Irwansyah, Leonardo Fabianto, Arya Armadani, Warjito
Pages : 628-637

Analysis of Bittern Recovery Facility Using Mixed-Integer Nonlinear Programming: Centralized, Decentralized, and Hybrid Scenarios

Erwin Widodo, Furqon Sandiva Utomo Putra, Dody Hartanto, Niniet Indah Arvitrida, Arseto Yekti Bagastyo, IDAA Warmadewanthi, Totok Soehartanto
Pages : 638-648

Preparation and Characterization of Sound-Absorbent Based on Polystyrene Reinforced Primary Sludge and Fly Ash from Pulp Mill

Tengku Rachmi Hiadayani, Basuki Wirjosentono, Darwin Yunus Nasution, Tamrin
Pages : 649-658

Synthesis and Characterization of Cellulose Ethers from Screw Pine (*Pandanus tectorius*) Leaves Cellulose as Food Additives

Venty Suryanti, Triana Kusumaningsih, Diah Safriyani, Indri Sri Cahyani
Pages : 659-668

A Novel Lanthanum-based Solid Oxide Fuel Cell Electrolyte Composite with Enhanced Thermochemical Stability toward Perovskite Cathode

Atiek Rostika Noviyanti, Yoga Trianzar Malik, Uji Pratomo, Dani Gustaman Syarif
Pages : 669-679

Machine Learning Algorithms for Failure Prediction Model and Operational Reliability of Onshore Gas Transmission Pipelines

Andy Noorsaman, Dea Amrializzia, Habiburrahman Zulfikri, Reviana Revitasari, Arsene Isambert
Pages : 680-689



A New Multi-Component Solid of Atorvastatin Calcium with a Dipicolinic Acid Cofomer for Improving the Water Solubility

Yudi Wicaksono^{1*}, Ari Satia Nugraha², Eka Deddy Irawan³, Nadifa Nada¹, Sofyan Dimas Nurhansyah¹

¹*Drug Modification Research Group, Faculty of Pharmacy, University of Jember, Jl. Kalimantan No. 37, Jember 68121, Indonesia*

²*Drug Utilisation and Discovery Research Group, Faculty of Pharmacy, University of Jember, Jl. Kalimantan No. 37, Jember 68121, Indonesia*

³*Drug Delivery Research Group, Faculty of Pharmacy, University of Jember, Jl. Kalimantan No. 37, Jember 68121, Indonesia*

Abstract. Atorvastatin calcium is a potent active pharmaceutical ingredient that reduces blood cholesterol levels. However, oral bioavailability is low because it is difficult to dissolve in water. Therefore, further research to increase the solubility of the drug is needed to improve its bioavailability properties. This research aimed to increase the solubility of atorvastatin calcium through the formation of a multi-component solid. Furthermore, the drug was formed into a multi-component solid with dipicolinic acid as a cofomer using the solvent evaporation-quenching method. A powder X-ray diffractometer (PXRD), Fourier transform infrared (FTIR) spectrometer, differential scanning calorimeter (DSC), and scanning electron microscope (SEM) was used to characterize the solid. Also, the shake-flask method was used to analyze the solubility of the solid in distilled water. The results showed that atorvastatin calcium and dipicolinic acid formed a new multi-component solid of cocrystal type. The solubility of the atorvastatin calcium from the multi-component solid was 344.31 ± 37.09 mg/L, which was a significant increase of about 2.7-fold compared to the pure form.

Keywords: Atorvastatin calcium; Dipicolinic acid; Multi-component solid; Solubility properties

1. Introduction

The rate of drug absorption in the gastrointestinal tract is determined by solubility. Orally administered drugs must dissolve in the gastrointestinal fluid for a passive diffusion process, the main absorption mechanism, to occur (Pindelska, Sokal, and Kolodziejcki, 2017; Maggi *et al.*, 2015). The bioavailability of the absorbed drug fraction produced the desired pharmacological effect (Williams *et al.*, 2013). Therefore, drugs with low solubility levels have oral bioavailability problems, posing challenges and opportunities for their development (Javeer, Patole, and Amin, 2013; Kawabata *et al.*, 2011).

Atorvastatin calcium is a potent statin drug that reduces blood cholesterol levels. It works by inhibiting the enzyme HMG-CoA reductase in cholesterol biosynthesis (Anwar, Warsi, and Mallick, 2011). According to the biopharmaceutical classification system, it is

*Corresponding author's email: yudi.farmasi@unej.ac.id, Tel.: +62 331 324736; Fax.: +62 331 324736
doi: [10.14716/ijtech.v14i3.5088](https://doi.org/10.14716/ijtech.v14i3.5088)

categorized as a Class II drug with high permeability but low solubility. The bioavailability of oral preparations is about 12% due to their low solubility property (Anwar, Warsi, and Mallick, 2011). Therefore, research to increase the solubility of this drug is needed.

The multi-component solid is one technique used to improve the solubility of poorly soluble drugs (Zaini *et al.*, 2020; Chadha, Sharma, and Haneef, 2017; Haneef and Chadha, 2017). Cocrystal is a type of multi-component solid that has gained attention for improving the solubility properties of poorly soluble drugs. Furthermore, the multi-component cocrystal is formed through noncovalent intermolecular interactions between drug molecules and coformers to produce a single-phase material with a new crystal lattice structure. Generally, the drugs that form cocrystals have new physical properties that differ significantly from the starting materials (Shaikh *et al.*, 2018). The solubility of the multi-component cocrystal can be improved by lowering the lattice energy and/or increasing the solvent affinity (Thakuria *et al.*, 2013). Also, the presence of a diverse coformer in the multi-component solid increases the possibility of obtaining drug solids with better physical solubility properties (Douroumis, Ross, and Nokhodchi, 2017; Gao *et al.*, 2012; Tilborg *et al.*, 2010). In addition, ketoprofen-nicotinamide, atorvastatin calcium-succinic acid, and aripiprazole-succinic acid are examples of multi-component cocrystals shown to increase solubility (Butreddy *et al.*, 2021; Wicaksono *et al.*, 2019; Wicaksono *et al.*, 2018).

The research aimed to improve the water solubility properties of atorvastatin calcium through the formation of a multi-component solid. Dipicolinic acid was used as a coformer due to its solubility in water. The molecules have two donors and five acceptors of hydrogen bonds, making it easy to form intermolecular interactions with other molecules (Hiendrawan *et al.*, 2016). In addition, the dipicolinic acid coformer is inert. Hence it has no toxic effects. The atorvastatin calcium-dipicolinic acid multi-component solid was prepared using the solvent evaporation-quenching method. A powder X-ray diffractometer (PXRD), Fourier transform infrared (FTIR) Spectrometer, differential scanning calorimeter (DSC), and scanning electron microscope (SEM) were used to characterize the solid. The shake-flask method was used to analyze the solubility of the samples in distilled water.

2. Methods

2.1. Materials

Atorvastatin calcium (>98.0%) was provided by PT Dexa Medica (Palembang, Indonesia). Dipicolinic acid (>98.5%), methanol (>99.8%), and distilled water were purchased from Sigma-Aldrich (Saint Louis, USA), PT Smart Lab (Tangerang, Indonesia) and CV Makmur Sejati (Jember, Indonesia) respectively.

2.2. Preparation of Multi-component Solid

The solvent evaporation-quenching method was used to prepare the atorvastatin calcium-dipicolinic acid multi-component solid. The preparation of the solid was carried out in a methanol solution with a molar ratio of atorvastatin calcium-dipicolinic acid (1:1). The solution was evaporated on a hotplate at 60 °C and stirred at 150 rpm until a dry solid was obtained. Then the resulting solid was quenched at -80 °C for 12 hours, crushed with the mortar, and passed through an 80-mesh sieve. The solid powder was stored in a desiccator until it was tested for solid-state and solubility properties. The scheme for the preparation of multi-component solids is shown in Figure 1.

2.3. Characterization

2.3.1. PXRD

PXRD was a method used to analyze the phase types of solid materials. Furthermore, the analysis was conducted using a Philip Xpert diffractometer and a CuK α 1 radiation

source. The diffractogram was determined by filling the sample holder cavity of the X-ray diffractometer with sample powder and flattening it with a spatula. Also, the X-ray diffractometer was set at a voltage of 40 kV, a current of 30 mA, and a scan speed of $2\theta = 10^\circ/\text{minute}$ with a range of 2θ at $5\text{-}50^\circ$.




Figure 1 Scheme for preparation of multi-component solids

2.3.2. DSC

Generally, the DSC test was used to determine the solid-liquid or solid-solid transformation temperature of the sample. The Thermo plus EVO DSC 8230 equipment was used, and about 2 mg of the powder sample was placed into an aluminum container and tightly closed with a press device. Then the sample was placed into the DSC, which was set to run at a temperature range of $30\text{-}300^\circ\text{C}$. The heating rate of DSC was $10^\circ\text{C}/\text{minute}$ under dry nitrogen gas flow conditions at $50\text{ mL}/\text{minute}$.

2.3.3. FTIR

The FTIR testing was used to identify the functional groups and intermolecular interactions of molecules in the solids. About 5 mg of the sample powder was placed on the equipment's board (Alpha Bruker), and then the instrument was run at the wavenumber range of $4000\text{-}600\text{ cm}^{-1}$.

2.3.4. SEM

The SEM analysis aims to obtain the microscopic properties, including surface topography and particle size of a sample. About 2 mg of the sample was placed on a stub specimen that had been given adhesive and then coated with platinum for 20 seconds using the Hitachi E-1045 ion sputter. Then the sample was inserted into the SEM base holder, and the voltage and current were set at 15 kV and 12 mA, respectively. The observation of the shape, size, and topography of the sample particles was carried out using the appropriate magnification.

2.4. Solubility Testing

The shaking method was used to determine the water solubility of the atorvastatin calcium from a multi-component solid. Furthermore, the excess sample was placed into a 250 mL Erlenmeyer flask, and then 50 mL of distilled water was added to produce a saturated solution. The flask was closed tightly with aluminum foil and placed horizontally on the orbital shaker. Shaking was done for 12 hours at $37 \pm 0.5^\circ\text{C}$ and 150 rpm. The supernatant was filtered through a $0.45\ \mu\text{m}$ cellulose nitrate filter membrane, and the atorvastatin calcium content in the solution was determined using a UV-Vis spectrophotometer.

3. Results and Discussion

3.1. The Multi-component Solid

The solvent evaporation-quenching method was used to prepare an atorvastatin calcium-dipicolinic acid multi-component solid. Methanol was used as the solvent because

it easily dissolves atorvastatin calcium and dipicolinic acid. The drug and coformer used in the preparation of the multi-component solid were 0.968 and 0.135 g, respectively, while the total solvent was 15 mL. Also, the time required for the solvent evaporation process was 60 minutes. The solids were quenched in a deep freezer at $-80\text{ }^{\circ}\text{C}$ for 12 hours, then crushed with a mortar and passed through an 80-mesh sieve.

3.2. PXRD Diffractogram

The PXRD characterization was conducted to analyze the solid-state phase of the atorvastatin calcium-dipicolinic acid multi-component solid. Although the diffractogram of crystalline solids is characterized by the presence of sharp diffraction peaks, that of amorphous solids is characterized by the absence of diffraction peaks. The formation of new crystalline solids from the starting material mixture was indicated by a diffractogram with new diffraction peaks different from each starting material (Karagianni, Malamatar, and Kachrimanis, 2018).

Figure 2 shows the diffractograms of atorvastatin calcium, dipicolinic acid, and atorvastatin calcium-dipicolinic acid multi-component solid. The diffractogram of atorvastatin calcium has diffraction peaks of 2θ at 9.4 ; 10.2 ; 11.8 ; 17.0 ; 19.4 ; 21.6 ; and 23.7° , while the dipicolinic acid has diffraction peaks of 2θ at 11.1 ; 16.9 ; 19.4 ; 24.4 ; 27.9 ; 32.6 ; and 37.1° . Also, the physical mixture of atorvastatin calcium and dipicolinic acid powder showed a diffractogram with diffraction peaks of 2θ , which are a combination or overlay of the respective diffraction peaks. However, the atorvastatin calcium and dipicolinic acid multi-component solid showed the new diffraction peaks of 2θ at 13.2 ; 17.9 ; 18.7 ; 23.5 ; and 26.3° , in contrast to the individual peaks.




Figure 2 Diffractogram of (a) atorvastatin calcium, (b) dipicolinic acid, (c) physical mixture of atorvastatin calcium and dipicolinic acid, and (d) atorvastatin calcium - dipicolinic acid multi-component solid

The results of PXRD characterization showed that the solid-state of atorvastatin calcium-dipicolinic acid multi-component solid has a diffractogram different from each starting material, indicating the formation of a solid with a new crystalline phase. Also, the dipicolinic acid molecules acted as a coformer in the atorvastatin calcium-dipicolinic acid multi-component solid, forming a new crystal lattice with the atorvastatin calcium molecules (Karagianni, Malamatar, and Kachrimanis, 2018). This lattice has different energy from the starting material, resulting in new physicochemical properties (Thakuria *et al.*, 2013).

3.3. DSC Thermogram

DSC characterization was used to observe the solid-state phase transformation of the sample due to heating (Wicaksono *et al.*, 2020). The melting point data, enthalpy of fusion, and phase transformation profile were obtained from this characterization (Pindelska,

Sokal, and Kolodziejski, 2017; Karagianni *et al.*, 2018; Qiao *et al.*, 2011). Figure 3 showed the DSC thermograms of atorvastatin calcium, dipicolinic acid, and atorvastatin calcium-dipicolinic acid multicomponent solid. The atorvastatin calcium DSC thermogram showed two sharp endothermic peaks at 155.0 °C ($\Delta H = 69.04$ J/g) and 236.2 °C ($\Delta H = 23.56$ J/g), indicating the melting point and decomposition temperature, respectively (Shete *et al.*, 2010). In addition, the dipicolinic acid DSC thermogram showed one sharp endothermic peak at 260.4 °C ($\Delta H = 496.76$ J/g), indicating the melting point and no decomposition up to 300 °C which is in line with the literature (Hiendrawan *et al.*, 2016).

The DSC thermogram of atorvastatin calcium and dipicolinic acid multi-component solid showed two sharp endothermic peaks at 98.0 °C ($\Delta H = 26.62$ J/g) and 192.9 °C ($\Delta H = 35.21$ J/g). The sharp endothermic peak at 98.0 °C indicated the melting point of the solid, while the peak at 192.9 °C depicted the decomposition temperature. Therefore, the results of DSC characterization showed that the solid has a thermogram profile that differs from the starting material in terms of melting point and decomposition temperatures. The changes in the thermogram profile indicated the presence of intermolecular interactions in the multi-component solid between molecules of the drug and the coformer. Also, the multi-component solid of atorvastatin calcium and dipicolinic acid showed a lower melting point and enthalpy of melting than the individual material. The decrease in melting point and enthalpy of melting indicated lower lattice energy, making it easy to convert the solid into liquid when heated (Thakuria *et al.*, 2013; Qiao *et al.*, 2011).




Figure 3 DSC thermogram of (a) atorvastatin calcium, (b) dipicolinic acid, and (c) atorvastatin calcium - dipicolinic acid multi-component solid

3.4. FTIR Spectra

The FTIR characterization aimed to analyze the functional groups in atorvastatin calcium, dipicolinic acid, and atorvastatin calcium-dipicolinic acid multi-component solids. In addition, the FTIR spectra were used to analyze the presence of intermolecular interactions between the drug and the coformer in the multi-component solids (Bekbayeva *et al.*, 2022; Karagianni, Malamataris, and Kachrimanis, 2018; Pindelska Sokal, and Kolodziejski, 2017). Figure 4 showed the FTIR spectra of atorvastatin calcium, dipicolinic acid, and atorvastatin calcium-dipicolinic acid multicomponent solid. The drug showed FTIR spectra with specific absorption peaks at 3364 cm^{-1} (NH-free stretching), 3096 cm^{-1} (OH- stretching), 1650 cm^{-1} (C=O stretching), and 1216 cm^{-1} (CN stretching), indicating suitability as stated in the literature (Wicaksono *et al.*, 2019). According to the literature, the FTIR spectrum of the coformer showed a wide and strong absorption peak at 3300-2400 cm^{-1} (OH stretching of the carboxylic acid group) and 1692 cm^{-1} (C=O stretching of carboxylic the acid group), respectively (Hiendrawan *et al.*, 2016).




Figure 4 FTIR spectra of (a) atorvastatin calcium, (b) dipicolinic acid, and (c) atorvastatin calcium-dipicolinic acid multi-component solid

The FTIR spectra of atorvastatin calcium-dipicolinic acid multi-component solid showed absorption peaks that were the combination of the components. However, the absorption peaks changed in intensity and wave number. The FTIR spectra showed that the absorption peaks of atorvastatin calcium in the multi-component solids shifted, with free NH stretching from 3364 to 3381 cm^{-1} , OH from 3096 to 3032 cm^{-1} , C=O from 1650 to 1700 cm^{-1} , and CN from 1216 to 1224 cm^{-1} . Meanwhile, the absorption peaks of dipicolinic acid in the multi-component solid spectra changed, with a decrease in the intensity of the O-H absorption peak of the carboxylic acid group and a shift in the C=O stretching from 1692 to 1648 cm^{-1} . According to the FTIR analysis, the solid spectra showed shifts in the absorption peaks of the acceptor and donor groups of hydrogen bonds of atorvastatin calcium and dipicolinic acid molecules. This indicated the presence of intermolecular hydrogen bonds between molecules of the drug and coformer in the solid (Karagianni, Malamatari, and Kachrimanis, 2018).

The PXRD analysis showed that atorvastatin calcium-dipicolinic acid formed a new crystalline solid with a different diffraction pattern and crystal lattice from the starting materials. Furthermore, the DSC analysis results showed that the component's solid state has a new single solid phase with different thermal properties (melting point and enthalpy of fusion) from the starting material. The FTIR analysis showed that intermolecular hydrogen bonds were formed between the acceptor and donor groups of hydrogen bonds of atorvastatin calcium and dipicolinic acid molecules. According to the analysis of the PXRD diffractogram, DSC thermogram, and FTIR spectra, the solid-state of the atorvastatin calcium-dipicolinic acid is a new multi-component cocrystal (Karagianni, Malamatari, and Kachrimanis, 2018; Pindelska Sokal, and Kolodziejcki, 2017; Qiao *et al.*, 2011).

3.5. Morphology

The SEM examination aimed to analyze microscopic properties, including the sample's surface topography and particle size (Sukeksi *et al.*, 2021; Ali *et al.*, 2020; Qiao *et al.*, 2011). Figure 5 shows the micrographs of atorvastatin calcium, dipicolinic acid, and atorvastatin calcium-dipicolinic acid multi-component solid. The atorvastatin calcium powder particles were rod-shaped, with lengths ranging from 30-100 μm . Also, the surface topography of drug particles showed surface properties, as stated by the literature (Wicaksono *et al.*, 2019). The dipicolinic acid particles were shaped as a plate light measuring 20-200 μm in

length and a flat surface, as stated in the literature (Hiendrawan *et al.*, 2016). In addition, the preparation of atorvastatin calcium-dipicolinic acid multi-component solid produced irregularly shaped particles with a diameter of 15-40 μm and a rough surface. The multi-component solid showed microscopic differences with each starting material because the morphological identity of these materials was not observed in the atorvastatin calcium-dipicolinic acid multi-component solid. Therefore, it can be concluded that the drug and coformer formed a new multi-component solid system with new physical characteristics and solid-state properties.




Figure 5 Micrographs of a) atorvastatin calcium, (b) dipicolinic acid, and (c) atorvastatin calcium-dipicolinic acid multi-component solid

3.6. Solubility

Solubility is a parameter that directly affects the bioavailability and pharmacological effect of an active pharmaceutical ingredient. However, atorvastatin calcium is an active pharmaceutical ingredient with low solubility. Therefore, developing the solubility properties of the drug is necessary to prevent the problem of low bioavailability and lack of pharmacological response when formulated into pharmaceutical preparations (Anwar, Warsi, and Mallick, 2011). Table 1 shows the solubility test of pure atorvastatin calcium and atorvastatin calcium-dipicolinic acid multi-component solid.

The test showed that the solubility of atorvastatin calcium was 127.63 ± 7.52 mg/L. This result indicated that 31.91 mg of atorvastatin calcium would dissolve in 250 water media. Conversely, atorvastatin calcium is formulated into tablets with doses of 40 and 80 mg. Therefore, atorvastatin calcium is categorized as a Class II drug in the biopharmaceutical classification system, indicating low solubility, and often has bioavailability when formulated into pharmaceutical preparations (Pobudkowska *et al.*, 2015). The solubility of the drug in the multi-component solid was 344.31 ± 37.09 mg/L, which was significantly higher than the pure form ($p < 0.05$). Therefore, the formation of atorvastatin calcium-dipicolinic acid multi-component solid can be used to solve the solubility problem of the drug.

Table 1 The solubility of pure atorvastatin calcium and atorvastatin calcium - dipicolinic acid multi-component solid in distilled water

Replication	Solubility (mg/L)	
	Atorvastatin calcium	Atorvastatin calcium-dipicolinic acid multi-component solid
1	121.46	385.51
2	136.01	333.82
3	125.43	313.59
Mean \pm SD	127.63 ± 7.52	344.31 ± 37.09

The solubility of a crystalline solid is influenced by the lattice energies of the crystal (Elder, Holm, and Diego, 2013). Generally, crystalline solids with lower lattice energies are more soluble because the constituent molecules are bound in a lattice with weaker energies

(Kuleshova *et al.*, 2013; Thakuria *et al.*, 2013). The PXRD test showed that the atorvastatin calcium-dipicolinic acid multi-component cocrystal had a different diffractogram pattern from each constituent component. Also, the FTIR analysis results showed that the multi-component solid formation resulted in a new crystalline structure through intermolecular hydrogen bonds (Khadka *et al.*, 2014). Therefore, atorvastatin calcium-dipicolinic acid multi-component solid has a higher solubility than the pure form of the drug due to the decrease in lattice energies of the crystal. This phenomenon caused the molecules of the drug and cofomer to interact more easily with solvent molecules during the dissolution process (Kuleshova *et al.*, 2013; Thakuria *et al.*, 2013).

4. Conclusions

The solvent evaporation-quenching method was used to convert atorvastatin calcium to a new multi-component solid with a dipicolinic acid cofomer. Furthermore, the PXRD, DSC, FTIR, and SEM analyses indicated that the solid state of atorvastatin calcium-dipicolinic acid was a multi-component cocrystal. The solubility testing of the multi-component solid in distilled water showed a significant improvement of about 2.7-fold in atorvastatin calcium solubility compared to the pure form. Therefore, the formation of the multi-component solid can be used to solve the atorvastatin calcium bioavailability problem due to its low solubility. Atorvastatin calcium-dipicolinic acid multi-component solid still needs to be further tested for its *in vivo* bioavailability so that the multi-component solid can be formulated into pharmaceutical preparations with better performance.

Acknowledgments

The authors would like to thank the Rector of the University of Jember for the research funding through the “Penelitian Pasca Doktor” (PPD) grant 2020 decree number 15732/UN25/LT/2020 under contract number 3454/UN25.3.1/LT/2020.

References

- Ali, N.H.S.O., Rahman, S.N.S.A., Adol, H.A., Hamid, M.H.S.A., Taha, H., Rosli, M.Y.H., Kumara, N.T.R.N., Mahadi, A.H., Usman, A., 2020. Fabrication and Characterization of S-Benzylidithiocarbamate Schiff Base Microcrystals by a Reprecipitation Method for Enhanced Antibacterial Activity. *International Journal of Technology*. Volume 11(7), pp. 1319–1328
- Anwar, M., Warsi, M.H., Mallick, N., 2011. Enhanced Bioavailability of Nano-Sized Chitosan-Atorvastatin Conjugate after Oral Administration to Rats. *European Journal of Pharmaceutical Sciences*, Volume 44, pp. 241–249
- Bekbayeva, L., Negim, E., Niyazbekova, R., Kaliyeva, Z., Yeligbayeva, G., Khatib, J., 2022. The Effects of Modified Chitosan on the Physicomechanical Properties of Mortar. *International Journal of Technology*, Volume 13(1), pp. 125–135
- Butreddy, A., Almutairi, M., Komanduri, N., Bandari, S., Zhang, F., Repka, M. A., 2021. Multicomponent Crystalline Solid Forms of Aripiprazole Produced via Hot Melt Extrusion Techniques: An Exploratory Study. *Journal of Drug Delivery Science and Technology*, Volume 63, p. 102529
- Chadha, R., Sharma, M., Haneef, J., 2017. Multicomponent Solid Forms of Felodipine: Preparation, Characterisation, Physicochemical and In-Vivo Studies. *Journal of Pharmacy and Pharmacology*, Volume 69, pp. 254–264

- Douroumis, D., Ross, S.A., Nokhodchi, A., 2017. Advanced Methodologies for Cocrystal Synthesis. *Advanced Drug Delivery Reviews*, Volume 117, pp. 178–195
- Elder, D.P., Holm, R., de Diego, H.L., 2013. Use of Pharmaceutical Salts and Cocrystals to Address the Issue of Poor Solubility. *International Journal of Pharmaceutics*, Volume 453, pp. 88–100
- Gao, Y., Gao, J., Liu, Z., Kan, H., Zu, H., Sun, W., Zhang, J., Qian, S., 2012. Coformer Selection Based on Degradation Pathway of Drugs: A Case Study of Adefovir Dipivoxil–Saccharin and Adefovir Dipivoxil–Nicotinamide Cocrystals. *International Journal of Pharmaceutics*. Volume 438, pp. 327–335
- Haneef, J., Chadha, R., 2017. Drug-Drug Multicomponent Solid Forms: Cocrystal, Coamorphous and Eutectic of Three Poorly Soluble Antihypertensive Drugs Using Mechanochemical Approach. *AAPS PharmSciTech*, Volume 18(6), pp. 2279–2290
- Hiendrawan, S., Veriansyah, B., Widjojokusumo, E., Soewandhi, S.N., Wikarsa, S., Tjandrawinata, R.R., 2016. Simultaneous Cocrystallization and Micronization of Paracetamol-Dipicolinic Acid Cocrystal by Supercritical Antisolvent (SAS). *International Journal of Pharmacy and Pharmaceutical Sciences*, Volume 8(2), pp. 89–98
- Javeer, S.D., Patole, R., Amin, P., 2013. Enhanced Solubility and Dissolution of Simvastatin by HPMC-Based Solid Dispersions Prepared by Hot Melt Extrusion and Spray-Drying Method. *Journal of Pharmaceutical Investigation*, Volume 43, pp. 471–480
- Karagianni, A., Malamataris, M., Kachrimanis, K., 2018. Pharmaceutical Cocrystals: New Solid Phase Modification Approaches for the Formulation of APIs. *Pharmaceutics*, Volume 10(18), pp. 1–30
- Kawabata, Y., Wada, K., Nakatani, M., Yamada, S., Onoue, S., 2011. Formulation Design for Poorly Water-Soluble Drugs Based on Biopharmaceutics Classification System: Basic Approaches and Practical Applications. *International Journal of Pharmaceutics*, Volume 420, pp. 1–10
- Khadka, P., Ro, J., Kim, H., Kim, L. Kim, J.T., Kim, H., Cho, J.M., Yun, G., Lee, J., 2014. Pharmaceutical Particle Technologies: An Approach to Improve Drug Solubility, Dissolution, and Bioavailability. *Asian Journal of Pharmacy and Pharmaceutical Sciences*, Volume 9(6), pp. 304–316
- Kuleshova, L.N., Hofmann, D.W.M., Boese, R., 2013. Lattice Energy Calculation- A Quick Tool for Screening of Cocrystal and Estimation of Relative Solubility. Case of Flavonoids. *Chemical Physics Letters*, Volume 564, pp. 26–32
- Maggi, L., Canobbio, A., Bruni, G., Musitelli, G., Conte, U., 2015. Improvement of the Dissolution Behavior of Gliclazide, a Slightly Soluble Drug, Using Solid Dispersions. *Journal of Drug Delivery Science and Technology*, Volume 26, pp. 17–23
- Pindelska, E., Sokal, A., Kolodziejcki, W., 2017. Pharmaceutical Cocrystals, Salts and Polymorphs: Advanced Characterization Techniques. *Advanced Drug Delivery Reviews*, Volume 117, pp. 111–146
- Pobudkowska, A., Domanska, U., Jurkowska, B.A., Dymczuk, K., 2015. Solubility of Pharmaceuticals in Water and Alcohols. *Fluid Phase Equilibria*, Volume 392, pp. 56–64
- Qiao, N., Li, M., Schlindwein, W., Malek, N., Davies, A., Trappitt, G., 2011. Pharmaceutical Cocrystals: An Overview. *International Journal of Pharmaceutics*, Volume 419, pp. 1–11
- Shaikh, R., Singh, R., Walker, G.M., Croker, D.M., 2018. Pharmaceutical Cocrystal Drug Products: An Outlook on Product Development. *Trends in Pharmacological Sciences*, Volume 39(12), pp. 1033–1048

- Shete, G., Puri, V., Kumar, L., Bansal, A.K., 2010. Solid State Characterization of Commercial Crystalline and Amorphous Atorvastatin Calcium Samples. *AAPS PharmSciTech*, Volume 11(2), pp. 598–609
- Sukeksi, L., Iriany, Grace, M., Diana, V., 2021. Characterization of the Chemical and Physical Properties of Bar Soap Made with Different Concentrations of Bentonite as a Filler. *International Journal of Technology*, Volume 12(2), pp. 263–274
- Thakuria, R., Delori, A., Jones, W., Lipert, M.P., Roy, L., Hornedo, N.R., 2013. Pharmaceutical Cocrystals and Poorly Soluble Drugs. *International Journal of Pharmaceutics*, Volume 453, pp. 101–125
- Tilborg, A., Michaux, C., Norberg, B., Wouters, J., 2010. Advantages of Cocrystallization in the Field of Solid-State Pharmaceutical Chemistry: L-Proline and MnCl₂. *European Journal of Medicinal Chemistry*, Volume 45, pp. 3511–3517
- Wicaksono, Y., Rosidi, V.A., Saragih, S.Y., Fauziah, L.S., Setyawan, D., 2020. Preparation of Spray Dried Coamorphous Solids to Improve the Solubility and Dissolution Rate of Atorvastatin Calcium. *Jurnal Teknologi*, Volume 83(2), pp. 77–83
- Wicaksono, Y., Setyawan, D., Siswandono, S., 2018. Multicomponent Crystallization of Ketoprofen-Nicotinamide for Improving the Solubility and Dissolution Rate. *Chemistry Journal of Moldova*, Volume 13(2), pp. 74–81
- Wicaksono, Y., Setyawan, D., Siswandono, S., Siswoyo, T.A. 2019. Preparation and Characterization of a Novel Cocrystal of Atorvastatin Calcium with Succinic Acid Coformer. *Indonesian Journal of Chemistry*, Volume 19(3), pp. 660 – 667
- Williams, H.D., Trevaskis, N.L., Charman, S.A., Shanker, R.M., Charman, W.N., Pouton, C.W., Porter, C.J.H., 2013. Strategies to Address Low Drug Solubility in Discovery and Development. *Pharmacological Reviews*, Volume 65, pp. 315–499
- Zaini, E., Afriyani, A., Fitriani, L., Ismed, F., Horikawa, A., Uekusa, H., 2020. Improved Solubility and Dissolution Rates in Novel Multicomponent Crystals of Piperine with Succinic Acid. *Scientia Pharmaceutica*, Volume 88(21), pp. 1–12