


Digital Repository Universitas Jember



# Digital Repository Universitas Jember

| Editorial Board Member |                                     |                               |  |         |
|------------------------|-------------------------------------|-------------------------------|--|---------|
| Sl.No.                 | Name                                | Email                         | Address  | Country |
| 1                      | Dr Ajay Bihani                      | ajaybihani20511@gmail.com     | Associate Professor Seth G. L. Bihani S. D. College of Technical Education, Institute of Pharmaceutical Sciences & Drug Research, Sri Ganganagar (Rajasthan)                   | India   |
| 2                      | Dr. Khamaja Shakesel Ahmed          | khamaja_shakesel1@gmail.com   | Assistant Professor (Microbiology) Head Department of BMBO School of Allied Health Professionals, Assam's College of Health Sciences, Assam, State of Assam                    | India   |
| 3                      | Dr. Vinodita Negi                   | drvinoditaneogi@gmail.com     | Associate Professor, Chaudhary Devi Lal Group of Institutions, Haryana   | India   |
| 4                      | Prof. Dr. N. Dora Babu              | ndorababu811@gmail.com        | Professor Mother Teresa Pharmacy College Santhekatte Nagar, Bettapally, Khammam District, Telangana  | India   |
| 5                      | Dr Islam Mostafa Alido Bayomi Elbar | islam_mostafa_elbar@yahoo.com | Lecturer of Pharmacognosy Faculty of Pharmacy, Zagazig University, 44519- Zagazig  | Egypt   |
| 6                      | Dr. Kusumika Gurhegunde             | kusumika@gmail.com            | School of Pharmacy, Peoples University, Bhopal   | India   |
| 7                      | Dr. Shikha Thakur                   | patho.shikha@gmail.com        | Assistant Professor - Department of Microbiology, SUPAR, Hemvati Nandan Bahuguna University, India   | India   |
| 8                      | Obasegu, Emmanuel Ifeanyi           | emmanuelfosegu@yahoo.com      | Diagnostic Laboratory Unit, University Health Services Department, Michael Okpara University of Agriculture, Umudike, Abia State, Nigeria                                      | Nigeria |
| 9                      | Dr Abd El-Aleem Saad Soliman Desoky | abdelsalem2011@yahoo.com      | Professor of Agricultural Zoology Assistant in Plant Protection Department), Faculty of Agriculture, New Campus (ElKarmal), Sohag University, New Sohag City, Sohag, Egypt     | Egypt   |
| 10                     | Prof. Katalin Prokesi-Tetrai        | Katalin.Prokesi@unthsc.edu    | Center for Neuroscience Discovery, Department of Pharmaceutical Sciences University of North Texas Health Science Center 5500 Camp Bowie Boulevard Ft. Worth, Texas 76107, USA | USA     |
| 11                     | Dr. Franck YOVO                     | yovofranck62@gmail.com        | Doctor in Physical Chemistry/ Environmental Chemistry, Benin   | Benin   |
| 12                     | Dr. Mohammed Nader Alshabani        | dr.m.nader@hotmail.com        | Lecture, Department of Biological Sciences and Biotechnology, Faculty of Physical Education, Beirut  | Egypt   |

# Digital Repository Universitas Jember

|    |                                      |                              |   |          |  |
|----|--------------------------------------|------------------------------|---|----------|--|
| 10 | Prof. Katalin Prokes-Tetrazki        | Katalin.Prokes@unthsc.edu    | Center for Neuroscience Discovery, Department of Pharmaceutical Sciences University of North Texas Health Science Center 5500 Camp Bowie Boulevard Ft. Worth, Texas 76107, USA.             | USA      |  |
| 11 | Dr. Franck YOVO                      | yovofranck02@gmail.com       | Doctor in Physical Chemistry/ Environmental Chemistry; Business.  | Business |  |
| 12 | Dr. Mohammed Nader Shalaby           | dr.m.nader@hotmail.com       | Lecture, Department of Biological Sciences and Sports Health, Faculty of Physical Education Suez Canal University, Egypt  | Egypt    |  |
| 13 | Professor Dr. Jacinta A. Opara       | jopara@yahoo.com             | Professor and Director, Centre for Health and Environmental Studies, University of Maiduguri, P.M.B 1009, Maiduguri-Nigeria   | Nigeria  |  |
| 14 | Dr. Sreekanth B.                     | sreekanthbbs@gmail.com       | EDG, MDS, Department of Public Health Dentistry, India  | India    |  |
| 15 | Dr. U. Srinivas                      | u.srinivas1966@gmailmail.com | Professor and Head of the Department of Pharmacognosy and Phytochemistry, India   | India    |  |
| 16 | Dr. Mahesh Chandra Salu              | mchashu@gmail.com            | Assistant Professor, Directorate of Medical Research, IIM & Sun Hospital (Faculty of Medical Sciences), Silchar 'O' Assamardia University, Kalinga Nagar, Ekhuansewar 781005, Odisha, India | India    |  |
| 17 | Dr. Nisa Uyar Alpaslan               | nisa.uyar@hotmail.com        | Marmis University Medical Faculty, Department of Medical Biology and Genetics, Turkey   | Turkey   |  |
| 18 | Prof. Dr. Dhrubo Jyoti Sen           | dhrubosen00@yahoo.com        | Professor, Department of Pharmaceutical Chemistry, School of Pharmacy, Techno India University, Salt Lake City, Sector V, EM-4, Kolkata-700061, West Bengal, India                          | India    |  |
| 19 | Dr. Abd El-Aleem Saad Soliman Desoky | abdalelem2011@yahoo.com      | Professor Assistant of Agricultural Zoology Plant Protection Department Faculty of Agriculture Sohag University, Egypt  | Egypt    |  |
| 20 | Dr. Ranjita Kumar Das                | ranjita_das@yahoo.co.in      | Asst. Professor and Head, 2B2B Mahavidyalaya (Under Vidyasagar University), Gualior, Dist- Purba Medinipur, Pin-721128, West Bengal, India  | India    |  |
| 21 | Dr. Somenath Ghosh                   | somenath0055450410@gmail.com | Assistant Professor and Head, Department of Zoology, Coordinator, Centre for Biotechnology, Rayendra P.G. College, Jai Prakash University, Chapra-241501, Bihar, India                      | India    |  |
| 22 | Jefferson David Malo de Matos        | matojefferson10@gmail.com    | Specialization in progress in Disfunção Temporomandibular Dorre Orofaringe, Faculdade   | Brazil   |  |

# Digital Repository Universitas Jember

|    |                                  |                           |  |        |
|----|----------------------------------|---------------------------|--|--------|
| 22 | Jefferson David<br>Malo de Matos | matojefferson10@gmail.com | Specialization in progress in Disfunção Temporomandibular Dorso Orofacial, Faculdade Unileste, UNYLESTE, Brazil                          | Brazil |
| 23 | Dr Srikanth<br>Shastri           | drshastriyan@yahoo.com    | Lab Director for Megam Diagnostics, Kompally,<br>Hyderabad, India  | India  |
| 24 | Pavan Kumar<br>Gangavarapu       | pavan.archana@gmail.com   | Senior Director, Regulatory Affairs, Animal<br>Pharmaceuticals LLC, Pleasanton, NJ, USA  | USA    |
| 25 | Dr Geeta Arya                    | drgeetipreeti@gmail.com   | M.D.S. (Oral and Maxillofacial Prosthodontist &<br>Implantologist) India   | India  |
| 26 | Dr Sandeep<br>Kumar Singh        | ska.1247@gmail.com        | Founder President Indian Scientific Education and<br>Technology Foundation, 504 Kha/125, Bahinor<br>Colony, Nizamuddin, New Delhi, India | India  |

## Advisory Board Member

| H.No. | Name                          | Email                     | Address  | Country      |
|-------|-------------------------------|---------------------------|--|--------------|
| 1     | Dr. Kaveh Ostad-Ali-Akbari    | kaveh.oas20001@gmail.com  | Assistant Professor, Department of Civil Engineering,<br>Infahan (Khorasan) Branch, Islamic Azad University,<br>Infahan  | Iran         |
| 2     | Dr. Abhinandan Ghosh          | abhinandan.vu1@gmail.com  | Dept. of BMLBM Vidyasagar University, Midnapore-<br>721102 West Bengal   | India        |
| 3     | Dr. Sonil Dubey               | sonildubey111@gmail.com   | Associate Professor Basu Shastri and Bhushanjya<br>Kalpana to Govt. College Burhanpur, M.P.  | India        |
| 4     | Dr. Pravin Khandekar          | kp.pravin011@gmail.com    | Department of Health Sciences, Faculty of Health and<br>Environmental Sciences Central University of Technology<br>(CUT) Bloemfontein 9300, Free State   | South Africa |
| 5     | Dr. Ranju Pal                 | pal.ranju@gmail.com       | School of Pharmacy, Peoples University, Bhopal   | India        |
| 6     | Dr. Mahendra Rathineavelu     | mcley4u@gmail.com         | Associate Professor & Internship Coordinator, In-Charge,<br>Division of Pharmacy Practice, Baghavendra Institute of<br>Pharmaceutical Education and Research - RIFER<br>Anantapuramu, Andhra Pradesh, India - 515772 | India        |
| 7     | Prof. Swapnil S.<br>Singhal   | ditayurveda@gmail.com     | Professor, Department of Kayachikitsa, Uttarakhand<br>Ayurved University, Gurukul Campus, Haridwar,<br>Uttarakhand, India Pin: 244404  | India        |
| 8     | Dr. Tabassum Zaher            | stabassumzaher@gmail.com  | Assistant Professor in BOT University in the Department<br>of Physiotherapy, Gurgaon Haryana, India  | India        |
| 9     | Dr. Mohammad<br>Ansorul Haque | MHAQUE@spmm.edu.sa        | Physiotherapist, Prince Sultan Military Medical City,<br>Riyadh, Kingdom of Saudi Arab   | Saudi Arab   |
| 10    | Dr. Bhagwat E.<br>Chavhan     | bhagwat.chavhan@gmail.com | Assistant Professor & Head, Department of<br>Pharmaceutical Chemistry at JBPMs, Jayawantrao<br>Savant College of Pharmacy & Research, Hadapsar, Pune   | India        |

# Digital Repository Universitas Jember

## DAFTAR ISI Volume 4, Juli Issue 4

**WORLD JOURNAL OF ADVANCE  
HEALTHCARE RESEARCH**  
( An ISO 9001:2015 Certified International Journal )  
An International Peer Review Journal for Medical Science and Pharma Professionals  
is indexed with various reputed international bodies like : Google Scholar , Index Copernicus , SCOLAR , China , R

**ISSN 2457-0400**  
**Impact Factor : 5.464**  
Fri, Dec 4, 2020 9:28:00 AM  
**Login** **Register** 

**HOME** **ABOUT US** **INSTRUCTION TO AUTHOR** **CURRENT ISSUE** **MANUSCRIPT SUBMISSION** **PROCESSING FEES** **TRACK YOUR ARTICLE** **ARCHIVE** **CONTACT US**


**LOGIN**  
User Name  
  
Password  
  
Forgot Password Register  
**Submit**

**2020 - VOLUME 4, JULY ISSUE 4**

**ORIGINAL ARTICLE**  
**SANITARY ANTECEDENTS AND NUTRITIONAL STATUS OF PREGNANT WOMEN ATTENDING ON CHU OF COCODY-ABIDJAN (COTE D'IVOIRE)**  
Dr. Essé Saniz-Estelle\*, Apkaué N'Zi Ambroise, Kouamé Konan Joci and Amiakan Kauakou Ernest  
**ABSTRACT** Article View [237] Article Download [37] 

**EVALUATION OF SEASONAL PATTERN OF INFECTION IN DRY AND RAINY SEASONS OF 14 MONTHS EACH**  
Bessie Nonyelum Esimai\* and Emmanuel Ifeanyi Obasgwu  
**ABSTRACT** Article View [206] Article Download [17] 

**EVALUATION OF MALARIA INFECTION ACCORDING TO GESTATIONAL AGE OF WOMEN BY TRIMESTERS.**  
Esimai Bessie Nonyelum\*, Obasgwu Emmanuel Ifeanyi and Ikeme A.C.C.  
**ABSTRACT** Article View [213] Article Download [28] 



# Digital Repository Universitas Jember

The digital repository interface displays four research articles in a grid:

- INFERTILITY AS A COMPLICATION OF ENDOMETRIOSIS**  
\*Farzana Nuriddinovna Atacova, Larisa Rubenovna Agababyan, Dildora Rakhimovna Khudoyarova  
[ABSTRACT](#) [Article View \[169\]](#) [Article Download \[9\]](#)
- BURDEN AND COPING AMONG CAREGIVERS OF CHRONIC MENTALLY ILL PATIENTS: A HOSPITAL BASED STUDY**  
Renuka Adhikari\*, Sami Lamz, Nirmala Shrestha, Kriti Thapa and Nidcah Sapkota  
[ABSTRACT](#) [Article View \[264\]](#) [Article Download \[14\]](#)
- "DHOOPANA" VIS-A-VIS FUMIGATION: THE MEASURE FOR PREVENTION OF INFECTIOUS DISEASES**  
\*Dr. Dilip Kr. Goswami, B.A.M.S. MD (Ay), Ph.D.  
[ABSTRACT](#) [Article View \[279\]](#) [Article Download \[7\]](#)
- MICROBIAL QUALITY CONTROL OF NIGER RIVER WATER IN URBAN AND PERI-URBAN AREAS OF BAMAKO**  
Yacouba Koumaré, Amadou Hamadou Babane\*, Kangaye Amadou Diallo, Fallaye Kanté and Fassé Samaké  
[ABSTRACT](#) [Article View \[147\]](#) [Article Download \[8\]](#)

# Digital Repository Universitas Jember

Renuka Adhikari\*, Sami Lama, Nirmala Shrestha, Kriti Thapa and Nidesh Sapkota

[ABSTRACT](#) [Article View \[264\]](#) [Article Download \[14\]](#)



"DHOOPANA" VIS-À-VIS FUMIGATION: THE MEASURE FOR PREVENTION OF INFECTIOUS DISEASES

\*Dr. Dilip Kr. Gorwami, B.A.M.S. MD (Ay), Ph.D.

[ABSTRACT](#) [Article View \[279\]](#) [Article Download \[7\]](#)



MICROBIAL QUALITY CONTROL OF NIGER RIVER WATER IN URBAN AND PERI-URBAN AREAS OF BAMAKO

Yacouba Koumaré, Amadou Hamadou Babane\*, Kangaye Amadou Diallo, Fallaye Kanté and Fassé Samaké

[ABSTRACT](#) [Article View \[147\]](#) [Article Download \[8\]](#)



COVID 19 AWARENESS AMONG PEOPLE IN INDIA: A SURVEY REPORT

\*Dr. Poonam Sharma

[ABSTRACT](#) [Article View \[164\]](#) [Article Download \[10\]](#)



CIRCULATING CD34-POSITIVE STEM CELLS IN PERIPHERAL BLOOD OF PATIENTS WITH HODGKIN LYMPHOMA

Hala Ahmad\*, Ghassan AlMassarani, Adnan Ikhtesar, Haissam Yaqubi, Reem Nadra, Susan Samra

[ABSTRACT](#) [Article View \[325\]](#) [Article Download \[4\]](#)







Original Article

[www.wjahr.com](http://www.wjahr.com)

**PREDISPOSING FACTORS OF THE VISIT ACTIVITIES TO THE INTEGRATED  
GUIDANCE POST (POSBINDU) FOR NON-COMMUNICABLE DISEASES (NCD) AT  
SUMBER SARI HEALTH CENTER, JEMBER**

**Putri Rizkiyah Salam<sup>\*</sup>, Dwi Wahyuni<sup>2</sup> and Farida Wahyu Ningtyias<sup>3</sup>**

<sup>1</sup>Masters Program in Public Health, Jember University.

<sup>2</sup>Faculty of Teacher Training and Education Jember University.

<sup>3</sup>Faculty of Public Health Jember University.

Received date: 28 May 2020

Revised date: 18 June 2020

Accepted date: 08 July 2020

\*Corresponding author: Putri Rizkiyah Salam

Masters Program in Public Health, Jember University.

**ABSTRACT**

Non-communicable diseases (NCD) are the main cause of death in the world, which represents 63% of all annual deaths. NCD kills more than 36 million people every year. The existence of integrated guidance post (POSBINDU) is expected to be able to carry out prevention and control through early detection, monitoring, and early follow-up of risk factors for non-communicable diseases in an integrated and periodic manner. The purpose of this study was to analyze the influence of predisposing factors (age, gender, education level, occupation, knowledge, attitude, level of trust toward POSBINDU) on the activity of visiting POSBINDU in Sumbersari District, Jember Regency. This study used an observational analytic research design with a cross sectional research design. Samples taken in this study were 381 people with age  $\geq 15$  years. Data analysis in this study used logistic regression. The sampling technique in this study uses purposive sampling method. The results showed that there was an influence of predisposing factors to the activity of visiting POSBINDU, showing a value of  $p < 0.05$  so that the seven variables influenced the activity of visiting POSBINDU

**KEYWORDS:** Non-communicable diseases, POSBINDU, Predisposing Factors, Public Health Center.

**INTRODUCTION**

A report from WHO (2018) showed that NCD by far was the leading cause of death in the world, representing 63% of all annual deaths. NCD killed more than 36 million people every year. Most NCD death was mostly caused by cardiovascular disease as many as 17.3 million people per year, followed by cancer (7.6 million), respiratory disease (4.2 million), and DM (1.3 million). These four groups of diseases caused around 80% of all deaths by NCD.

Riskesdas results (2018) showed an increase in deaths due to the high prevalence of NCD. The prevalence of NCD, including: stroke 12.1 per 1000, coronary heart disease 1.5%, heart failure 0.3%, diabetes mellitus 6.9%, kidney failure 0.2%, cancer 1.4 per 1000, disease obstructive chronic pulmonary 3.7%, and 8.2% injuries. East Java in 2016 ranked second after West Java, which is 56% in cases of deaths from NCD (Ministry of Health, 2016). Up to the district level, the prevalence of NCD in Jember is more than 50% of cases with a figure of

around 62,000 cases in 10 varies of NCD (Health Office of Jember Regency, 2019)

Government actions in controlling NCD that were efficient and effective are by empowering and increasing community participation. POSBINDU is a form of Community-Based Health Efforts (UKBM) under the development of Public Health Center. POSBINDU of NCD was expected to be able to carry out prevention and control through early detection, monitoring and early follow-up of NCD risk factors in an integrated and periodic manner.

The number of POSBINDU targets aged  $\geq 15$  years in Jember was 1,648,352 with the target of the POSBINDU service being 80% (1,318,682 people) but the average puskemas in Jember only reached 494,505 (30%) of the target number. Data from the Sumbersari Community Health Center (Puskesmas) of Sumbersari shows that the number of target PTB POSBINDU was 55,981 people, which actively attended the POSBINDU activities were 15,114 (27%). This was not achieved by the health service target in POSBINDU of 80% of the total

POSBINDU target in the puskesmas area (Jember District Health Office, 2019).

The low number of visits to POSBINDU can be explained through the Green approach Notoatmodjo (2012), that one of the people's behavior is influenced by predisposing factors, which include age, sex, education, occupation, knowledge, attitudes and level of trust.

## METHODS

This research includes quantitative research that uses case control design. The sampling technique using Purposive Sampling. Purpose Sampling is sampling based on certain considerations such as population traits or traits that are already known (Notoatmodjo, 2010) The number of samples taken in this study was 381. The research was conducted in the working area of Sumbersari Community Health Center, namely as many as 5 villages in February - March 2020. Data collection techniques were carried out by interview using the instrument. The instrument used in this study was a questionnaire. The questionnaire provided contains the respondent's identity (age, gender, education level, occupation) knowledge, attitudes and level of trust

toward POSBINDU. Test the analysis of influence using the Logistic Regression Test.

## RESULTS

Based on the data distribution of respondents' characteristics presented in table 1, information was obtained that the majority of respondents were women with a total of 274 respondents (71.9%). Based on age it is known that the majority of respondents are over 58 years old with a number of 191 respondents (50.1%). Characteristics of respondents based on their level of education showed that the majority of respondents only received education to graduate from elementary school with 189 respondents (49.6%). Judging from the characteristics of respondents based on work shows that most respondents of the study did not work, amounting to 153 respondents (40.2%). The majority of respondents' knowledge distribution is sufficient, that is 228 respondents (59.8%). A total of 274 respondents (71.6%) showed sufficient attitudes of respondents towards the postbindu activities and based on the trust of the largest respondents namely trust with a total of 220 respondents (57.7%).

**Table 1: Distribution of Respondents According to Predisposing Variables.**

| Distribution    | Criteria                        | Frequency | Percentage |
|-----------------|---------------------------------|-----------|------------|
| Gender          | Male                            | 107       | 28,1       |
|                 | Female                          | 274       | 71,9       |
| Age             | 15-25 years old                 | 11        | 2,9        |
|                 | 26-36 years old                 | 36        | 9,4        |
|                 | 34-47 years old                 | 58        | 15,2       |
|                 | 48-58 years old                 | 85        | 22,3       |
|                 | > 58 years old                  | 191       | 50,1       |
| Education Level | not completed in primary school | 72        | 18,9       |
|                 | Elementary School Graduate      | 189       | 49,6       |
|                 | Junior High School Graduate     | 67        | 17,6       |
|                 | Senior High School Graduate     | 32        | 8,4        |
|                 | University Graduate             | 21        | 5,5        |
| Occupation      | Unemployed                      | 153       | 40,2       |
|                 | Farmer                          | 65        | 17,1       |
|                 | Entrepreneur                    | 122       | 32,0       |
|                 | Employee                        | 5         | 1,3        |
|                 | Civil Servants                  | 36        | 9,4        |
| Knowledge       | Low                             | 124       | 32,5       |
|                 | Moderate                        | 228       | 59,8       |
|                 | High                            | 29        | 7,6        |
| Attitude        | Low                             | 2         | 0,5        |
|                 | Moderate                        | 274       | 71,6       |
|                 | High                            | 105       | 27,6       |
| Level of Trust  | Low                             | 161       | 42,3       |
|                 | High                            | 220       | 57,7       |
| Total           |                                 | 381       | 100        |

Based on the results of bivariate analysis with the chi-square test on Analysis of Visit Activity by Predisposing Factors presented in Table 5, shows the relationship between predisposing factors with visit activity, gender

variables ( $p = 0.016$ ), age ( $p = 0.000$ ), education ( $p = 0.000$ ) 0.040), occupation ( $p = 0.018$ ), knowledge ( $p = 0.046$ ), attitude ( $p = 0.038$ ), and trust ( $p = 0.012$ )

significantly related to the utilization of NCD postbindu ( $p$ -value <0.05).

**Table 2: Analysis of Visit Activity According to Predisposing Factors.**

| Predisposing Factors | Criteria                        | Keaktifan Kunjungan |      |       |      |       |      | Hasil Pengujian                  |  |
|----------------------|---------------------------------|---------------------|------|-------|------|-------|------|----------------------------------|--|
|                      |                                 | Tidak aktif         |      | Aktif |      | Total |      |                                  |  |
|                      |                                 | n                   | %    | n     | %    | n     | %    |                                  |  |
| Gender               | Male                            | 51                  | 13,4 | 56    | 14,7 | 107   | 28,1 | $\chi^2 = 5,824$<br>$p = 0,016$  |  |
|                      | Female                          | 94                  | 24,7 | 180   | 47,2 | 274   | 71,9 |                                  |  |
| Age                  | 15-25 y.o                       | 10                  | 2,6  | 1     | 0,3  | 11    | 2,9  | $\chi^2 = 21,363$<br>$p = 0,000$ |  |
|                      | 26-36 y.o                       | 18                  | 4,7  | 18    | 4,7  | 36    | 9,4  |                                  |  |
|                      | 37-47 y.o                       | 14                  | 3,7  | 44    | 11,5 | 58    | 15,2 |                                  |  |
|                      | 48-58 y.o                       | 36                  | 9,4  | 49    | 12,9 | 85    | 22,3 |                                  |  |
|                      | > 58 y.o                        | 67                  | 17,6 | 124   | 32,5 | 191   | 50,1 |                                  |  |
| Education Level      | not completed in primary school | 30                  | 7,9  | 42    | 11,0 | 72    | 18,9 | $\chi^2 = 10,049$<br>$p = 0,040$ |  |
|                      | Elementary School Graduate      | 81                  | 21,3 | 108   | 28,3 | 189   | 49,6 |                                  |  |
|                      | Junior High School Graduate     | 22                  | 5,8  | 45    | 11,8 | 67    | 17,6 |                                  |  |
|                      | Senior High School Graduate     | 5                   | 1,3  | 27    | 7,1  | 32    | 8,4  |                                  |  |
|                      | University Graduate             | 7                   | 1,8  | 14    | 3,7  | 21    | 5,5  |                                  |  |
| Occupation           | Unemployed                      | 65                  | 17,1 | 88    | 23,1 | 153   | 40,2 | $\chi^2 = 11,909$<br>$p = 0,018$ |  |
|                      | Farmer                          | 32                  | 8,4  | 33    | 8,7  | 65    | 17,1 |                                  |  |
|                      | Entrepreneur                    | 36                  | 9,4  | 86    | 22,6 | 122   | 32,0 |                                  |  |
|                      | Employee                        | 0                   | 0,0  | 5     | 1,3  | 5     | 1,3  |                                  |  |
|                      | Civil Servants                  | 12                  | 3,1  | 24    | 6,3  | 36    | 9,4  |                                  |  |
| Knowledge            | Low                             | 52                  | 13,6 | 72    | 18,9 | 124   | 32,5 | $\chi^2 = 6,150$<br>$p = 0,046$  |  |
|                      | Moderate                        | 88                  | 23,1 | 140   | 36,7 | 228   | 59,8 |                                  |  |
|                      | High                            | 5                   | 1,3  | 24    | 6,3  | 29    | 7,6  |                                  |  |
| Attitude             | Low                             | 2                   | 0,5  | 0     | 0,0  | 2     | 0,5  | $\chi^2 = 6,515$<br>$p = 0,038$  |  |
|                      | Moderate                        | 111                 | 29,1 | 163   | 42,8 | 274   | 71,6 |                                  |  |
|                      | High                            | 32                  | 8,4  | 73    | 19,2 | 105   | 27,6 |                                  |  |
| Level of Trust       | Low                             | 73                  | 19,2 | 88    | 23,1 | 161   | 42,3 | $\chi^2 = 6,275$<br>$p = 0,012$  |  |
|                      | High                            | 72                  | 18,9 | 148   | 38,8 | 220   | 57,7 |                                  |  |

## DISCUSSION

According to Saeed (2015) Female respondents used more health services compared to male respondents because women have more time at home as housewives compared to men who have to work outside the home as the head of the family, also due to psychologically women have a greater degree of concern than men who were slightly less concerned so that women pay more attention to their health conditions. Based on the results of interviews conducted with respondents, female respondents said that they came to POSBINDU in addition to checking their health as well as to consult about preventable diseases, they also gained knowledge about preventing diseases that are currently being experienced so as not to get worse. Women have an instinct that is more sensitive to health than men. Women basically have more complex problems, women experience quite a lot of problems such as menstruation and pregnancy that were not experienced by men. While for male respondents, they come to POSBINDU when they were not working or when they felt unwell.

According to Hurlock (2012) someone aged 45-59 years old is called pre elderly where as they get older it will cause problems related to health aspects. Therefore it is

necessary to improve health services so that they can improve the quality of health. Diseases that often occur at this age are Non-Communicable Diseases (NCD), such as hypertension, arthritis, stroke, Chronic Obstructive Pulmonary Disease (COPD) and Diabetes Mellitus (DM). According to researchers, most respondents at the age of the elderly have found the risks of NCD so at this age they would rather check themselves to prevent further complications. The more often they get sick the more often they make use of health services in POSBINDU as an impact on the client's need for health care.

According to Notoatmodjo, the basic concept of education is a learning process. In education there is a process of growth, development, change toward more mature and better individuals, groups and communities. Learning activities or processes if there is a change from not knowing to knowing, from not wanting to doing to being willing to do something, however, not all changes occur because of learning, but also because of the process of maturity. The absence of influence of the level of education on POSBINDU visits is possible. Because education basically can not only be obtained from school (formal) but also in the family, community, and from

other media (magazines, news, etc.). Inversely related to Khanal et al (2017), according to Khanal et al the educational status is closely related to one's awareness and knowledge, so that the educational status has a significant influence on the utilization of health services. Usually people who are poorly educated, lack awareness and good knowledge about the benefits of health services. The higher level of education a person will also increase knowledge, information obtained. This shows the higher education, the needs and demands for health services also increase. Conversely the lower level of education will make it difficult for them to receive counseling provided by health workers and tend not to know about the existence of health services.

The results of this study are not in line with research conducted by Handayani D. E (2012) which states that the status of work or non-work does not affect the community in terms of utilizing POSBINDU for NCD. Respondents with non-working status did not use POSBINDU more due to lack of awareness and knowledge about the benefits of it. There is a tendency for people who work more actively to seek health services compared to those who do not work, due to their higher knowledge, also because they are more economically independent. According to researchers, community members with no work status certainly have greater opportunities or opportunities to take advantage of existing services because most of their time is spent at home compared to those who work. The results of interviews with the community are useful for improving health or treating complaints so they can heal quickly and can also monitor their health status. POSBINDU activities at the time the researchers conducted the study began at around 09.00-10.00 WIB where there were some people who were working back from their place of work (rice fields and fields) to rest for a while.

Marnah's research (2016) shows that the more familiar the respondent is with health services, the respondent is able to determine the response to the utilization of health services. This study was strengthened by Yaya (2017), which showed that respondents with good knowledge about health services were 0.816 times more likely to utilize health services ( $p = 0.012$ ) compared to respondents who had poor knowledge. Someone who is well-informed will behave well according to what he knows and knows what benefits are derived from the behavior, on the other hand people who lack knowledge will behave less. Knowledge is the result of human sensing, or the result of knowing someone about objects through their senses. Knowledge about health includes what someone knows about ways to maintain health. Good respondent's knowledge can influence respondents to make a visit to POSBINDU for NCD because they understand the benefits of the importance of regular checks to POSBINDU for NCD as well as public awareness of the importance of a healthy lifestyle for the better.

Attitudes can be formulated as a tendency to respond positively or negatively to certain people, objects, or situations. Attitudes contain emotional judgments (happy, hateful, sad, agree, disagree, etc.) and have a different level of depth. According to researchers attitude is the key to using POSBINDU non-communicable diseases. Many attitudes can prevent people from utilizing the existing postbindu where they live, for example, assuming that coming to POSBINDU cannot prevent and discover as early as possible risk factors for non-communicable diseases. The results showed that the majority of respondents had an unfavorable attitude towards the use of POSBINDU, so that there were still many people who did not utilize the health services. According to WHO (1984) in Notoatmodjo (2007) which states that positive attitudes towards health values do not always manifest in real actions because they depend on several external and internal factors namely the situation, the experience of others, the experience of self and existing values. If the respondent has a bad experience with POSBINDU, they are also reluctant to come to POSBINDU.

According to Andersen's theory, the pattern of utilization of health services is influenced by individuals of different age groups according to the type and frequency of disease events, by different families according to their structure and lifestyle, physical, social environment and behavior patterns and by the level of trust in the success of health services. For example, medical families who trust in the success of a method of treating the disease will immediately look for this type of help and use it more often. Trust is a cognitive component of socio-psychological factors, trust is formed by knowledge, needs and interests (Notoatmodjo, 2014). Trust in illness includes anxiety that has to do with health, this is closely related to respondents' perceptions about health.

## CONCLUSION

The conclusion of the research is the variables that influence the activity POSBINDU for NCD visits are age, gender, occupation, education, knowledge, attitudes and level of trust.

## REFERENCES

1. Andersen R. Revisiting the Behavioral Model and Access of Medical care. Journal of health and social behavior, 1995; 36(5): 1- 10.
2. Green, L. Modifying and Developing Health Behavior. Journal Public Health, 1984; 5: 215-236.
3. Handayani, D. E. Pemanfaatan Pos Pembinaan Terpadu oleh Lanjut Usia di Kecamatan Ciomas Kabupaten Bogor. Skripsi. Jakarta: Universitas Indonesia, 2012.
4. Khanal, S., L. Veerman, L. Nissen, S. Hollingworth. Use of Healthcare Services by Patients with Non-Communicable Diseases in Nepal. Journal of Clinical and Diagnostic Research, 2017; 11(6).

5. Notoatmodjo, S. Ilmu Perilaku Kesehatan. Jakarta: PT Rineka Cipta, 2012.
6. Saeed, B. I. I., A. Aziz., dan X. Zhao. Assessing the influential factors on the use of healthcare: Evidence from Ghana. *International Journal of Business and Social Science*, 2015; 4(1).
7. Yaya, S., B, Ghose dan E.I, Michael. Factors Associated with the utilization of institutional delivery services in Bangladesh. *PloS One Journal Phone*, 2017; 12(2): 73-82.

