

Advances in Mathematics:
Scientific Journal
Volume 9. No 10, 2020

ISSN 1857-8365

**ADV MATH
SCI JOURNAL**

Research Publication

www.research-publication.com

- [COBISS](#)
- Google Scholar
- CORE (COnnecting REpositories)
- Open Archives Initiative
- WorldCat Digital Collection Gateway – OCLC

Advances in Mathematics: Scientific Journal

Editor-in-chief:

Prof. Biljana Jolevska-Tuneska

Department of Mathematics and Physics
Faculty of Electrical Engineering and Informational Sciences
Ss. Cyril and Methodius University in Skopje
Karpos 2 bb
1000, Skopje
Republic of North Macedonia
amsj@research-publication.com

Members of the Editorial Board: (in alphabetical order)

Vembu Ananthaswamy
Madura Colledge, India

Risto Atanasov
Western Carolina University, USA

Daniel Breaz
University of Alba Iulia, Romania

Teodor Bulboaca
Babes-Bolyai University, Romania

Maslina Darus
Universiti Kebangsaan Malaysia, Malaysia

Erdal Ekici

Canakkale Onsekiz Mart University, Turkey

Brian Fisher

University of Leicester, United Kingdom

Virginia Kiryakova

Bulgarian Academy of Sciences, Bulgaria

Milutin Obradovic

University of Belgrade, Serbia

Shigeyoshi Owa

Kinki University, Japan

Emin Ozcag

Hacettepe University, Turkey

Hari M. Srivastava

University of Victoria, Canada

Nikola Tuneski

Ss. Cyril and Methodius University, Republic of North Macedonia



All Issues


2020	1	2	3	4	5	6
	7	8	9	10	11	12
2019	1	2	3			
2018	1	2				
2017	1	2				
2016	1	2				

| Published by Union of researchers of Macedonia | www.sim.org.mk |

| Pariska 12b-8, Skopje, North Macedonia | sojuz.na.istranzuvaci@gmail.com | +389 2 308 4234 |



RESEARCH
PUBLICATION



issues

Advances in Mathematics: Scientific Journal

2020, Vol. 9, No. 10

DOI:

<https://doi.org/10.37418/amsj.9.10>

Papers from the Special Issue on

Advances in Computational Methods for Applied Mathematics Problems (ACMAMP-2020)

M. El Kamli and A. Ould Khal

EXTREMAL STABILIZATION ALGORITHM OF A COOPERATIVE GAME

B. N. R. Karuna, K. Kondala Rao, K. Lakshmi Narayan, and B. Ravindra Reddy

STABILITY ANALYSIS OF A DENGUE DISEASE TRANSMISSION MODEL WITH INTRACELLULAR DELAY

A. Mandal and A. Das

ON M-PROJECTIVE CURVATURE TENSOR OF SASAKIAN MANIFOLDS ADMITTING ZAMKOVY CONNECTION

A. I. Kristiana, Dafik, R. Alfarisi, U. A. Anwar, and S. M. Citra

AN INCLUSIVE LOCAL IRREGULARITY COLORING OF GRAPHS

P. Seetha Mani, Y. Sarala, G. J. Lalitha, and B. S. Kumar

BI-HYPERIDEALS IN TERNARY SEMIHYPERGROUPS

R. Ratheesh Kumar and J. Mathew

AN IMAGE ENCRYPTION USING DYNAMIC DNA CODING, CHAOTIC MAP, AND THE PROVISION FOR IMPROVED ROBUSTNESS

| Published by Union of researchers of Macedonia | www.sim.org.mk |

| Pariska 12b-8, Skopje, North Macedonia | sojuz.na.istranzuvaci@gmail.com | +389 2 308 4234 |

AN INCLUSIVE LOCAL IRREGULARITY COLORING OF GRAPHS

A. I. KRISTIANA¹, DAFIK, R. ALFARISI, U. A. ANWAR, AND S. M. CITRA

ABSTRACT. All graph in this paper are connected and simple. Let $G = (V, E)$ be a simple graph, where $V(G)$ is vertex set and $E(G)$ is edge set. The local irregularity vertex coloring of G is $l : V(G) \rightarrow \{1, 2, \dots, k\}$ and $w : V(G) \rightarrow N$ where $w(u) = \sum_{v \in N(u)} l(v)$ such that $opt(l) = \min\{\max\{l_i\}$ and for every $uv \in E(G), w(u) \neq w(v)$, w is a local irregularity vertex coloring. The minimum of color set is called the local irregular chromatic number, denoted by $\chi_{lis}(G)$. In this paper, we determine the local irregular chromatic number of graphs.

1. INTRODUCTION

All graph in this paper are connected and simple. Let $G = (V, E)$ be a simple graph, where $V(G)$ is vertex set and $E(G)$ is edge set. Kristiana, et.al in [1] defined of local irregularity vertex coloring of G is $l : V(G) \rightarrow \{1, 2, \dots, k\}$ and $w : V(G) \rightarrow N$ where $w(u) = \sum_{v \in N(u)} l(v)$ such that $opt(l) = \min\{\max\{l_i\}$ and for every $uv \in E(G), w(u) \neq w(v)$, w is a local irregularity vertex coloring. Furthermore, Kristiana, et.al introduced chromatic number local irregular, denoted by $\chi_{lis}(G)$ is cardinality of color of local irregularity vertex coloring. Kristiana et. al [2] found local irregularity vertex coloring of related wheel graphs and [3] found local irregularity of some families graph. Some of the propositions used in this paper:

¹corresponding author

2020 Mathematics Subject Classification. 05C15.

Key words and phrases. inclusive, local irregularity, chromatic number.

Proposition 1.1. Let P_n be a path graph for $n \geq 2$,

$$\chi_{lis}(P_n) = \begin{cases} 2, & \text{for } i = 2, 3 \\ 3, & \text{for } i \geq 4 \end{cases} .$$

Proposition 1.2. Let C_n be a cycle graph for $n \geq 3$,

$$\chi_{lis}(C_n) = \begin{cases} 2, & \text{for } i \text{ even} \\ 3, & \text{for } i \text{ odd} \end{cases} .$$

Proposition 1.3. Let S_n be a star graph for $n \geq 2$, $\chi_{lis}(S_n) = 2$.

An inclusive vertex irregular d -distance of graph G was studied by Baca, et.al [4]. Furthermore, Dafik, et.al [5] defined an inclusive distance antimagic labeling of graph G . In this paper, we develop new concept in local irregularity vertex coloring, we called an inclusive local irregularity vertex coloring.

2. RESULTS

In this paper, we define inclusive local irregularity vertex coloring of graph and we discuss inclusive local irregularity vertex coloring of some special graphs, namely path graph, cycle graph, star graph and complete graph.

Definition 2.1. A function $w : V(G) \rightarrow N$ is local irregularity vertex coloring, if $w^i(v) = l(v) + \sum_{u \in N} l(u)$ then w^i is inclusive local irregularity vertex coloring.

Definition 2.2. The minimum k of inclusive local irregularity vertex coloring of graph G is called inclusive chromatic number local irregularity, denoted by $\chi_{lis}^i(G)$.

Lemma 2.1. Let G be a graph connected and simple, $\chi_{lis}^i(G) \geq \chi_{lis}(G)$.

Proof. We have $l : V(G) \rightarrow \{1, 2, \dots, k\}$ as label function of vertex such that $uv \in E(G)$, $l(u) \neq l(v)$ and $\chi_{lis}(G)$ denoted minimum of cardinality local irregularity vertex coloring. based on Definition 2.1, there is a minimum equal to or greater than chromatic number local irregularity. \square

We study an exact value inclusive chromatic number local irregularity of some special graph, namely path graph, cycle graph, and star graph.

Theorem 2.1. Let P_n be a path graph for $n \geq 4$, $\chi_{lis}^i(P_n) = 3$.

Proof. $V(P_n) = \{x_i : 1 \leq i \leq n\}$ and $E(P_n) = \{x_i x_{i+1} : 1 \leq i \leq n - 1\}$. For every $v \in V(P_n)$ is labeled by 1 then $w^i(x_i) = l(x_{i-1}) + l(x_i) + l(x_{i+1}) = 3$ and $w^i(x_{i+1}) = l(x_i) + l(x_{i+1}) + l(x_{i+2}) = 3$. It is contradiction by definition, $w^i(x_i) \neq w^i(x_{i+1})$ such that $opt(l) = 2$. Based on Lemma 2.1 and Proposition 1.1 that $\chi_{lis}^i(P_n) \geq \chi_{lis}(P_n) = 3$. To show the upper bound, we define $l : V(G) \rightarrow \{1, 2\}$ as follows:

$$l(x_i) = \begin{cases} 1, & \text{for } i \text{ odd} \\ 2, & \text{for } i \text{ even} \end{cases},$$

so that $opt(l) = 2$ and weight function as follows:

$$w^i(x_i) = \begin{cases} 3, & \text{for } i = 1, i \\ 4, & \text{for } i \text{ odd} \\ 5, & \text{for } i \text{ even} \end{cases}.$$

We have $|w^i(V(P_n))| = 3$, hence $\chi_{lis}^i(P_n) \leq 3$. The proof is complete. \square

Figure 1 is the illustration of the inclusive local irregularity coloring of a path graph P_n .




FIGURE 1. Inclusive Local Irregularity Vertex Coloring of Path Graph, $\chi_{lis}^i(P_n) = 3$

Theorem 2.2. Let C_n be a cycle graph for $n \geq 4$ and n is even, $\chi_{lis}^i(C_n) = 2$.

Proof. : $V(C_n) = \{x_i; 1 \leq i \leq n\}$ and $E(C_n) = \{x_i x_{i+1}; 1 \leq i \leq n - 1\} \cup \{x_1 x_n\}$. For every $v \in V(C_n)$ is labeled by 1 then $w^i(x_i) = l(x_{i-1}) + l(x_i) + l(x_{i+1}) = 3$ and $w^i(x_{i+1}) = l(x_i) + l(x_{i+1}) + l(x_{i+2}) = 3$. It is contradiction by definition, $w^i(x_i) \neq w^i(x_{i+1})$ such that $opt(l) = 2$. Based on Lemma 2.1 and Proposition 1.2, $\chi_{lis}^i(C_n) \geq \chi_{lis}(C_n) = 2$. To show the upper bound, we define $l : V(G) \rightarrow \{1, 2\}$ as follows:

$$l(x_i) = \begin{cases} 1, & \text{for } i \text{ odd} \\ 2, & \text{for } i \text{ even} \end{cases},$$

so that $opt(l) = 2$ and weight function as follows:

$$w^i(x_i) = \begin{cases} 4, & \text{for } i \text{ even} \\ 5, & \text{for } i \text{ odd} \end{cases}.$$

We have $|w^i(V(C_n))| = 2$, hence $\chi_{lis}^i(C_n) = 3$. The proof is complete. □




FIGURE 2. Inclusive Local Irregularity Vertex Coloring of Star Graph, $\chi_{lis}^i(S_n) = 2$

Theorem 2.3. Let S_n be a star graph for $n \geq 3$, $\chi_{lis}^i(S_n) = 2$.

Proof. $V(S_n) = \{x, x_i, 1 \leq i \leq n\}$ where the vertex x is the central vertex and x_i is pendant vertex. If we give label 1 in every vertices in S_n , then we get the vertex weight $w^i(x) = n + 1$ and $w^i(x_i) = 2$ such that $opt(l) = 1$. Based on Lemma 2.1 and Proposition 1.3 that the lower bound of $\chi_{lis}^i(S_n) \geq \chi_{lis}(S_n) = 2$. Furthermore, we prove that the upper bound of the chromatic number $\chi_{lis}^i(S_n) \leq 2$, we define $l : V(S_n) = \{1, 2, \dots, n\}$ as follows:

$$l(x) = 1$$

$$l(x_i) = 1, \text{ for } 1 \leq i \leq n.$$

The weight function of inclusive local irregularity coloring on a star graph S_n as follows:

$$w^i(x) = i + 1$$

$$w^i(x_i) = 2, \text{ for } i \leq i \leq n.$$

It easy to show $\chi_{lis}^i(S_n) \leq 2$. Hence, $\chi_{lis}^i(S_n) = 2$. This proof is complete. □

Figure 2 is the illustration of inclusive local irregularity coloring of a star graph S_n .

3. CONCLUSION

We get the bounds of the local irregular chromatic number of graphs and determine the exact value of its concept of particular graphs namely path, cycle, and star

ACKNOWLEDGMENT

We gracefully acknowledge the support from FKIP University of Jember Indonesia of year 2020.

REFERENCES

- [1] A. I. KRISTIANA, M. I. UTOYO, DAFIK, SLAMIN, R. ALFARISI, I. H. AGUSTIN: *Local irregularity vertex coloring of graph*, International Journal of Civil Engineering and Technology, **10**(4) (2019), 451-461.
- [2] A. I. KRISTIANA, M. I. UTOYO, DAFIK, R. ALFARISI, I. H. AGUSTIN, E. WALUYO: *On the chromatic number local irregularity of related wheel graph*, IOP Conf. Series: Journal of Physic, **1211** (2019), 012003.
- [3] A. I. KRISTIANA, DAFIK, R. ALFARISI, N. ZAHRA: *Local Irregular Vertex Coloring of Some Families Graph*, Journal of discrete mathematical sciences and cryptography, **23**(6) (2020), 1-16.
- [4] M. BACA, A. S. FENOVCIKOVA, SLAMIN, K. A SUGENG: *On inclusive distance vertex irregular labelings*, Electronic Journal of Graph Theory and Applications, **6**(1) (2018), 61–83.
- [5] DAFIK, R. ALFARISI, R. M. PRIHANDINI, R. ADAWIYAH, I. H. AGUSTIN: *Inclusive Distance Antimagic Graphs*, AIP Conference Proceedings, **2014** (2018), 020083.

8946

A. I. KRISTIANA, DAFIK, R. ALFARISI, U. A. ANWAR, AND S. M. CITRA

DEPARTMENT OF MATHEMATICS EDUCATION

UNIVERSITAS OF JEMBER, INDONESIA

Email address: arika.fkip@unej.ac.id

DEPARTMENT OF MATHEMATICS EDUCATION

UNIVERSITAS OF JEMBER, INDONESIA

DEPARTMENT OF ELEMENTARY EDUCATION

UNIVERSITAS OF JEMBER, JEMBER, INDONESIA

DEPARTMENT OF MATHEMATICS EDUCATION

UNIVERSITAS OF JEMBER, INDONESIA

DEPARTMENT OF MATHEMATICS EDUCATION

UNIVERSITAS OF JEMBER, INDONESIA

