

ISSN 1755-1315

Digital Repository Universitas Jember

# IOP Conference Series

## Earth and Environmental Science

The 4<sup>th</sup> International Conference on Food and  
Agriculture (ICOFA)



980

Volume 980-2022

6-7 November 2021  
Jember, Indonesia

EDITORS  
Rosa Tri Hertamawati

The open access journal for conference proceedings  
<https://iopscience.iop.org/>

IOP Publishing

PAPER • OPEN ACCESS

## Preface

To cite this article: 2022 *IOP Conf. Ser.: Earth Environ. Sci.* **980** 011001

View the [article online](#) for updates and enhancements.

You may also like

- [Conversion of carbon dioxide and methane to syngas over Ni/SiO<sub>2</sub> catalyst prepared from waste palm oil fuel ash](#)  
H A Razak, N Abdullah, J Gasang et al.
- [Effect of grinding period on physical properties of modified bitumen using palm oil fuel ash \(POFA\)](#)  
Amira Maryam Md Sukaimi, Raja Nurul Afiqah Raja Zulkefli, Haryati Yaacob et al.
- [Characterization of palm oil fuel ash and eggshell powder as partial cement replacement in concrete](#)  
N H A Khalid, N N A Rasid, A R Mohd.Sam et al.



The Electrochemical Society

Advancing solid state & electrochemical science & technology

242nd ECS Meeting

Oct 9 – 13, 2022 • Atlanta, GA, US

Abstract submission deadline: **April 8, 2022**

Connect. Engage. Champion. Empower. Accelerate.

**MOVE SCIENCE FORWARD**



Submit your abstract



## PREFACE

Dear colleagues,

We are glad to announce the release of the 4<sup>th</sup> International Conference of Food and Agriculture (ICOFA-2021). The ICOFA is an annual conference organized primarily by Politeknik Negeri Jember. In this year the theme of our conference is “Scientific and Technological Efforts in Sustainable Food and Agriculture”

Surely, we plan to conduct this conference physically just like the previous ICOFA two years ago in November 2019. However, due to the COVID-19 pandemic, the situation has not subsided, the 4<sup>th</sup> ICOFA 2021 was carried out virtually as same as ICOFA 2020 by the Zoom meeting platform. We took this option because this conference was already designated and funded. Keynote and invited speakers were also scheduled for this event. Many delegations and authors requested for this conference to be performed, even virtually, since they need it to cover their publication and sharing knowledge requirements.

The key directions of the conference covered the discussion of advanced achievements and touch upon the main aspects of agriculture engineering and biotechnology, organic agriculture, animal science related to food, food science and technology, food safety, food security and sovereignty, IT for agriculture and renewable and novel energy sources.

The conference was run as planned on 6<sup>th</sup> November 2021 for the plenary session to 7<sup>th</sup> November 2021 for the parallel session and supported by a virtual event organizer started from 9.00 am to 5.00 PM. Conference models are a Plenary session with keynotes (40 minutes for each keynote speech) and participants' presentations (20 minutes for each presentation). A total of 144 participants (120 presenters and 24 non-presenters) from Universities, Research Institutes, and also Government Departments joined the conference in over five countries from Japan, Thailand, India, South Korea, and Algeria.

Our honorable speakers were Dr. Nishu Gupta SRM from the Institute of Science and Technology, India, Prof. Kyung-Min Kim, Ph.D. from Kyungpook National University, Korea, Prof. Dr. Tosawat Seetawan from Sakon Nakhon Rajabhat University, Thailand and Associate Professor Bibin Bintang Andriana, Ph.D. from Kwansai Gakuin University, Japan.

More than 120 full papers were submitted to the 4<sup>th</sup> ICOFA 2021. After a pre-review on originality and language, the peer review process was arranged by Editorial Committee and 73 manuscripts were selected for publication in IOP Conference Series: Earth and Environmental Science (EES).




We also wish to thank the keynote speaker, invite speakers, presenters, and participants, and all authors for contributions to the 4<sup>th</sup> ICOFA 2021 and colleague members of the organizing committee, please accept my deep appreciation for your hard working in ensuring the success of the conference.

*Editor-in-Chief, ICOFA 2021*

*Dr. Ir. Rosa Tri Hertamawati, M.Si, IPM*

A list of Steering Committees and Organizing Committees are available in this pdf.



## Steering Committee ICOFA 2021

Dr. Nishu Gupta	SRM Institute of Science and Technology, INDIA
Prof Kyung-Min Kim, Ph.D	Kyungpook National University, KOREA
Prof Dr Tosawat Seetawan	Sakon Nakhon Rajabhat University, THAILAND
Assistant Professor Bibin Bintang Andriana, Ph.D	Kwansei Gakuin University, JAPAN
Dr. Ir. Agus Susanto, MSc	Universitas Jendral Soedirman, INDONESIA
Dr. Ir. Parawita Dewanti, MP	Universitas Jember, INDONESIA
Dr. Ir. Dadik Pantaya, M.Si. IPU	Politeknik Negeri Jember, INDONESIA
Dr. Ir. Nurul Syamsiah, M.P.	Politeknik Negeri Jember, INDONESIA
Dr. Elly Kurniawati, S.TP., M.P.	Politeknik Negeri Jember, INDONESIA
Dr. Ir. Ujang Suryadi, M.P.	Politeknik Negeri Jember, INDONESIA
Dr. Ir. Ridwan Iskandar, M.T.	Politeknik Negeri Jember, INDONESIA
Dr. Bayu Rudianto, M.Si.	Politeknik Negeri Jember, INDONESIA
Dyah Nuning Erawati, S.P., M.P.	Politeknik Negeri Jember, INDONESIA
Refa Firgiyanto, S.P., M.Si.	Politeknik Negeri Jember, INDONESIA
Rizza Wijaya, S.TP., M.Sc.	Politeknik Negeri Jember, INDONESIA
Aulia Brilliantina, S.TP., M.P.	Politeknik Negeri Jember, INDONESIA
Trismayanti Dwi P., S.Kom., M.Cs.	Politeknik Negeri Jember, INDONESIA
Hermawan Arif Putranto, S.T., M.T.	Politeknik Negeri Jember, INDONESIA
Syamsiar Kautsar, S.T., M.T.	Politeknik Negeri Jember, INDONESIA

## Organizing Committee ICOFA 2021

Saiful Anwar, S.TP, MP	Chairman of International Advisory Board
Surateno, S.Kom, M.Kom	Advisor
Ir. Abi Bakri, M.Si	Advisor
Wahyu Kurnia Dewanto, S.Kom, MT	Advisor
Dr. Ir. Budi Hariono, M.Si	Advisor
Dr. Ir. Nantil Bambang Eko S., MT	Chairman of Organizing Committee
Suluh Nusantoro, S.Pi, M.Sc	Vice Chairman of Organizing Committee
Prawidya Destarianto, S.Kom, MT	Secretary
Dr. Ir. Rosa Tri Hertamawati, M.Si	Editor in Chief
Retno Sari Mahanani, SP. MM	Financial Treasury Coordinator
Andik Susanto	Financial Treasury Support
Mery Hadiyah Wati, S.Kom	Financial Treasury Support
Khafidurrohman Agustianto, S.Pd. M.Eng	IT Publication System Coordinator
I Gede Wiryawan, S.Kom, M.Kom	IT Publication System Support
David Juli Ariyadi, S.Kom	IT Publication System Support
Ahmad Nuril Firdaus, SE	Publication and Book Program
Ahmad Nugroho Ardhianto, A.Md	Publication and Book Program
Afif Sugi Hendrianto, A.Md	Publication and Book Program
Dra. Yogyarsi Budiwiyananti	Supporting Staff
Suryadi	Supporting Staff

## Table of contents

Volume 980

2022

◀ Previous issue    Next issue ▶

**The 4th International Conference on Food and Agriculture (ICOFA), 6-7 November 2021, Jember, Indonesia**

Accepted papers received: 20 January 2022

Published online: 15 February 2022

Open all abstracts

**Preface**

OPEN ACCESS

011001

Preface

+ Open abstract     View article     PDF

OPEN ACCESS

011002

Peer Review Statement

+ Open abstract     View article     PDF**Agriculture Engineering and Biotechnology**

OPEN ACCESS

012001

Optimization of the sterilization method for leaf explant Robusta BP 308 coffee in vitro

S L Asmono, R Wardana and Rahmawati

+ Open abstract     View article     PDF

OPEN ACCESS

012002

Optimization of Production Botanily Seeds (TSS) Shallot (*Allium cepa* var. *ascalonicum*)

Biru Lancor Variety through improvement of hand pollination in the lowland

E Siswadi, R R D Pertami and S A Nugroho

+ Open abstract     View article     PDF

OPEN ACCESS

012003

Design of Flash Dryer Cum-UV for Improving the Quality of Drying Cassava Chip

D Hermanuadi, A Brilliantina and EKN Sari

+ Open abstract     View article     PDF

OPEN ACCESS

012004

Utilization of foliar fertilizer as an alternative medium for enlargement of Vanda orchid plantlets before acclimatization

K Kasutjaningati, T R Koesparwanti and E Eliyatiningasih

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012005

Modeling the effect of climate on na-oogst tobacco production in Jember

I Harlianingtyas, M Azizah, S I Kusuma, Muksin and S Humaida

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012006

The Feasibility of Water Quality of Bedadung River for Inland Fishery Business Development and Sanitation Hygiene

AA Gemaputri, IAA Pongoh and OJ Anggraeni

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012007

Application of pulsed electric field in pasteurization of orange juice of siam cultivar: study on nutritional, physical, chemical properties, and total microorganism

MJ Wibowo, A Bakri, B Hariono, R Wijaya and A Brilliantina

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012008

Characterization of lignocellulolytic fungi isolated from cocoa rhizosphere under different cropping patterns

Intan Nirmalasari, Dwi Andreas Santosa and Erwin Prastowo

[+ Open abstract](#) [View article](#) [PDF](#)

## Organic Agriculture

OPEN ACCESS

012009

Viability of biofertilizer bacteria *Rhizobium spp* based on household waste

I Erdiansyah, R Taufika, TW Widodo, Damanhuri, dan DM Jannah and H Prayitno

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012010

Intercropping patterns effect of cardamom and cayenne pepper on population and intensity of whitefly pest's attacks (*Bemisia tabaci*)

I Erdiansyah, E Eliyatiningasih, V K Sari, D Nurahmanto and A H Prayitno

[+ Open abstract](#) [View article](#) [PDF](#)



- 
- OPEN ACCESS** 012011  
The growth inducing endophyte: optimizing the non-host endophyte as growth promoter  
Sugiyarto, C Trwidiarto, Supriyadi, R Firgiyanto, H S Addy and A Wafa  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012012  
The effect of Biofertilizer Application and Shoot Pruning on the Production of chili plants on sandy media  
M Z Sukri, H F Rohman and R Firgiyanto  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012013  
Chitosan application for maintaining the growth of lettuce (*Lactuca sativa*) under drought condition  
S Nurliana, S Fachriza, N M Hemelda and R Yuniati  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012014  
Effectivity of inorganic fertilizer NPK (15-15-6) to growth and yield of lowland rice (*Oryza sativa* L.) on alfisol soil  
E Fidiyawati, E Latifah, A Krismawati, D Sihombing, D Setyorini, A Bakar and Sugiono  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- Animal Science Related to Food**
- 
- OPEN ACCESS** 012015  
The effect of marinade concentrations of different local herbs and spices on the hedonic test of super native chicken breast  
H Oktafa, AH Prayitno, HT Handayani and DL Rukmi  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012016  
The fortification effect of duck eggshell nano-calcium on the physical quality of beef sausage  
AH Prayitno, DL Rukmi, A Widiyawati and B Prasetyo  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012017  
Potential of tamarind seeds (*Tamarindus indica* L.) as prebiotics on the growth of lactic acid bacteria  
M. M. D. Utami, A. C. Dewi and N. Ningsih

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012018

Early production performance of crossing chickens raised on indoor or with outdoor access

R T Hertamawati, B Prasetyo and U Suryadi

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012019

Effect of Low Grade Vegetable Soybean on Performance of Days Old Broiler Chicken

S Nusantoro, M Andriani and Nurkholis

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012020

Fermented meat and digestive tract of snail as amino acid supplements for functional feed of native chickens

U Suryadi, R T Hertamawati and S Imam

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012021

Bio-emulsifier supplementation from *Pseudomonas putida* that cultivated on medium containing waste palm oil as feed additive on poultry

M Nurhamzah and D Pantaya

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012022

*Carica papaya* seed meal in diet can reduce egg quail cholesterol without reduce egg quality

R Rahmasari, R T Hertamawati, N Ningsih, S Imam, U Suryadi and B A Nugraha

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012023

Early growing performance of local male weaning lambs fed edamame pod-based rations with and without exogenous enzyme additives

E Kustiawan, S Nusantoro, M Andriani and TM Syahniar

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012024

The potential solvent for tannin extraction as a feed additive made of coffee husk (*Coffea canephora*) using Soxhlet Method

S B Kusuma, S Wulandari, R A Nurfitriani and A Awaludin

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012025

Fermentation of soybean meal-hydrolysates as the medium that treated by papain enzyme with *Saccharomyces cerevisiae* for biomass production

D. Pantaya, D. Pamungkas, S. Wulandari and M. M. D. Utami

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012026

The effect of extorted wet edamame pod liquid waste in chicks performance

M Andriani, N Muhamad, Sabran, TM Syahniar and PR Ratri

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012027

The effect of phytobiotics ginger (*Zingiber officinale Rosc.*) extract in drinking water on hematological characters of KUB chickens

N. Ningsih, Gayuh Syaikhullah, M. Adhyatma, Zainur Rofiqi and M. F. Al Huzaini

[+](#) Open abstract [View article](#) [PDF](#)

## Food Science and Technology

OPEN ACCESS

012028

The effect of instanzation methods on rehydrated instant borse characteristics

L E Yulianti, H Sholechah, E Widowati, W Setiaboma, R Ekafitri and N Afifah

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012029

Raspberry Pi based crop and weed classification using Machine Learning Algorithm

K L Joshitha, S Nishanthini, B J Harshini and T Sadhana

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012030

Effect of drying method on the chemical properties of local soy flour

A L Suryana, N M Rosiana and Z Olivia

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012031

Physical quality of coated and uncoated breadcrumbs of *Moringa oleifera* leaf-fish nugget with various fillers

D P Putri, W Setiaboma and D Kristanti

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

Fatty acids and amino acids profile of organic black rice (*Oryza sativa* L.) milk

012032

A Romulo and N F Sadek

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012033

Mini-Review: The potential of raffinose as a prebiotic

A A Anggraeni

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012034

Packaging development of dehydrated strawberry using quality function deployment for e-commerce

S Mentari, M Ainuri and M A F Falah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012035

Consumer acceptance of quality characterization of dehydrated strawberry product

S S Hasna, A D Nugrahini and M A F Falah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012036

Organoleptic Characteristics of Banana Flakes Based on Maturity Level of Banana (*Musa Paradisiaca*) CV. Ambon

D N Surahman, R Ekafitri, T Rahman, W Cahyadi, D A Setyadi, H M Astro, A Indriati, Y Andriana and C E W Anggara

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012037

Hybrid solar fish dryers as a solution for improving the quality of fisheries products to support green technology during the pandemic COVID-19

M Risa, A Irawan, A Pratomo, A Khalid and Y R Fauzi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012038

Accelerated shelf life test method with arrhenius approach for shelf life estimation of tongkol 'euthynnus affinis' balado in cans

A Brilliantina, D K Wardani, PT Fadhila, B Hariono and R Wijaya

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012039

Prototype of Integrated Mini Exhausting System For Fish Canning Process

W Suryaningsih, A Bakri, S Kautsar, B Hariono, A Brilliantina and R Wijaya

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012040

Formulation of Local Food Based Snack Using Linear Program for Nutrisurvey to Prevent Stunting in Under-Five Children

P R Ratri, Sabran and M Jannah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012041

Pulsed electric field application on pasteurization of orange milk from low grade orange: study on nutritional, physical, chemical properties, and total microorganism

B Hariono, A Brilliantina, E K N Sari, MF Kurnianto, F Erawantini, Supriyono and S Kautsar

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012042

The analysis of phosphor content and sensory quality of dragon fruit and moringa oleifera soft candy

A D Elisanti, E T Ardianto and R Rindiani

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012043

Effect of banana flour and tempeh flour on sensory characteristics of prebiotic snack bar

G Purnasari, I R A Sasmita and Y Susindra

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012044

Antioxidant activity and hedonic evaluation of melinjo peel with variations of sodium metabisulfite concentration and soaking time

MW Apriliyanti, M Ardiyansyah, DE Wulandari, P Arum, Jayus and A Sjaifullah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012045

Effect of time and temperature on vitamin c contents and antioxidant activity in the hot water extraction of melinjo peels

MW Apriliyanti, M Ardiyansyah, W Febrianti, P Arum, Jayus and A Sjaifullah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012046

Edible coating development to extend shelf life of mangoes (*Mangifera indica* L.)

L A Handojo, D Shofinita, G Evelina and A N Nasution

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012047

Organoleptic and chemical properties test on cookies made from Mocaf and oyster mushroom flour

M F Kurnianto, R Wijaya, A M Handayani, B Hariono and A Brilliantina

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012048

Risk analysis of Musculoskeletal Disorder (MSDs) on corn noodles production

A Indriati, N K I Mayasti, T Rahman, C Litaay, C E W Anggara, H M Astro, D N Surahman, F Novianti and Y Andriana

[+ Open abstract](#)[View article](#)[PDF](#)

## Food Safety

**OPEN ACCESS**

012049

Rapid and non-labelling detection method in food safety and adulteration

B B Andriana, P N Paramitha, R Zakaria, P Parikesit, K Hashimoto and H Sato

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012050

The Antibiotic resistance of lactic acid bacteria isolated from kefir made from Etawah goat milk

T Budiati, W Suryaningsih and S O N Yudiastuti

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012051

Interaction of parasitoids associated with fruit flies attacking star fruit (*Averrhoa carambolae*) in Denpasar City, Bali Province, Indonesia

K A Yuliadhi, I W Susila, I W Supartha, A Sultan, I K W Yudha, I W E K Utama and P A Wiradana

[+ Open abstract](#)[View article](#)[PDF](#)

## Food Security and Sovereignty

**OPEN ACCESS**

012052

Increasing maize yield and farming benefit through integrated plant management in Madura Island East Java

W Handayati, E Latifah, Sugiono, H Subagio, D Sihombing and R U Fitria

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

Determinants and strategies of social forestry development for integrated coffee agribusiness in the foot of mount Argopuro area, Jember regency

012053

R A Djamali, D T Cahyaningrum and D E Putra

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012054

Effect of Soilless Media with Alternate Wetting-Drying (AWD) as Basic Irrigation on the Growth of Two Varieties of Rice

Damanhuri, T W Widodo and I Muhklisin

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012055

Design of the Needs Model for the Development of Young Generation Interests in the Agricultural Sector in Banyuwangi Regency

Muksin, I Juanda, N D Wahyono, E Eliyatiningasih, I Harlianingtyas and D Purwoko

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012056

Critical factors in local food development policies, farming, and coping mechanisms mothers with stunting children in Jember

Muksin, D A Perwiraningrum, D I Amareta and D Purwoko

[+](#) Open abstract [View article](#) [PDF](#)

---

## IT for Agriculture

---

**OPEN ACCESS**

012057

Modeling the Potential of Cereal Crops with a Smart Village-Based GIS Approach to Support Food Security

Denny Trias Utomo, Bety Etikasari and Jumiatusun

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012058

Automatic Security System Architecture for Smart Greenhouse Using Face Recognition Approach

S Anwar, H Y Riskiawan, B Hariono, D P S Setyohadi, Yogiswara, A A Kurniasari and M R Hakim

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012059

Oyster mushroom house conditions classification using K-Nearest Neighbor

I G Wiryawan, E Mulyadi, S Choirunnisa, P Destarianto and K Agustianto

[+](#) Open abstract [View article](#) [PDF](#)

**OPEN ACCESS** [Digital Repository Universitas Jember](#) 012060

Surface Modeling Vehicle for Shrimp Ponds using Artificial Neural Network

P Destarianto, K Agustianto, E Rosdiana, I G Wiryawan and E Mulyadi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012061

Agricultural Commodity Sales Recommendation System For Farmers Based on Geographic Information Systems and Price Forecasting Using Probabilistic Neural Network Algorithm

A H Utomo, M A Gumilang and A Ahmad

[+](#) [Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012062

Low-cost on-line monitoring system for agriculture based on raspberry pi zero

D P S Setyohadi, S Kautsar, E Rosdiana, H Y Riskiawan, R Firgiyanto and D E Putra

[+](#) [Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012063

Adaptive Temperature And Humidity Control System on Kumbung Mushroom using Fuzzy Neural Network Algorithm

D R Hartadi, K Agustianto, P Destarianto, R Wardana, T Kustiari, I G Wiryawan and E Mulyadi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012064

A Prototype of Raspberry Pi Camera Morphometric Measurements on Sheep Using Digital Image Processing

Angga Rahagiyanto, Bakhtiyar Hadi Prakoso and M. Adhyatma

[+](#) [Open abstract](#) [View article](#) [PDF](#)

## Renewable and Novel Energy Sources

**OPEN ACCESS** 012065

The teaching factory (TEFA) pilot project of transportation system engineering as an opportunity in the department of engineering at Politeknik Negeri Jember

A Irawan, A W Pratama and R E Rachmanita

[+](#) [Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS** 012066

Optimization Design for Manufacturing and Assembly Method in Multifedstock Jember Biodiesel Processor

A Budiprasojo, A T Zain and C N Karimah

[+](#) [Open abstract](#) [View article](#) [PDF](#)



**OPEN ACCESS**

012067

The effect of changes in the fluid flow rate of Virgin Coconut Oil (VCO) on the immersion cooling process

R E Rachmanita, G P Utama, A Budiprasojo, S Anwar, B Rudiyanto and T Seetawan

[+ Open abstract](#) [View article](#) [PDF](#)

**OPEN ACCESS**

012068

Thermo-environmental economic study on energy conversion system using thermoelectric generators (TEG SP1848) in cold storage condenser

R E Rachmanita and D Prasetyo

[+ Open abstract](#) [View article](#) [PDF](#)

## JOURNAL LINKS

[Journal home](#)


[Journal scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)



PAPER • OPEN ACCESS

## The growth inducing endophyte: optimizing the non-host endophyte as growth promoter

To cite this article: Sugiyarto *et al* 2022 *IOP Conf. Ser.: Earth Environ. Sci.* **980** 012011

View the [article online](#) for updates and enhancements.

You may also like

- [In planta screening of chili roots' endophyte bacteria to control bacterial wilt disease](#)  
T Habazar, Y Yanti, Yunisman et al.
- [Histologic Observation, Identification and Secondary Metabolites Analysis of Endophytic Fungi Isolated from \*Cananga odorata\* \(Lam.\) Hook. F. & Thomson](#)  
Utami Sri Hastuti, Dwi Rahmawati and Ria Yustika Sari
- [Records of Culturable Endophytic Fungi Inhabiting Rhizome of \*Elettaria\* in Hutan Sibayak, North Sumatera](#)  
E Munir, A Lutfia and Yurnaliza



The Electrochemical Society

Advancing solid state & electrochemical science & technology

242nd ECS Meeting

Oct 9 – 13, 2022 • Atlanta, GA, US

Abstract submission deadline: **April 8, 2022**

Connect. Engage. Champion. Empower. Accelerate.

**MOVE SCIENCE FORWARD**



Submit your abstract



## The growth inducing endophyte: optimizing the non-host endophyte as growth promoter

Sugiyarto<sup>1</sup>, C Trwidiarto<sup>1</sup>, Supriyadi<sup>1</sup>, R Firgiyanto<sup>1\*</sup>, H S Addy<sup>2,3</sup>, A Wafa<sup>2,3</sup>

<sup>1</sup> Department of Agricultural Production, State Polytechnic of Jember, Jl. Mastrip, Jember, Indonesia

<sup>2</sup> Plant Protection Study Program Department of Plant Protection Faculty of Agriculture University of Jember, Indonesia, Jl. Kalimantan No 37 Jember, Indonesia

<sup>3</sup> Center of Development Center for Development of Advanced Science and Technology (CDAST), University of Jember, Indonesia

refa\_firgiyanto@polije.ac.id

**Abstract.** The plants present a complex, spatially and temporally diverse ecological habitat. As living support of human, microorganism, microorganism and fungal. They are life in the host plant as endo, ecto, semi endo or other kind living mechanism. The symbiotic associations between microorganisms and plants are ancient and fundamental. Most of plant protection scientist develop the broad range of host in endophytic microbes for the future purposes, such as biological control agents, growth inducer, the plant resistance inducer and soon. However, the development non true host of endophytic microbes are challenging. The research was done by isolating potential endophyte from three toga plant and then tested to spinach. The growing and plant pathogenic possibility test was done to eliminating the potential plant pathogen microbes. From 40 isolate, was detected more than 20 isolate have possibility to be a pathogen of Spinach, with different symptoms appearance level. The level of growth induced result also have different result among the potential endophyte. They appear on the growing time, the long of root and shoot number of spinach. The optimizing of growth promoter endophyte especially for non-host endophyte, need the extra path for convinced the isolated endophyte not to be potential plant pathogen.

### 1. Introduction

The plants present a complex, spatially and temporally diverse ecological habitat. The root and other part of plant became as living support system for macroscopic organisms, microbial communities and fungal. The symbiotic associations between microorganisms and plants are ancient and fundamental. Endophytic microbes are an intriguing group of organisms associated with various tissues and organs of terrestrial and some aquatic plants, and are the subject of increasing interest to mycologists, ecologists, and plant pathologists.

In general, "endophytic" infections are inconspicuous, the infected host tissues are at least transiently symptomless, and the microbial colonization can be demonstrated to be internal, either through histological means, by isolation from strongly surface disinfected tissue, or, most recently, through direct amplification of fungal nuclear DNA from colonized plant tissue. Infections of land plants by endophytes are ubiquitous, having been found throughout a broad range of host orders, families, and genera worldwide, and representing a diverse array of terrestrial and aquatic habitats [1].



Most of scientist develop the broad range of host in endophytic microbes for the future purposes, such as biological control agents, growth inducer, the plant resistance inducer and soon. It's isolated from a sample plant and optimizing for other plant, not only in same genus but also for some long distance relationship plant. For example, the fungal endophytic from aquatic legumes, *Rhizobium leguminosarum* bv. *Trifolii* from their aquatic legumes, was use on aplicate them into rice. As the result the inducer reaction was appear on the infected host [2].

The same pathways are used in this project. Fungi and bacterial endophyte was isolate from three different family medicinal plants or in Indonesia called Toga. There was Gotu Kola or Pegagan (*Centella asiatica*), the cat whiskers plant or kumis kucing (*Orthosiphon aristatus*) and Drumstick tree or Kelor (*Moringa oleifera*). The fungal and bacterial endophyte from that plant were tested on spinach (*Spinacia oleracea*).

## 2. Material and Methods

### 2.1. Microbial Endophytic Isolation

The isolation methodology of endophytic fungi from three different described plant performed by methods described by Braun *et al.* [3]. Hyphal tips were taken from initial isolates and transferred onto plates of potato dextrose agar (PDA, Hi Media India), Malt Ekstract Agar (MEA, Difco Franklin Lakes, N.J.) and Tryptic Soy Agar (TSA, Merk), maintained at 18 °C or room temperature, and transferred every few months. Each isolates were selected for further morphological characterization based upon differences in gross colony morphology. The bacterial endophytic was isolate by maceration technique.

### 2.2. Endophytic Screening

For fungal morphological examination, isolates were cultured on PDA, and water agar. Cultures were incubated the 14 h light (dark) at 22-28°C. Following 2 weeks incubation, isolates were examined for colony morphology and morphological characteristics of the conidia and conidiophores. Conidia and conidiophores were taken approximately 2 mm inside the colony margin, mounted in water on a microscope slide, and observed with an Olympus BX61 microscope at 40x magnification.

The bacterial endophyte was examine by bacterial colony examination in TS Agar medium. Than a microscope slide, and observed the colony shape and other morphological type. The first screening of microbial endophytic was done by seed pathogenicity test. By follow [4] methodology for seed health. The *S. oleracea* seed were tested individually on each isolated endophyte. The necrotic reaction in the test indicated the microbial endophytic have a possibility as plant pathogenic in spinach seedling. And for that microbes will not use for more purpose.

### 2.2. Growing test

The possibility of endophytic growth inducer on the Spinach was done by [5] modification methodology. The modification was done by adding the medium test for each endophytic microbes type. The bacterial endophytic was growth in LB medium for 48 hour and shake in 150 rpm at 28°C and incubated for 2 weeks. The surface sterilized seed adding before the shaker turn on. The seed planted on sandy soil on the tray. Each bacteria replicated three times with five plant unit per replication. The fungi was test by water agar seedling test. Each fungi test was replicated three times with five plant unit per replication at 28°C and incubated for 2 weeks 14 h light.

## 3. Result and Discussion

The plant endophytic life as an endosymbiont. It mostly from bacterium and fungus. That lives within a host on specific host part or cell, without causing apparent disease. According to Ahmad *et al* [6] It live asymptotically inside plant tissue and found the most plant kingdom. The symbiont of endophyte and plant are mostly mutualism, where each species has a net benefit. For example fungi Endophytic fungi receive shelter and nutrition from host plants and in return provide great advantages to the host.

However, according to the [7], the evolution of endophytic microbes was start as normal plant pathogen, attacks their host and absorbed the nutrition from their host just like other plant pathogens.

Moreover, [8] informed that endophytic-host plant associations are generally treated separately from parasitic, pathogenic and saprophytic interactions and are viewed as mutualistic associations. However, endophyte–host interactions are based on mutual exploitation. Benefits to the partners are rarely symmetric and conflicting selection forces are likely to destabilize them.

The mutualistic associations of endophytic and host plant appear not only at one time. They develop their symbiotic interaction for long time, from generation to generation, to specific plant to specific microbe’s species. To specific microbes to specific plant part. Some of them can more specifically to the strain, race, or pathovar. It fact make the development of non-true host endophytic microbes are challenging. Need to extra purposes for development of endophytic microbes from other plant host to other plant genus or species.

The same result and theory was showed in this project. According to research, the necrotic reaction (Table 1) and seedling symptom disease (Figure 1) was appear on the spinach body part. The appearance of necrotic in the spinach part indicated the interaction e.g infection process was started. According to [9] the fungal endophytic behaviour changed due to abiotic and biotic factor. By that factor the effector and elicitor pathways on plant was started. Moreover, [10] reported that the abiotic factor like high light triggers endophyte pathogenicity, while low light supports endosymbiotic development. The pathogenicity under high light resulted from light-induced production of H<sub>2</sub>O<sub>2</sub> by the fungus, triggering hypersensitivity, cell death, and tissue necrosis.

**Table 1.** Plant Pathogenic Possibility of Isolated Endophytic

Isolate Code	Necrotic Reaction on Spinach	Necrotic Clearance Level	Appearance Level
<b>B.C.R1</b>	-	-	-
<b>B.C.R2</b>	-	-	-
<b>B.C.R3</b>	-	-	-
<b>B.C.R4</b>	-	-	-
<b>B.C.R5</b>	-	-	-
<b>B.C.R6</b>	-	-	-
<b>B.C.R7</b>	-	-	-
<b>B.C.R8</b>	-	-	-
<b>B.C.S1</b>	+	5	Clear Spot
<b>B.C.S2</b>	+	1	Ambiguous
<b>B.C.S3</b>	-	-	-
<b>B.C.L1</b>	+	1	Ambiguous
<b>F.C.L1</b>	+	3	Mostly Clear
<b>F.C.R1</b>	-	-	-
<b>F.C.R1</b>	-	-	-
<b>F.C.S1</b>	-	-	-
<b>F.C.L1</b>	-	-	-
<b>F.C.L2</b>	-	-	-
<b>B.K.R1</b>	-	-	-

<b>B.K.R2</b>	-	-	-
<b>B.K.R3</b>	-	-	-
<b>B.K.R4</b>	+	1	Ambiguous
<b>B.K.R5</b>	-	-	-
<b>B.K.R6</b>	-	-	-
<b>B.K.R7</b>	-	-	-
<b>B.K.R8</b>	-	-	-
<b>B.K.S1</b>	-	-	-
<b>B.K.L1</b>	-	-	-
<b>B.K.L2</b>	-	-	-
<b>F.K.R1</b>			
<b>F.K.R2</b>	+	1	Ambiguous
<b>F.K.R3</b>	-	-	-
<b>F.K.L1</b>	-	-	-
<b>B.M.R1</b>	-	-	-
<b>B.M.R2</b>	+	1	Ambiguous
<b>B.M.R3</b>	-	-	-
<b>B.M.R4</b>	-	-	-
<b>B.M.R5</b>	-	-	-
<b>B.M.L1</b>	+	1	Dim
<b>B.M.L2</b>	+	1	Dim
<b>F.M.R1</b>	-	-	-
<b>F.M.R2</b>	-	-	-
<b>F.M.L1</b>	+	5	Mostly Clear
<b>F.M.L2</b>	+	3	Dim
<b>F.M.L4</b>	+	4	Mostly Clear
<b>F.M.L3</b>	+	3	Mostly Clear

The clearance level of necrosis in the spinach indicated two think. The microbial endophyte was triggers a hypersensitive response visible as local necrotic lesions of the host. And the second indication was the necrosis on the development non-host endophyte should be treated as independent features in the evaluation system. The clearance level of necrosis on the spinach indicate the conflicting selection forces by the plant host was undergo. According to the [11], most plant pathogens carry genes encoding plant cell wall-degrading enzymes. However, nonphytopathogens may possess glycoside hydrolase other than cellulase/hemi-cellulase (or cell wall degradation hydrolases). Presence of this enzyme in numerous endophytes is consistent with its possible role in the diversity of sugar utilization that might be a useful component of a competent endophyte.

The growth promoter is the one of several symbiotic reactions of the microbial endophyte and the true-new host. According to Gomez *et al* [12], plant growth-promoting endophyte may be used to reduce the need for chemical fertilizers, but their efficiently be affected by several factor. The utilization of

endophytes can be protected the plant host from the rhizospheric competitors and extreme environmental conditions, could overcome those problems and successfully promote the crops under field conditions.

The plant host species, the microbe type, species, race and mechanism are the most factors to influence the growth of plant. Not all endophytic microbes have mechanism to boost the growth of the host. The growth promoter is just one of symbiotic mechanism among plant host and endophytes. However, the deep screening is the first pathway to the develop the endophytic. Its also the most important path on the development non host endophytic microbes. While, the visible necrotic symptom is the most part on evaluation system during the endophytic sreening.



**Figure 1.** The growth promoter reaction compared to control (Green Box) and Seedling Symptoms (Red box) in Seedling Test compared to control (yellow box)

#### 4. Conclusion

The growing and plant pathogenic possibility test was done to eliminating the potential plant pathogen microbes. From 40 isolate, was detected more than 20 isolate have possibility to be a pathogen of Spinach, with different symptoms appearance level. The level of growth induced result also have different result among the potential endophyte. They appear on the growing time, the long of root and shoot number of spinach. The optimizing of growth promoter endophyte especially for non-host endophyte, need the extra path for convinced the isolated endophyte not to be potential plant pathogen.

#### Acknowledgment

To the Research and Social Service Center of State Polytechnic of Jember by The Applied Research (Penelitian Terapan) Grand on 2021 with The contract number: 23/PL17.4/PG/2021

#### References

- [1] Stone, Jeffrey K, Charles W B, and James F White Jr 2000 Microbial Endophytes 17–44
- [2] Yanni, Youssef G, Rizk R Y, Corich V, Squartini A, Ninke K, Philip-Hollingsworth S, Orgambide G, De Bruijn F, Stoltzfus J, and Buckley D 1997. “Natural Endophytic Association between *Rhizobium Leguminosarum* Bv. *Trifolii* and Rice Roots and Assessment of Its Potential to Promote Rice Growth.” Pp. 99–114 in Opportunities for biological nitrogen fixation in rice and

- other non-legumes. Springer
- [3] Braun, Karen, Romero J, Liddell C, and Creamer R 2003 *Mycological Research* 107 980–88
  - [4] Dube, Praxedis, Struik P C, and Ngadze E 2018 *African Journal of Agricultural Research* 13 753–70
  - [5] Zou, Tengyue, Huang C, Wu P, Ge L, and Xu Y 2020 *Plants* 9 490
  - [6] Ahmad R Z, Ameen F, Khalid R, Alghuthaymi M A, Alsalmi R, and Li C 2019 *Sustainable Agriculture Research* 8 66-72
  - [7] Wilson D 1995 *Endophyte: the evolution of a term, and clarification of its use and definition Oikos* 274-276
  - [8] Saikkonen K, Wäli P, Helander M, and Faeth S H 2004 *Trends in plant science* 9 275-280
  - [9] Mengistu A A 2020 *Endophytes: Colonization, behaviour, and their role in defense mechanism. International Journal of Microbiology* <https://doi.org/10.1155/2020/6927219>
  - [10] Alvarez-Loayza, J. F. White Jr., M. S. Torres et al., 2011. *PLoS One*, vol. 6, 2011
  - [11] Ali S, Duan J, Charles T C, and Glick B R. 2014. *Journal of Georetical Biology* 343 193–198
  - [12] Jiménez-Gómez A, Saati-Santamaría Z, Kostovcik M, Rivas R, Velázquez E., Mateos P F, Menendez E, and García-Fraile P 2020 *Agronomy* 10 1788 <https://doi.org/10.3390/agronomy10111788>

