

ISBN 978-602-75119-1-3

Digital Repository Universitas Jember



UDAYANA UNIVERSITY



ASEAN-European Academic University Network

Proceeding

**"Enchancing Academic
Collaboration Through ASEA-UNINET
Scientific Meeting"**

February 15, 2016

**Udayana University-Bukit Jimbaran Campus
Ball-Indonesia**

The ASEAN European Academic University Network (ASEA-UNINET) was established in 1994 and comprises the following universities in:

- Austria
- Czech Republic
- Denmark
- Germany
- Greece
- Indonesia
- Italy
- Malaysia
- Myanmar
- Netherlands
- Pakistan (associate member)
- Philippines
- Russia
- Slovakia
- Spain
- Thailand
- Vietnam

Austria	<ul style="list-style-type: none">• */** University of Innsbruck• */** University of Vienna• ** University of Graz• ** Johannes Kepler University Linz• University of Salzburg• */** Vienna University of Technology• Graz University of Technology• * University of Natural Resources and Life Sciences, Vienna• ** Vienna University of Economics and Business• University of Leoben• University of Veterinary Medicine Vienna• University of Music and Performing Arts, Vienna• Mozarteum University Salzburg• ** University of Music and Performing Arts, Graz• ** Medical University of Innsbruck• Medical University of Graz• Medical University of Vienna• ** Danube University Krems
Czech Republic	<ul style="list-style-type: none">• Czech Technical University in Prague
Denmark	<ul style="list-style-type: none">• University of Southern Denmark
Germany	<ul style="list-style-type: none">• University of Freiburg

	<ul style="list-style-type: none"> • University of Passau
Greece	<ul style="list-style-type: none"> • University of Ioannina
Indonesia	<ul style="list-style-type: none"> • */** Universitas Gadjah Mada • ** Institut Teknologi Sepuluh Nopember (ITS) • ** Diponegoro University • ** Universitas Indonesia • ** Institute of Technology Bandung • ** Udayana University • ** University of Sumatera Utara • ** Airlangga University
Italy	<ul style="list-style-type: none"> • ** University of Trento • Politecnico di Milano • ** Università degli Studi di Genova • ** Università degli Studi di Brescia
Malaysia	<ul style="list-style-type: none"> • Universiti Putra Malaysia • ** University of Malaya • Universiti Teknikal Malaysia Melaka (UTeM) • National University of Malaysia • ** Universiti Utara Malaysia (UUM)
Myanmar	<ul style="list-style-type: none"> • Yangon Technological University
Netherlands	<ul style="list-style-type: none"> • University of Groningen
Pakistan	<ul style="list-style-type: none"> • ** University of Karachi
Philippines	<ul style="list-style-type: none"> • ** University of the Philippines, Quezon City
Russia	<ul style="list-style-type: none"> • St. Petersburg State Polytechnical University
Slovakia	<ul style="list-style-type: none"> • Comenius University
Spain	<ul style="list-style-type: none"> • University of Murcia

<p>Thailand</p>	<ul style="list-style-type: none"> • */** Chulalongkorn University • */** Mahidol University • */** Kasetsart University • ** King Mongkut's Institute of Technology, Ladkrabang • ** King Mongkut's University of Technology, North Bangkok • King Mongkut's University of Technology, Thonburi • */** Chiang Mai University • ** Khon Kaen University • ** Mahasarakham University • ** Naresuan University • ** Prince of Songkla University • ** Suranaree University of Technology • Silpakorn University • ** Srinakharinwirot University • ** Thammasat University • ** Burapha University • ** Ramkhamhaeng University • ** Ubon Ratchathani University
<p>Vietnam</p>	<ul style="list-style-type: none"> • ** Hanoi University of Science and Technology (HUST) • National Economics University (NEU), Hanoi • ** University of Transport and Communications (UTC) • ** Vietnam National Academy of Music (VNAM) • Vietnam National University of Agriculture (VNUA) • ** Hanoi University • Hue University • ** University of Danang • * Vietnam National University - Ho Chi Minh City (VNU-HCM) • */** University of Medicine and Pharmacy, Ho Chi Minh City

* Founder members

** Undersigned universities of the umbrella agreement

FOREWORD

This proceeding is a collection of papers presented at the Scientific and Plenary Meeting ASEA-UNINET 2016 held in Bukit Jimbaran Campus, Udayana University, Bali, Indonesia from 15th to 18th of February 2016. The committee has accepted 67 papers from 7 countries (Austria 3 papers; England 1 paper; Indonesia 51 papers; the Philippines 2 papers; Poland 1 paper; Vietnam 7 papers; Thailand 1 paper; Laos 1 paper).

We would like to extend our big thanks to Rector of Udayana University, Prof. Dr. dr. Ketut Suastika, Sp.PD-KEMD, Vice Rector for Academic Affairs, Prof. Dr. Drh. I Made Damriyasa, MS and Vice Rector for Cooperation and Information Affairs, Prof. Drs. I Made Suastra, Ph.D for their great support on this event. My special thank goes to committees of ASEA-UNINET and Indonesian organizing committee for the excellent collaboration.

We would like to express our sincere thankfulness to those who presented their papers at the conference. We also wish to thank the students of Udayana University who have assisted us with the typesetting for the format of the proceedings. More importantly, we express our gratitude to the board of reviewers who have worked hard in reviewing the submitted papers selected for the proceedings.

Jimbaran, 15 Februari 2016

The Committee

LIST OF INTERNAL AND EXTERNAL REVIEWERS

INTERNAL REVIEWERS

1. Dr. Achmad Arifin (Institut Teknologi Sepuluh Nopember Surabaya)
2. Dr. Erma Suryani (Institut Teknologi Sepuluh Nopember Surabaya)
3. Dr. Dra. Ir. Chairani Hanum, M.S (University of Sumatera Utara)
4. Fajar Juang Ekaputra (Vienna University of Technology)
5. Prof. Harno Dwi Pranowo (Universitas Gadjah Mada Yogyakarta)
6. Prof. Ir. Gamantyo Hendrantonno, M.Eng.,Ph.D (ITS Surabaya)
7. Prof. Mohamad Isa Irawan (Institut Teknologi Sepuluh Nopember Surabaya)
8. Satya Kumara, Ph.D (Udayana University Bali)
9. I Made Andi Arsana, Ph.D (Universitas Gadjah Mada Yogyakarta)
10. I Wayan Gede Astawa Karang, PhD (Udayana University Bali)
11. Prof.Moch.Amin Alamsjah, Ph.D (Universitas Airlangga)
12. David Segoh (Universitas Airlangga)
13. Dr. I Made Netra (Udayana University Bali)
14. Dr. Seri Malini (Udayana University Bali)
15. Drs.Ketut Tika,MA (Udayana University Bali)
16. Dr. dr. I Putu Gede Adiatmika, M.Kes (Udayana University Bali)
17. dr. Ni Nengah Dwi Fatmawati, SP.MK. Ph.D (Udayana University Bali)
18. Prof. Dr. dr. Ketut Suastika, Sp.PD-KEMD (Udayana University Bali)
19. Agoes Ganesha Rahyuda, PhD (Udayana University Bali)
20. I Made Budi Arsika, SH.,LLM (Udayana University Bali)
21. Ni Putu Sri Harta Mimba, Ph.D (Udayana University Bali)
22. Prof. DR.Ningrum Natasya Sirait, SH.,MLI (University of Sumatera Utara)

EXTERNAL REVIEWERS

1. Dr. Christoph A. Hauzenberger (University of Graz)
2. Lisa Madlberger (Vienna University of Technology)
3. Univ.-Prof. Dr. Dietmar Haltrich (University of Natural Resources and Life Sciences)
4. Univ.-Prof. Dr. Hartmut Kahlert (University of Natural Resources and Life Sciences)
5. Prof. Dr. Erich Schmutzhard (Medical University of Innsbruck)
6. Niina Maarit Novak, Bsc. MSc. (Vienna University of Technology)

SETTING AND TYPESET

I Made Sena Darmasetiyawan, S.S., M.Hum

I Made Yoga Dwi Angga

COVER

I Putu Oka Pradnyana, S.Kom

TABLE OF CONTENT

FOREWORD	I
LIST OF INTERNAL AND EXTERNAL REVIEWERS	II
TABLE OF CONTENT	IV
SCIENCE AND TECHNOLOGY.....	I
QUANTIFICATION OF ECOSYSTEM SERVICES OF URBAN GREEN SPACES: A TRANSCONTINENTAL CASE STUDY FRAMEWORK	1
<i>Jürgen Breuste</i>	<i>1</i>
<i>Salman Qureshi.....</i>	<i>1</i>
MAJA LEAF EXTRACT (AEGLE MARMELOS) AND SILICA GEL FOR UREA DETECTION BY USING CYCLIC VOLTAMMETRY	20
<i>Yunita Triana</i>	<i>20</i>
<i>Tri Paus Hasiholan Hutapea</i>	<i>20</i>
<i>Fredy Kurniawan</i>	<i>20</i>
SLOPE STABILITY MONITORING DURING THE MONSOON PERIOD USING RESISTIVITY MEASUREMENT, WATER CONTENT AND TILTMETER SENSORS (CASE STUDY: NGANTANG – MALANG, EAST JAVA PROVINCE, INDONESIA)	28
<i>Ria Asih Aryani Soemitro.....</i>	<i>28</i>
<i>Dwa Desa Warnana</i>	<i>28</i>
SYNTHESIS OF GALACTO- AND HETERO-OLIGOSACCHARIDES BY BIFIDOBACTERIAL B-GALACTOSIDASES	36
<i>Sheryl Lozel Arreola</i>	<i>36</i>
<i>Thu-Hu Nguyen</i>	<i>36</i>
<i>Dietmar Haltrich.....</i>	<i>36</i>
CONSISTENCY ANALYSIS OF MAPPING SYSTEM OF NOISE SPECTRAL FLUCTUATIONS IN MULTI-FREQUENCY USING TWO-DIMENSION DISCRETE WAVELET TRANSFORM (2D-DWT).....	48
<i>Melinda</i>	<i>48</i>
<i>Agus Santoso Tamsir</i>	<i>48</i>
<i>Dadang Gunawan</i>	<i>48</i>
<i>Dodi Sudiana</i>	<i>48</i>
<i>Yuwaldi Away</i>	<i>48</i>
A SEQUENTIAL HYPOTHESIS TESTING OF MULTIMODAL CARDIAC ANALYSIS.....	63
<i>Nada Fitriyatul Hikmah</i>	<i>63</i>
<i>Achmad Arifin</i>	<i>63</i>

<i>Tri Arief Sardjono</i>	63
<i>Eko Agus Suprayitno</i>	63
AN EXPLORATION OF MENDELEY READER AND GOOGLE SCHOLAR CITATIONS	78
<i>Adian Fatchur Rochim</i>	78
<i>Riri Fitri Sari</i>	78
TOWARDS SURABAYA AS AN OPEN DATA CITY	86
<i>Nur Aini Rakhmawati</i>	86
<i>Irmasari Hafidz</i>	86
<i>Renny Pradina K.</i>	86
<i>Radityo Prasetyanto W</i>	86
ADAPTIVE AND MULTI-CHANNEL ACCESS OF LEARNING OBJECTS RETRIEVAL SYSTEM TO FACILITATE PERSONALIZED LEARNING: CASE STUDY INDONESIA OPEN EDUCATIONAL RESOURCES (I-OER)	92
<i>Harry B. Santoso</i>	92
<i>Zainal A. Hasibuan</i>	92
AN EVALUATION OF SOME FIREFLY-INSPIRED SYNCHRONICITY METHODS IN WIRELESS SENSOR NETWORKS	102
<i>Misbahuddin</i>	102
<i>Riri Fitri Sari</i>	102
AN SDR-BASED TESTBED FOR EVALUATION OF RADAR WAVEFORMS FOR VARIOUS RADAR APPLICATIONS	110
<i>Gamantyo Hendrantoro</i>	110
<i>Prasetyono Hari Mukti</i>	110
<i>Puji Handayani</i>	110
<i>Devy Kuswidiastuti</i>	110
ASSESSING ADAPTABILITY IN OLD BUILDINGS	116
<i>Tanti S.R. Nasution</i>	116
<i>Kirami Bararatin</i>	116
<i>Susetyo Firmaningtyas</i>	116
CLASSICAL OPTIMIZATION METHODS FOR WATER RESOURCES MANAGEMENT	129
<i>Nadjadji Amwar</i>	129
<i>Nastasia Festy Margini</i>	129
<i>Danayanti Azmi Dewi</i>	129
<i>Saptarita Kusumawati</i>	129

COAL PREPARATION USING DENSE MEDIUM CYCLONE TECHNOLOGY	141
<i>Retno Aita Diantari</i>	141
<i>Isworo Pujotomo</i>	141
DESIGN AND SIMULATION OF MEMS CAPACITIVE PRESSURE SENSOR USED IN BLOOD PRESSURE MONITOR.....	153
<i>Diem N. Ho</i>	153
<i>Hanh-Dang Ngoc</i>	153
PCR USING HYPERSENSITIVE REACTION AND PATHOGENICITY SPECIFIC PRIMER PAIR OF SEVERAL INFECTED HORTICULTURAL PLANTS	163
<i>Retno Kawuri</i>	163
<i>Made Pharmawati</i>	163
GROWTH HORMONE GENE POLYMORPHISM OF BALI CATTLE AT VILLAGE BREEDING CENTRE, NUSA PENIDA.....	169
<i>Besung INK</i>	169
<i>Suwiti NK</i>	169
<i>Yulita H</i>	169
<i>Suardana IW</i>	169
<i>Watiniasih NL</i>	169
<i>Yowani C</i>	169
POTENTIAL OF <i>STREPTOMYCES</i> SP. IN THE RHIZOSPHERE OF PLANTS ZINGIBERACEAE IN INHIBITING MULTIDRUG-RESISTANT <i>ACINETOBACTER BAUMANNII</i>	176
<i>Ni kudek Lusiani</i>	176
<i>Retno Kawuri</i>	176
<i>Ketut Darmadi</i>	176
POTENTIAL <i>BACILLUS</i> SP. AS BIOCONTROL AGENT OF BACTERIAL WILT <i>RALSTONIA SOLANACEARUM</i> IN VITRO	183
<i>Diah Kharismawati Djereng</i>	183
<i>Retno Kawuri</i>	183
<i>Yan Ramona</i>	183
EFFECT OF EXPLANT TYPES AND PLANT GROWTH REGULATORS IN IN-VITRO CULTURE OF <i>PINANGA ARINASAE</i>.....	188
<i>Made Pharmawati</i>	188
<i>I Made Anom Sutrisna Wijaya</i>	188
IN SEARCH FOR <i>JATROPHA CURCAS</i> L. GENOTYPES SUITABLE FOR DRY LAND AREAS.....	193

<i>Ida Ayu Astarini</i>	193
<i>Made Pharmawati</i>	193
<i>Edi Purlani</i>	193
<i>Bambang Heliyanto</i>	193
DISTRIBUTED CYBER PHYSICAL SYSTEMS	202
<i>Albert Treytl</i>	202
MARITIME AFFAIRS	203
REVITALIZATION OF FISHERMAN SOCIAL INSTITUTION IN THE SUSTAINABLE COASTAL MANAGEMENT	204
<i>R. Hamdani Harahap</i>	204
LAW ENFORCEMENT AGAINST ILLEGAL, UNREPORTED AND UNREGULATED (IUU FISHING) IN INDONESIAN EXCLUSIVE ECONOMIC ZONE	214
<i>Eka Martiana Wulansari</i>	214
EFFICIENCY OF BIODIESEL PRODUCTION FROM WASTE TUNA OIL (THUNNUS SP.), SEAWEED KAPPAPHYCUS ALVAREZII AND GRACILARIA SP.	235
<i>Mochammad Amin Alamsjah</i>	235
<i>Annur Ahadi Abdillah</i>	235
<i>Hutami Mustikawati</i>	235
<i>Suci Dwi Purnawa Atari</i>	235
MAIN CHALLENGES FOR INDONESIA TO BECOME MARITIME FULCRUM	249
<i>Professor Melda Kamil Ariadno</i>	249
EU "YELLOW CARD" CRISIS AND ITS EFFECT ON THAI FISHERIES	266
<i>Assistant Professor Charit Tingsabadh, Ph.D.</i>	266
QUORUM SENSING INHIBITION AS AN ALTERNATIVE METHOD TO PROTECT PRAWN LARVAE FROM BACTERIAL INFECTION	277
<i>Pande Gde Sasmita J.</i>	277
GROWTH AND MOTILITY OF CORAL'S DINOFLAGELLATE ENDOSYMBIONT SYMBIODINIUM SP. AT ELEVATED TEMPERATURES	285
<i>Widiastuti Karim</i>	285
<i>Michio Hidaka</i>	285
<i>Statistical analysis</i>	288
<i>Photochemical efficiency of PSII of Symbiodinium cells</i>	288

THE ENSO SIGNAL ANALYSIS OF INDONESIAN SEAS BASED ON EIGHTEEN YEAR SATELLITE REMOTE SENSING DATASET.....	295
<i>I Dewa Nyoman Nurweda Putra.....</i>	<i>295</i>
<i>Tasuku Tanaka.....</i>	<i>295</i>
HUMANITIES, CULTURE AND MUSIC	303
CLIMATE ADAPTATION AND MITIGATION OF MAJAPAHIT'S HOUSING 13TH – 16TH CENTURY IN EAST JAVA	304
<i>Yosafat Winarto*.....</i>	<i>304</i>
<i>Happy Ratna Santosa.....</i>	<i>304</i>
<i>Sri Nastiti Nugrahani Ekasiwi.....</i>	<i>304</i>
SMALL-SCALE HOUSING DEVELOPMENTS AND THEIR IMPLICATIONS ON THE DEVELOPMENT OF URBAN INFRASTRUCTURE AND FACILITIES.....	317
<i>Ispurwono Soemarno.....</i>	<i>317</i>
<i>Purwanita Setijanti.....</i>	<i>317</i>
<i>Endy Yudho Prasetyo.....</i>	<i>317</i>
KAMPUNG INNOVASION IN SUPPORT OF SMART CITY	333
<i>Happy Ratna Santosa.....</i>	<i>333</i>
<i>Johan Silas.....</i>	<i>333</i>
<i>Purwanita Setijanti.....</i>	<i>333</i>
<i>Rita Ernawati.....</i>	<i>333</i>
FORMULATING LOCAL MEASUREMENT FOR SMART SETTLEMENT IN INDONESIA	340
<i>Purwanita Setijanti.....</i>	<i>340</i>
<i>Johan Silas.....</i>	<i>340</i>
<i>Rita Ernawati.....</i>	<i>340</i>
OVERVIEW ON ALLEY OF KAMPUNG AS SHARED-PLACE BASED ON THE INHABITANT RELATIONSHIP REFERENCES IN KAMPUNG OF SURABAYA.....	351
<i>Andarita Rolalisasi.....</i>	<i>351</i>
<i>Happy Ratna Santosa.....</i>	<i>351</i>
<i>Ispurwono Soemarno.....</i>	<i>351</i>
I-POP: MIMICKING K-POP AS THE 'NEW' GLOBAL	358
<i>S.M.Gietty Tambunan.....</i>	<i>358</i>
COULD TOLERANCE BE THE PROBLEM'S SOLUTION?.....	373
<i>Dewi Sikiani.....</i>	<i>373</i>
<i>Eunike E. Hiandarto.....</i>	<i>373</i>

<i>Hutri Dhara Sasmita</i>	373
<i>Yohanes K. Herdiyanto</i>	373
<i>David Hizkia Tobing</i>	373
CONTINUITIES AND CHANGES NORTH SUMATRAN PERFORMING ARTS	381
<i>Muhammad Takari</i>	381
HEALTH, PHARMACY AND MEDICINE	394
DEVELOPMENT OF STANDARDIZED ETHANOL EXTRACT AND PRODUCTION OF HERBAL MEDICINE IN UNIVERSITAS AIRLANGGA	395
<i>Sukardiman</i>	395
<i>Herra Studiawan</i>	395
<i>Lusiana Arifianti</i>	395
<i>Rahmawati</i>	395
IS THERE ANY IMPACT OF VDR GENE POLYMORPHISM APAL,FOKI AND BSMI IN BATAKS ETHNIC TO HAVE TUBERCULOSIS AND COULD VITAMIN D ALLEVIATE THIS INFECTION ?	416
<i>Yahwardiah Siregar</i>	416
<i>Bintang YM Sinaga</i>	416
UNRECOGNIZED MANAGEMENT OF DISORDERS OF SEX DEVELOPMENT IN INDONESIA: PUBLIC HEALTH PERSPECTIVE	427
<i>Sultana MH Faradz</i>	427
<i>A. Zulfa Juniarto</i>	427
ASSOCIATION OF SRD5A2 GENE POLYMORPHISM AND INDONESIAN ISOLATED HYPOSPADIAS PATIENTS	433
<i>Nura Eky Vikawati</i>	433
<i>Ardy Santosa</i>	433
<i>Ahmad Zulfa Juniarto</i>	433
<i>Sultana MH Faradz*</i>	433
PUBLIC HEALTH AWARENESS IN INTELLECTUAL DISABILITY FOCUS ON FRAGILE X SYNDROME: A COHORT STUDY IN INDONESIA	444
<i>Tri Indah Winarni*</i>	444
<i>Farmaditya EP Mundhofir</i>	444
<i>Sultana MH Faradz</i>	444
ANTIMICROBIAL ACTIVITY AND STRUCTURAL CHARACTERIZATION OF LIPOPEPTIDE PRODUCED BY BACILLUS AMYLOLIQUEFACIENS MD4-12	453

<i>Pratiwi Pujilestari Sudarmono</i>	453
<i>Ahmad Wibisana</i>	453
<i>T. Mirawati Sudiro</i>	453
<i>Wahono Sumaryono</i>	453
DIFFERENTIATION POTENTIAL OF AMNION MEMBRANE AND DENTAL PULP DERIVED MESENCHYMAL STEM CELL TO GENERATE NEURON INDUCED WITH EGF, FGF, PDGF AND FORSKOLIN	466
<i>^{1,2}Fedik Abdul Rantam, ^{1,4}Ferdiansyah, ^{1,3}Purwati, ¹Candra Bumi., ¹Helen Susilowati., ¹Eryk Hendrianto, ^{1,4}Dwi Novembri Utomo, ^{1,4}Heri Suroto, ^{1,5}Rosy Setiawati, ⁶Nike Hendrijantini, ⁷Rimayanti</i>	466
YOGYAHEALTH - A COLLABORATIVE PROJECT IN YOGYAKARTA, INDONESIA, FOUNDED UNDER THE UMBRELLA OF ASEA-UNINET AND RUNNING SUCCESSFULLY FOR OVER 7 YEARS.	476
<i>Matthias A. Lechner and The Yogahealth Collaborative Team</i>	476
ECONOMIC AND SOCIAL SCIENCES	482
THINK GLOBALLY AND ACT LOCALLY (THE ALTERNATIF TO ENHANCE LOCAL BUSINESS PERFORMANCE, TOWARDS A GLOBAL BUSINESS)	483
<i>Prihatin Lumbanraja</i>	483
THE CAPACITY TO COPE WITH CLIMATE CHANGE OF COASTAL AGRICULTURE HOUSEHOLDS: A CASE STUDY IN THE RED RIVER DELTA, VIETNAM	492
<i>Nguyen Dang Khoa</i>	492
<i>Nguyen Huyen Trang</i>	492
HOUSING PREFERENCE OF EDUCATIONAL BACKGROUND	505
<i>Anita Dianingrum</i>	505
<i>Arlita Widyasari</i>	505
<i>Muhamad Faqih</i>	505
<i>Arina Hayati⁴</i>	505
BUDGET DEFICITS IN VIETNAM – FROM TARGET ECONOMIC “QUADRANGLE” TO “PENTAGON”	516
<i>Hoang Thi Lan Huong</i>	516
DOES INFORMATION DISCLOSURE AND TRANSPARENCY MATTER TO PERFORMANCE OF LISTED FIRMS IN VIETNAM?	533
<i>Le Quang Canh</i>	533
<i>Nguyen Vu Hung</i>	533
SERVICE E-MARKETPLACE PLATFORM FOR SENIOR CITIZENS	545
<i>Leszek A. Maciaszek</i>	545

HOUSING PREFERENCE FOR LOW-INCOME PEOPLE IN INDONESIA	556
<i>Desy Rahmadaniyati</i>	556
<i>Muhammad Faqih</i>	556
<i>Arina Hayati</i>	556
THE HOUSING PREFERENCE OF THE URBAN MIDDLE CLASS SOCIETY IN SURABAYA, INDONESIA	568
<i>Emiria Letfiani</i>	568
<i>Andarita Rolalisasi</i>	568
<i>Muhammad Faqih</i>	568
<i>Arina Hayati</i>	568
THE EUROPEAN UNION CONTEMPORARY RAPPROACHMENT TO ASIA PACIFIC COUNTRIES	575
<i>Evi Fitriani</i>	575
FIRST-GENERATION VS SECOND-GENERATION COLLEGE STUDENTS: THEIR ACADEMIC SELF-EFFICACY AND COLLEGE ADJUSTMENT	588
<i>Tjut Rifameutia</i>	588
<i>Elok D. Malay</i>	588
RISKS IN REAL ESTATE VALUATION OF STATE BANKS IN VIETNAM	604
<i>Minh Ngoc, Nguyen</i>	604
PERSONAL TRAITS OF LEADER IN SELECTED ENTERPRISES IN VIETNAM	613
<i>Luong Thu HA</i>	613
IMPACT OF CORPORATE GOVERNANCE ON FIRM PERFORMANCE EVIDENCE IN VIETNAM	628
<i>Dao Thanh Tung</i>	628
THE BILATERAL REAL EXCHANGE RATE AND THE CHINESE FOREIGN DIRECT INVESTMENT IN THE LAO PDR	641
<i>Houmlack Mingboubpha</i>	641
<i>Sengsathit Vichitlasy</i>	641
THROUGH A GENDER LENS: THE BANGSAMORO POLITICAL PARTIES IN MINDANAO, PHILIPPINES	651
<i>Rosalie Arcaia Hail</i>	651
THE DYNAMICS TRI NING TRI ECOTOURISM IN BALI PROBLEMS AND STRATEGIES IN THE DEVELOPMENT OF THREE ECOTOURISM TYPES IN BALI	663

**DIFFERENTIATION POTENTIAL OF AMNION MEMBRANE
AND DENTAL PULP DERIVED MESENCHYMAL STEM
CELL TO GENERATE NEURON INDUCED WITH EGF, FGF,
PDGF AND FORSKOLIN**

^{1,2}Fedik Abdul Rantam, ^{1,4}Ferdiansyah, ^{1,3}Purwati, ¹Candra Bumi., ¹Helen
Susilowati., ¹Eryk Hendrianto, ^{1,4}Dwi Novembri Utomo, ^{1,4}Heri Suroto,
^{1,5}Rosy Setiawati, ⁶Nike Hendrijantini, ⁷Rimayanti

fedik.ar@gmail.com

¹Stem Cell Center, Institute Of Tropical Disease (ITD) Airlangga University Surabaya,
Indonesia

²Lab of Virology and Immunology, Microbiology Dep., School of Vet. Medicine,
Airlangga University, ³Internal Medicine Dep. RSUD Dr. Soetomo / School of Medicine
Airlangga University,

⁴Orthopedic and Traumatologi Dep. RSUD Dr. Soetomo Hospital/School of Medicine
Airlangga University, Surabaya, Indonesia

⁵Radiology Dep. RSUD Dr. Soetomo Teaching Hospital/School of Medicine Airlangga
University, Surabaya, Indonesia

⁶Department of Prosthodontic, Faculty of Dental Medicine, Airlangga University,
Surabaya, Indonesia. ⁷Department of Reproduction. Faculty of Veterinary Medicine,
Airlangga University, Surabaya, Indonesia

Abstract

Human multipotent stem cells, including human pluripotent stem cells, hold promise as novel therapeutic tools for neuron treatment because of their self-renewal capacity and ability to differentiate into neuron cells. Small and large molecules play important roles in each stage of neuron differentiation from amnion membrane and dental pulp. In these studies have been explored of human amnion membrane (hAMSCs) - and dental pulp derived mesenchymal stem cells (hDPMSCs) differentiation potential to generate neuron like cell. The method of these studies have been promoted by using several small growth factors as well as epidermal growth factor (EGF), fibroblast growth factor (FGF), PDGF, Forskolin, then has been characterized phenotype, proliferation assay, differentiation, through immunocytochemistry, flowcytometry by using CD105, CD90, Oct4, Sox2, GFAP, β -Tubuline Nestine. The results have shown significantly advanced efforts of membrane amnion and dental pulp derive mesenchymal stem cell can generated into neuron. The both resources mesenchymal stem cells contributed possibility from the initial stages of definitive ectoderm formation to the differentiated stages of maturation of neuron cells.

Keywords: hAMSCs, hDPSCs, proliferation, differentiation, neuron like cell.

1 INTRODUCTION

Neuron disease like Parkinsons, Alzheimer's are the most common neuron disorder with increasing incidence worldwide, predicted to increase every year. Currently, conventional therapies are not widely successful because neuron degeneration leads to several associated ailments and system disorders. In future, stem cell therapy is expected to be more powerful than existing treatments for this pervasive and debilitating disease. Naturally, much attention has been directed to the generation of neuron without tumor formation or immune rejection from human adult stem cells in the last few years. A new generation of research has recently focused on multipotent, pluripotent stem cells and induce pluripotent stem cells (iPSCs) through inserting gene such as *OCT3/4*, *SOX2*, *c-MYC*, and *KLF-4*. The approach the human iPSCs can be derived from various non-pluripotent cells, such as adipose cells, amniotic fluid cells, hepatocytes, blood cells, fibroblasts, and bone marrow cells (Takahashi, et al., 2006), although embryonic stem cell more easy to develop into different type cell, but their problems are still in ethical issue (Lo and Parham, 2009).

In recent years there has been increased interest in mesenchymal stem cells and their potential utility in both tissue engineering and repair (Rantam, et al., 2015). Animal studies have provided a useful tool for defining a number of diverse potential applications for MSCs. Kamandjaja et al (2015). Demonstrated that cultured mesenchymal cells could home and repair bone jaw in New Zealand with rabbit. The ability of culture-expanded human mesenchymal cells to contribute to the functional repair of an injured pancreas has also been examined using a variety of animal models (Rantam, et al., 2015). MSCs can repair an 8 mm defect in a rat jaw when placed into a porous cylinder which was then implanted into the bone jaw. After 6 weeks, the defect containing the MSC-loaded implant completely healed, while the defects containing cylinders filled with control cell populations failed to heal successfully (Hardijantini, et al., 2015). These studies indicate that culture-expanded MSCs are able to both persist and contribute to de novo bone formation in vivo.

Studies in sheep have addressed the possibility of using mesenchymal cells to enhance engraftment of transplanted hematopoietic cells (Kamadjaja, et al., 2015), and transplantations of defected neuro femoralis New Zealand rabbit with bone marrow derived MSCs enhanced function the both rabbit back extremitas (Christijogo, 2015). Transplantation of unprocessed whole bone marrow cells has been shown to restore microenvironmental function, suggesting that unprocessed bone marrow contains stromal precursors as well as hematopoietic precursors that contribute to hematopoietic regeneration following transplantation. It has been interpret this linear correlation to imply a relationship between vascularity and local MSCs population (Kubis et al., 2006; Meirelles et al., 2006).

The apparent ability of MSCs to give rise to cells of multiple germ layers, however, must be examined cautiously, as undifferentiated mesenchymal cells have been shown to spontaneously express neural markers, In these research focus of the potential MSCs differentiation ability with different resources MSCs from human amnion membrane and human dental pulp.

2 MATERIALS AND METHODS

2.1 Collection and Preparation of Human Membrane Amnion

Cesarean section was performed in the Central Operating Theatre of Dr. Soetomo General Hospital Surabaya on Healthy full term neonate. After the baby delivered, amnion membrane was cut out, the placenta together with the remaining amnion membrane was

evacuated and placed in the sterile kidney-shape stainless steel receptacle. About 10 cm length was obtained and washed in Phosphate Buffer Saline (PBS) three times to remove the excess blood and blood clot. Next, amnion membrane was soaked in Ringer Lactate solution containing 2.5 µg/mL gentamycin and 1000 U/mL amphotericin B for 20 minutes. The medical ethical review board of Dr. Soetomo General Hospital has already approved this protocol.

2.2 Isolation and Culture of hAMMSCs

Amnion membran was dissected into small pieces about 1 cm with knife into fine pieces of 1 mm³ and was used to isolate and culture primary hAMMSCs. Then was transferred to 0.25% trypsin and digested in 37°C for 40 minutes, then centrifuged, have the supernatant removed, this processed was then repeated twice. The crushed and digested sample, then subjected to PBS containing 0.75 mg/ml collagenase IV (Sigma-Aldrich, St. Louis, MO, USA) and 0.075 mg/mL DNase I (Takara Bio, Shiga, Japan), incubated at 37°C for 60 minutes. This was followed by filtration with cell strainer and pellet collection upon centrifugation for 10 minutes to finally obtain the cells. The single cells collected were then cultured on collagen-coated dishes using alpha modification of minimum essential medium eagle (α -MEM) (Gibco BRL, Gaithersburg, MD, USA), supplemented with human leukemia inhibitory factor (10 ng/mL) and fetal bovine serum (FBS) (Gibco BRL). Primary cells growth was observed under the microscope. The timing of cell confluence was recorded. The medium was changed once every three days. When the confluence reached 90%, the cell splitting was done using trypsin. Half to two thirds of the cells were then re-plated onto a new dish of the same medium. The isolation procedure used was according to the Laboratory of Stem Cell, Institute of Tropical Disease, Airlangga University protocol (Rantam et al., 2015).

2.3 The hAMMSCs Phenotypic Characterization

2.3.1 Immunocytochemistry

Single cell of cultured hAMMSCs were plated onto coverslips. The cells were rinsed five times with PBS tween. 20, drying and fixed with formaldehyde 10% for 15 minutes, and then they washed four times with PBS tween.20 and let to dry for few minutes. The cells were blocked by bovine serum albumin (BSA) for 30 minutes, incubated with fluorescein isothiocyanate (FITC)-labeled monoclonal antibody anti-human Cellular Differentiation (CD)105, CD90 and CD45 for 60 minutes. Cells were rinsed with PBS twice and ready for analysis. Immunostained cells with CD105, CD90 and CD45 expression were analyzed using fluorescence microscope, and other label like.

2.3.2 Flow Cytometry

Cultured hAMMSCs were trypsinized and suspended in α -MEM, washed with PBS, and fixated in formaldehyde 10% for 10 minutes, and finally were closed in 10% BSA for one hour. Cells were incubated using Human MSCs Analysis Kit (BD Stemflow™, BD Biosciences) with primary antibodies mouse anti-human CD90, CD105, and negative cocktail containing CD45, for 40 minutes. The unbound antibodies, then removed by washing with PBS. The bound primary antibodies were labeled using FITC-conjugated anti-mouse antibody by incubation for 30 minutes. The cells were then visualized and analyzed using FACS Calibur flow cytometer (BD Biosciences, Franklin Lakes, NJ, USA).

2.4 Proliferation and Differentiation Assay

Proliferation assay was analyzed by using markers labeled DAPI, and for the plasticity analysis of stem cells were used markers Oct4, Sox2. Then have been done analysis of

differentiation cells using some markers GFAP, β -Tubulin and nestin, after have been added growth factors (EGF, FGF, PDGF, and Forskolin) in the medium complete. The whole methods have been done according to Rantam, et al., (2015) and differentiation assay according to Chamberlain (2007).

3 RESULTS

The biological and molecular crosstalk among FGFs, EGF, PDGF, and Forskolin and others molecular like retinoic acid indicates important plays an essential role in neuron specifications. They have a significant effect on the differentiation of MSCs into neuron. The result of these research like below;

3.1 Isolation and Culture Stem Cells




Fig.1. Isolation and culture of mesenchymal stem cell. A. Isolated stem cell from dental pulp, B. cultured stem cell of dental pulp 7 days, C. isolated stem cell from amniotic membrane and incubated at 37°C 2 days, D. cultured stem cell of amniotic membrane 7 days. Arrow in Fig. C and D. are colony stem cell.

Base on the results in Fig.1. have been shown that the both stem cell have relative different as well as by their growing, and the both stem cell can growth monolayer 7 days after cultured in petridish. To determine of stem cells diferensiasi became mesenchymal stem cell have been done characterization by using markers CD90, CD105 and CD45. The results like in Fig.2.




Fig.2. Phenotyping of stem cells using markers superficial membrane protein to determine of mesenchymal stem cell (MSCs). **A&B.** amnion membrane derived MSCs expressed CD105 and CD90, **C.** amnion membrane derived MSCs expressed CD45-. **D&E.** Dental pulp derived MSCs expressed CD105 and CD90, **F.** Dental pulp derived MSCs expressed a lack CD45 like at arrow. In these cases are actually stem cell still not purify. perhaps were caused system purify using Ficoll sometime, and the best purification of stem cell are using cell sorter.

The both resources of stem cells have been derived MSCs shown that expression CD105, CD90, but negative expression of CD45. Although these MSCs have expressed too CD73, but data is not shown. To analyze of the plasticity like pluripotent stem cells have been used markers Oct4 and Sox2.




Fig. 3. Analysis pluripotent isolated stem cell from amniotic membrane and dental pulp using markers Oct4 and Sox2. Imaging microscope (20x). Green fluorescence staining are stem cells expressed Oct4 and Sox2, but without colour are negative stem cells expressed Oct4 and Sox2. And D1 and D2 flow cytometri analysis showed expression of CD90 and there are some CD45 expressed on superficial membrane cells (*hAMMSCs*) derived MSCs. But *hDPMSCs* data not shown.

In these studies showed that *hAMSCs* and *hDPMSCs* expression Oct4 and Sox2, but data of *hDPMSCs* not shown. Base on proliferation assay by using MTT in Fig.4

showed little distinct between hAMSCs and hDPMSCs. Staining using DAPI were documented under fluorescence microscope without and with filter showed similar no different.

3.2 Proliferation Assay

Proliferation assay in these research were monitored by using MTT, and staining using DAPI. The both stem cell between hAMMSCs and hDPMSCs have view different while their proliferation as well as in Fig.4. showed that explored stem cell from hAMMSCs have rapid growth then from hDPMSCs. And also like in Fig 4.B1 and C1 are similar like B2 and C2 the both cell stained using DAPI.




Fig.4. Proliferation of MSCs were analyzed by using MTT, and DAPI. A. Total cell count of cultured MSCs in 5cm Petridis 7 days after cultured MSCs, B.1&2 Amniotic derived MSCs have been stained by using DAPI marker. C. 1&2. Dental pulp derived MSCs have been stained DAPI marker.

3.3 Differentiation MSCs Into Neuron Cells

In these chapter has been shown that all bioactive like growth factor have an important role to induce of stem cell to begin of differentiation. Growth factors were added in medium culture of stem cell. After 7 days, medium were collected, and cells were analyzed using some kit like in Fig.5. A2, A3, B2.



Fig.5. Differentiation analysis at 21 days after induced growth factors of amnion membrane and dental pulp derived MSCs 3rd passage. A. Isolated stem cell from Dental Pulp, B. Isolated stem cell from amnion membrane. The both hAMMSCs and hDPMSCs were grown in medium complete using α-MEM, and antibiotic 1/1000, FCS 20%. Stem cells differentiations have some stage 1 until 5 with different properties or capacity into specific cells as well as desire cell type like neuron cell type. In our

studies have been used growth factor EGF, FGF, PDGF and Forskolin. Through addition of growth factors to the complete growth medium have shown that the both cell have ability to generate into neuron cells, like in Fig.5. A2, A3, B2 above. Simple strategy of stem cell differentiation as below;

4 DISCUSSION AND FINDING

The fifth different stages during the differentiation of neuron cells from MSC stem cells are specification, expansion, and differentiation. Small and large molecules potentially play an important role in the formation of definitive ectoderm and further differentiation into neuron.

The results of our studies in stage isolation and characterization Fig. 1. and Fig. 2 & 3 have been shown that human amnion membrane and human dental pulp have high potential as stem cell resources, although the both of stem cell have view different especially in growing properties. *hAMMSC* more rapid then *hDPMSCs*. But the both cells have found not only proliferation became multipotent but followed too pluripotent markers *Oct4* and *Sox2* although not dominant. These finding slowly remove after three time passage. Because stem cell differentiated into progenitor cells (Steward, et al., 2014). But recently found that *OCT4* repressed WNT pathway signaling during the self-renewal process (Davidson, et al., 2012)

Some different receptors play important roles in the FGF, EGF, PDGF and Forskolin signaling pathway mediated by the four main tyrosine kinase receptors *FGFR1*, *FGFR2*, *FGFR3*, and *FGFR4* especially of FGF induction (Ornitz, et al., 1996). Therefore, growth factors promotes a close developmental relationship between the neuron and other organs such as the liver.

Furthermore, the effect of growth factors alone is insufficient, but the addition of optimal growth factors along with a liver inhibitor results in others differentiation of MSCs. However, although FGF, EGF, PDGF and Forskolin plays a vital role in tissue and cells formation, the function of the growth factors signaling pathway is not yet fully understood. Eighteen different growth factors influence expression of the various growth factors involved in the regulation of some cell or tissue expansion. It can caused transdifferentiation of MSCs in to many kinds of cell type (Keilhoff, et al., 2008)




Fig.6. Simplify of stem cell strategy differentiation. After induced using EGF, FGF, PDGF, and Forskolin, through microenvironment were MSCs activated to internalize via some molecule like receptors followed activated endogenous stem cells, and gene transcription through promoted cAMP, ERK, MERK, RA, and active transcription factors like CREB, C-fos, C-Jun, c-myc, ELK-1 data not shown, and others. Finally stem cell differentiated into progenitors cells or transformation probability became specific cell type.

Also, Transforming growth factor signaling, Fibroblast growth factor signaling, WNT signaling, bone morphogenetic protein (BMP) signaling, and retinoic acid receptor signaling. A comprehensive understanding of neuron development must distinguish extracellular signals at each stage and also recognize the fundamental molecular mechanisms of each molecule and factors that activate its respective signal to trigger MSCs to differentiate into neuron cells (Marson, et al., 2010).

Based on the data in Fig.5. shown that *hAMMSCs* and *hDPMSCs* can differentiate into neuron cells. Because these cells can be typically induced to proliferate *in vitro* in response to some signaling like EGF, FGF, PDGF, and forskolin and also retinoic acid. This way MSCs can be induced too using mitogen, neural stem cells further differentiate into the major cell types of the nervous system, including neurons, astrocytes and oligodendrocytes (Steward, et al., 2014). These experiment and base on the expression of GFAP, β -Tubulin, Nestin, Hoechst, suggested that adult stem cell from different resources can be developed to generate into neurons cells. The second finding is mechanism of differentiation through induced of growth factor like EGF, FGF, PDGF, and Forskolin. Activated MSCs through growth factors and some receptors depend on kinds of receptors. Induced growth factor to target MSCs like FGF, EGF, PDGF and forskolin active differentiation factors through cAMP, RA, MERK, SHH, then active transcription factor. Finally expressed product protein pathway in superficial membrane, although in these

mechanism WNT/beta catenin have promoted in transcription factors (Marson , et al., 2008; Wagner, et al., 2010).

5 CONCLUSION

hAMMSCs and *hDPSCs* derive mesenchymal stem cells (MSCs) are multipotent cells that are able to generate a wide range of cell types, including neural cells, which makes them incredibly interesting in restorative therapies in the future for patients suffering from neurological diseases. A lot of induction protocols indicate that many signaling pathways may be involved in the neural. *hAMMSCs* and *hDPMSCs*, indeed, the signalization pathways of Hedgehog, cAMP, Retinoic acid, MERK and the neurotrophins-activated pathways have been implicated into the maturation of adult *hAMMSCs* and *hDPMSCs* into neural-like cells. After an induction process consisting in various activators, lengths and conditions of culture, treated cells adopt a neural morphology express markers (at the transcriptome level as well as at the protein level) that are usually described to characterize neurons at different developmental stages in *hAMMSCs* as well as in *hDPMSCs*. These ways are *hAMMSCs* and *hDPMSCs* can develop and have suggested as neural restorative in the future.

ACKNOWLEDGEMENT

This research was supported by the Indonesian Ministry of Research, Technology and Higher Education, under the grant numbers 147/M/Kp/VL/2015.

REFERENCES

- Biechele, T.I.; Taylor, R.J.; Moon, R.T. (2011). *Wnt/β-catenin signaling promotes differentiation, not self-renewal, of human embryonic stem cells and is repressed by Oct4. Proc. Natl. Acad. Sci. USA, 109, 4485–4490.*
- Chamberlain G, Fox J, Ashton B, Middleton J (2007). Mesenchymal stem cells: their phenotype, differentiation capacity, immunological features, and potential for homing. *Stem Cell* 25:2739-2749.
- Christijogo, (2014) Exploration potential stem cells from New Zealand With Rabbit and human preputium for repair defect peripheral neuron. Dissertation of Airlangga University.
- Davidson, K.C.; Adams, A.M.; Goodson, J.M.; McDonald, C.E.; Potter, J.C.; Berndt, J.D.; Hendrijantini, N.; Kresnoadi, U.; Salim, S.; Agustono, A.; Retnowati, E. ; Hamid, I.S.; Mulawardhana, I.P.; Wardhana, M.P.; Pramono, C.; Rantam, F.A. (2015). Study Biocompatibility and Osteogenic Differentiation Potential of Human Umbilical Cord Mesenchymal Stem Cells (hUCMSCs) with Gelatin Solvent. *J. Biomedical Science and Engineering, 8, 420-428*
- Johannesson, M.; Stahlberg, A.; Ameri, J.; Sand, F.W.; Norman, K.; Semb, H. (2009). FGF4 and retinoic acid direct differentiation of hESCs into PDX1-expressing foregut endoderm in a time- and concentration-dependent manner. *PLoS One, 4, e4794.*
- Kamadajaja, D.B.; Purwati; Rantam, F.A.; Ferdiansyah; Parmono, C. (2014). The Osteogenic Capacity of Human Amniotic Membrane Mesenchymal Stem Cell (hAMSC) and Potential for Application in Maxillofacial Bone Reconstruction *in Vitro* Study. *J. Biomedical Science and Engineering, 7, 497-503*

- Kamadajaja, D.B.; Purwati; Rantam, F.A.; Ferdiansyah; Parmono, C. (2015). Healing Mechanism and Osteogenic Capacity of Bovine Mineral-Human Amniotic Mesenchymal Stem Cell and Autogenous Bone Graft in Critical Size Mandibular Defect. *J. Biomedical Science and Engineering*, 8: 733-746.
- Keilhoff G, Stang F, Goihl A, Wolf G, Fansa H. (2006). Transdifferentiated mesenchymal stem cells as alternative therapy in supporting nerve regeneration and myelination. *Cell Mol Neurobiol* 7–8:1233–1250.
- Kubis N, Tomita Y, Tran-Dinh A, Planat-Bernard V, Andre M, Karaszewski B, Waeckel L, Li, C.L.; Zhou, J.M.; Shi, G.L.; Ma, Y.; Yang, Y.; Yu, H.; Jin, S.; Wei, Z.; Chen, F.; Jin, Y.(2009). Pluripotency can be rapidly and efficiently induced in human amniotic fluid-derived cells. *Hum. Mol. Genet.*, 18, 4340–4349.
- Lo, B.; Parham, L. (2009). Ethical issues in stem cell research. *Endocr. Rev.*, 30, 204–213.
- Marson, A.; Foreman, R.; Chevalier, B.; Bilodeau, S.; Kahn, M.; Young, R.A.; Jaenisch, R.(2008). Wnt signaling promotes reprogramming of somatic cells to pluripotency. *Cell Stem Cell*, 3, 132–135.
- Meirelles LS, Chagastelles PC, Nardi NB.(2006). Mesenchymal stem cells reside in virtually all post-natal organs and tissues. *J Cell Sci* 119:2204–2213
- Ornitz, D.M.; Xu, J.S.; Colvin, J.S.; McEwen, D.G.; MacArthur, C.A.; Coulier, F.; Gao, G. (1996). Goldfarb, M. Receptor specificity of the fibroblast growth factor family. *J. Biol. Chem.*, 271, 15292–15297.
- Penicaud L, Silvestre J-S, Casteilla L, Seylaz J, Pindard E. (2006). Vascular fate of adipose tissue-derived adult stromal cells in the ischemic murine brain: A combined imaging/histological study. *NeuroImage* 34:1–11.
- Rantam A.R., Purwati, Budi Setiawan, Sorry Wibisono, Ferdiansyah, Jousi Wahyuhadi, Edward Mouli, Dwikora N. Utomo, Heri Suroto, Candra Bumi (2015) Induced Monocytes-Derived HSCs (CD34+) with LPS Accelerated Homing Rat Bone Marrow Mesenchymal Stem Cell (BM-MSCs, CD105) in Injured Pancreas. *J. Biomedical Science and Engineering*, 2015, 8, 333-344
- Steward MM, Sridhar A, Meyer JS. (2013) *Neural Regeneration; Current Topics in Microbiology and Immunology; New Perspectives in Regeneration*. Springer-Verlag Berlin Heidelberg 2013; 367: 163-191. DOI:10.1007/82_2012_302
- Takahashi, K.; Yamanaka, S. (2006). Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. *Cell*, 126, 663–676.
- Wagner, R.T.; Xu, X.; Yi, F.; Merrill, B.J.; Cooney, A.J. (2010). Canonical Wnt/ β -catenin regulation of liver receptor homolog-1 mediates pluripotency gene expression. *Stem Cells* 28, 1794–1804.