

ISBN : 978-602-60569-5-5



PROCEEDINGS

The 1st International Basic Science Conference 2016
TOWARDS THE EXTENDED USE OF BASIC SCIENCE
FOR ENHANCING HEALTH, ENVIRONMENT,
ENERGY, AND BIOTECHNOLOGY

University of Jember, September 26 - 27, 2016



[ANNOUNCEMENTS](#)[CURRENT](#)[ARCHIVES](#)[ABOUT](#)

[HOME](#) / [ARCHIVES](#) / 2016: Proceeding The 1st International Basic Science Conference



Proceeding of 1st International Basic Science Conference (1st-IBSC) 2016

ISBN : 978-602-60569-5-5

Presented articles on proceeding 1st International Basic Science Conference

"Towards The Extended Use Of Basic Science For Enhancing Health, Environment, Energy, And Biotechnology"

26-27th September 2016, University of Jember, Indonesia

PUBLISHED: 2017-08-22

GENERAL

Community Strategy for Managing Tropical Forest Resources in The Area of Cagar Alam Pulau Sempu (Nature Reserve of Sempu Island)

Lely Mardiyanti, Rifalatul Isnaini, Sueb Sueb

2-6

 PDF

BIOREDUCTION ADSORBENT (BIOSORBENT): RECOVERY TECHNOLOGY OF HEAVY METAL POLLUTION (CADMIUM/CD) IN POLLUTED LAPINDO WATER SOURCES USING BACTERIA AND DURIAN LEATHER

Sueb Sueb, Eka Imbia Agus Diartika, Khasanah Sripalupi, Achib Irmawati

7-9

 PDF

COMPARATIVE STUDY OF THE MANAGEMENT OF VANAME SHRIMP (LITOPENAEUS VANNAMEI) BASED ON DEMOGRAPHIC FACTORS AT MOLANG BEACH TULUNGAGUNG

Firda Ama Zulfia, Ika Airin Nur Rohmadhani, Nova Yesika Gultom, Sueb Sueb

10-12

 PDF

ANALYSIS OF THE INFLUENCE OF PUBLIC PARTICIPATION IN THE MANAGEMENT OF RESOURCES SUSTAINABLE WATER MALANG DISTRICT

Ahmad Kamal Sudrajat, Dewi Nur Arasy, Daning Nindya Fitri Arianti, Sueb Sueb

13-15

 PDF

CONSERVATION COCCINELLA SP. AS PREDATOR OF GREEN PEACH APHID MYZUS PERSICAE SULZER ON POTATO INTERCROPPING

Lamria Sidauruk

16-18

 PDF

THE EFFECT OF MYCORRHIZAL INOCULANT AND COMPOST OF VOLCANIC ASH ON GROWTH AND YIELD OF CHILLI (CAPSICUM ANNUM L.)

Ernitha Panjaitan, Nur Syntha Napitupulu, Ezra Matondang

19-22

 PDF

THE POTENTIAL OF ARTHROPODE DIVERSITY FOR ECOTOURISM DEVELOPMENT IN WONOREJO MANGROVE ECOSYSTEM, SURABAYA

Nova Maulidina Ashuri, Abdul Azis, Noor Nailis Sa'adah

23-26

 PDF

THE EFFECTS OF WATER FRACTION OF BITTER MELON (MOMORDICA CHARANTIA) LEAF EXTRACT IN MAMMARY GLAND DEVELOPMENT OF BALB/C MICE (MUS MUSCULUS) WITH HISTOLOGICAL AND MOLECULAR BIOLOGICAL ANALYSIS OF PROTEIN APPROACHES

Nur Hayati, Afifah Nur Aini, Nafisatuzzamrudah Nafisatuzzamrudah, Umie Lestari

27-29

 PDF

COMPETITIVENESS AND POTENTIAL OF SHEEP LIVESTOCK AS SOURCE INCREASING INCOME AND PROVIDER OF MEAT ANIMAL IN NORTH SUMATRA

Sarim Sembiring

30-31

 PDF

MORPHOLOGICAL AND PHYSIOLOGICAL CHARACTERS OF CASSAVA (MANIHOT ESCULENTA CRANTZ) WHICH WET TOLERANT

Rahmawati Rahmawati, Tri Agus Siswoyo, Didik Puji Restanto, Sri Hartatik, Sigit Soeparjono, Sholeh Avivi

32-35

 PDF

THE EFFECT OF SOY TEMPEH FLOUR EXTRACT ON VAGINA HISTOLOGICAL STRUCTURE OF SWISS WEBSTER OVARIECTOMIZED MICE (MUS MUSCULUS)

Mahriani Mahriani, Eva Tyas Utami, Dita Ayu Faradila

36-38

 PDF

THE TOXICITY OF SEEDS EXTRACT OF ANNONA SQUAMOSA L., LEAVES EXTRACT OF TERMINALIA CATAPPA L. AND LEAVES EXTRACT OF ACACIA NILOTICA L. ON THE MORTALITY OF AEDES AEGYPTI L. LARVAE

Dwi Wahyuni, Sandy Pradipta, Muhammad Ramadhan

39-41

 PDF

ELEPHANTOPUS SCABER AND SAUROPUS ANDROGYNUS REGULATE MACROPHAGES AND B LYMPHOCYTE CELLS DURING SALMONELLA TYPHI INFECTION

Muhammad Sasmito Djati, Dinia Rizqi Dwijayanti, Lulut Dwi Nurmamulyosari, Yuyu Fuadah, Muhammad Basyarudin, Nur Jannah

42-44

 PDF

The Effort To Increase Production of Super Red Dragon Fruit (*Hylocereus costaricensis*) By Artificial Pollination

Neni Andayani, Lailatun Naria Latifah, Theresia Maria Astuti

45-46

 PDF

EVALUATION OF ZONATION OF THE MANGROVE CONSERVATION AREAS IN PAMURBAYA

Viv Djanat Prasita, Agus Subianto, Asbar Asbar

47-49

 PDF

INPUT OF NUTRIENT (NITROGEN AND PHOSPHORUS) FROM THE CATCHMENT AREA INTO RAWAPENING LAKE OF CENTRAL JAVA

Agatha Sih Piranti, Diana RUS Rahayu, Gentur Waluyo

50-51

 PDF

RELATIONSHIP BETWEEN WATER QUALITY AND ABUNDANCE OF CYANOPHYTA IN PENJALIN RESERVOIR

Badrun Mahera Agung, Agatha Sih Piranti, Carmudi Carmudi

52-56

 PDF

HEMATOLOGICAL CHARACTERISTIC OF THE FEMALE ASIAN VINE SNAKE (*AHAETULLA PRASINA* BOIE, 1827)

I Gusti A. Ayu Ratna Puspita Sari, Endah Sri Palupi

57-59

 PDF

HIGHLY SPESIFIC BACILLUS CEREUS-PHAGES ISOLATED FROM HOSPITAL WASTEWATER IN BANYUMAS REGENCY

Anwar Rovik, Saefuddin 'Aziz, Hendro Pramono

60-64

 PDF

BIOSYNTHESIS SILVER NANOPARTICLE USING FRESH WATER ALGAE

Dahlia Dahlia, Sherry Aristyani, Robiatul Hadawiyah

65-66

 PDF

EFFECT OF SAPONIN-PODS EXTRACT ACACIA (ACACIA MANGIUM) TO HEMATOCRIT, HEMOGLOBIN AT TILAPIA (OREOCHROMIS NILOTICUS)

Is Yuniar, Win Darmanto, Agoes Soegianto

67-69

 PDF

EFFECT OF DISSOLVED NUTRIENT CONCENTRATION (NITRATE AND ORTHOPHOSPHATE) ON ABUNDANCE OF CHLOROPHYTA IN PENJALIN RESERVOIR BREBES REGENCY

Novi Ariyanti, Carmudi Carmudi, Christiani Christiani

70-73

 PDF

THE ANATOMY OF CAROTENE BIOSYNTHESIS IN BETA VULGARIS L., VAR. RUBRA USING SCAN ELECTRON MICROSCOPE

Dahlia Dahlia

74-76

 PDF

OPTIMIZATION OF YOGURT FERMENTED MILK PRODUCTS WITH THE ADDITION OF NATURAL STABILIZER BASED ON LOCAL POTENTIAL OF TARO STARCH (COLOCASIA ESCULENTA)

Aju Tjatur Nugroho Krisnaningsih, Dyah Lestari Yulianti, Imam Thohari, Puguh Surjowardojo

77-79

 PDF

PTERIDOPHYTES OF ALAS PURWO NATIONAL PARK AND THEIR MEDICINAL POTENCY

Fuad Bahrul Ulum, Dwi Setyati

80-82

 PDF

GENETIC VARIATION OF Aedes Aegypti (DIPTERA : CULICIDAE) BASED ON DNA POLYMORPHISM

Rike Oktarianti, Sri Mumpuni

83-84

 PDF

THE EFFECT OF SOY TEMPEH FLOUR EXTRACT TO UTERINE HISTOLOGY OF OVARIECTOMIZED MICE

Eva Tyas Utami, Mahriani Mahriani, Nidaul Hikmah

85-87

 PDF

MATING BEHAVIOUR OF CROCIDOLOMIA PAVONANA F.

Purwatiningsih Purwatiningsih, Mirza Devara

88-90

 PDF

THE DEVELOPMENT OF SUSTAINABLE RESERVE FOOD GARDEN PROGRAM'S VIDEO IN MALANG CITY

Benny Satria Wahyudi, Mimien H. I Al-Muhdhar, Sueb Sueb, Susilowati Susilowati, Endang Budiasih

92-96

 PDF

EFFECT OF MEDIUM COMPOSITIONS ON THE GROWTH OF RICE (ORYZA SATIVA L. CV. CIHERANG) CALLUS

Ruliana Umar, Yossi Wibisono, Netty Ermawati

97-100

 PDF

BLOOD FIGURE OF RAMBON CATTLE FED FORMULATED CONCENTRATE CONTAINING SOYBEAN CAKE, POLLARD AND CORN OIL COMBINE WITH UREA XYLANASE MOLASSES CANDY

Emy Koestanti, Romziah S., Tri Bhawono D.

101-102

 PDF

STRATEGIES FOR DEVELOPMENT OF BEEF CATTLE FARMING BASED ON INNOVATION TECHNOLOGY AND FEEDING PROGRAM TO MEET SELF SUFFICIENCY IN MEAT

Romziah S., Hario P. S., Tri Bhawono D.

103-105

 PDF

MODIFICATION OF BEAN SPROUT AND UREA MEDIA TO SPIRULINA PLATENSIS CULTURE

Nadya Adharani, Selly Candra Citra, Nova Bagus Hidayat, Agung Hermawan Susanto, Angga Saputra

107-110

 PDF

COLLAGEN FROM SEA CUCUMBER (STICHOPUS VARIEGATUS) AS AN ALTERNATIVE SOURCE OF HALAL COLLAGEN

M. H. Khirzin, Sukarno Sukarno, N. D. Yuliana, Laily Yunita Susanti, E. Chasanah, Y. N. Fawziya

111-113

 PDF

DEVELOPMENT OF NEW PRODUCT "COCOA SPIRULINA AS FUNCTIONAL FOOD"

Asmak Afriliana, Achmad Subagio, Aminah Abdullah

114-119

 PDF

THE PROTEIN AND WATER CONTENT OF TEN VARIATIONS OF THE FEED CASSAPRO OF YEAST TAPE

Indrawaty Sitepu

120-122

 PDF

EFFECT OF POMELO (CITRUS GRANDIS) ETHANOLIC EXTRACT ON ATHEROSCLEROTIC PLAQUE FORMATION

Mudzakkir Taufiqurrahman, Kiky Martha Ariesaka, Hilda Khairinnisa, Wahyu Dian Puspita, Azka Darajat, Al Munawir

124-126

CLINICAL MANIFESTATION OF ORAL TUBERCULOSIS

Atik Kurniawati, Ni Made Mertaniasih, Mangestuti Agil

127-131

IDENTIFICATION OF DERMATOPHYTES BY MULTIPLEX-POLYMERASE CHAIN REACTION, POLYMERASE CHAIN REACTION-RESTRICTION FRAGMENT LENGTH POLYMORPHISM ITS1-ITS4 PRIMERS AND MVAI, AND POLYMERASE CHAIN REACTION (GACA)4 PRIMER

Rizalinda Sjahril, Firdaus Hamid, Aan Yulianingsih, Novita Prastiwi, Awaluddin Awaluddin, Siska Nuryanti, Faridha Ilyas, Burhanuddin Bahar

132-135

[RETRACTED] IMPACT PSYCHOLOGICAL AND PSYCHO-PHYSICAL WORK DISTRESS ON TOOTH MOBILITY IN RAT MODEL (ARTICLE RETRACTED FROM IBSC PROCEEDING)

Zahreni Hamzah, Suhartono Taat Putra, Elyana Asnar STP

136-139

ROLE OF REACTIVE OXYGEN SPECIES ON DEVELOPMENTS OF OSTEOCLASTOGENESIS IN AGING

Dyah Indartin Setyowati, Zahreni Hamzah, Zahara Meilawaty

140-143

DETERMINANT FACTOR THAT INFLUENCED ANXIETY LEVEL AND ENERGY INTAKE AMONG ELDERLY

Ninna Rohmawati

144-146

P-CARE BPJS ACCEPTANCE MODEL IN PRIMARY HEALTH CENTERS

Hosizah Hosizah

147-150

THE EFFORT OF TB CADRE IN THE IMPROVING OF THE SUCCESS OF TB THERAPY AND REDUCING SIDE EFFECTS OF ANTI TUBERCULOSIS DRUGS

Dewi Rokhmah, Khoiron Khoiron, Elly Nurus Shakinah, Ema Rahmawati

151-152

 PDF

RISK FACTOR OF GREEN TOBACCO SICKNESS (GTS) AT THE CHILDREN ON TOBACCO PLANTATION

Dewi Rokhmah, Khoiron Khoiron

153-156

 PDF

DIRECT SCATTERING PROBLEM FOR MICROWAVE TOMOGRAPHY

Agung Tjahjo Nugroho

158-161

 PDF

MICROSTRUCTURE AND MECHANICAL PROPERTIES OF DISSIMILAR JOINT OF COLD ROLLED STEEL SHEETS 1.8 SPCC-SD AND NUT WELD M6 BY SPOT WELDING

Ratna Kartikasari, Mustakim Mustakim, Joko Pitoyo, Feri Frandika

162-164

 PDF

FEATURE EXTRACTION OF HEART SIGNALS USING FAST FOURIER TRANSFORM

Hindarto Hindarto, Izza Anshory, Ade Efiyan

165-167

 PDF

ANALYSIS OF EL NIÑO EVENT IN 2015 AND THE IMPACT TO THE INCREASE OF HOTSPOTS IN SUMATERA AND KALIMANTAN REGION OF INDONESIA

Ardila Yananto, Saraswati Dewi

168-173

 PDF

SYNTHESIS OF ZINC OXIDE (ZNO) NANOPARTICLE BY MECHANO-CHEMICAL METHOD

Siswanto Siswanto, Anita Yuliati, Mayasari Hariyanto

174-176

MODELLING DYNAMICS OF ZNO PARTICLES IN THE SPRAY PYROLYSIS REACTOR TUBE

Diky Anggoro, Melania Muntini, Iim Fatimah, Sudarsono Sudarsono

177-180

THE INFLUENCE OF EXTREMELY LOW FREQUENCY (ELF) MAGNETIC FIELD EXPOSURE ON THE PROCESS OF MAKING CREAM CHEESE

Andika Kristinawati, Sudarti Sudarti

181-183

Au Grade of Epithermal Gold Ore at Paningkaban ASGM, Banyumas District, Central Java Province, Indonesia

Rika Ernawati, Arifudin Idrus, HTBM Petrus

184-187

Renewable Energy Conversion with hybrid Solar Cell and Fuel Cell

Aris Ansori, Indra Herlamba Siregar, Subuh Isnur Haryuda

188-191

Radar Absorbing Materials Double Layer From Laterite Iron Rocks And Activated Carbon Of Cassava Peel In X-Band Frequency Range

Linda Silvia, Bayu Aslama, Ega Novialent, M. Zainuri

192-194

Instantaneous Analysis Attribute for Reservoir Characterization at Basin Nova-Scotia, Canada

Ruliyanti Ruliyanti, Puguh Hiskiawan, Artoto Arkundato

195-196

Deployment Porosity Estimation of Sandstone Reservoir in The Field of Hidrocarbon Exploration Penobscot Canada

Himmah Khasanah, Puguh Hiskiawan, Supriyadi Supriyadi

197-198



Seismic Resolution Enhacement with Spectral Decomposition Attribute at Exploration Field in Canada

Illavi Prasety Pebrian, Puguh Hiskiawan, Artoto Arkundato

199-203



Simulation of I-V Characteristics of Si Diode at Difference Operating Temperature:Effect of Ionized Impurity Scattering

Siti Lailatul Arofah, Endhah Purwandari, Edy Supriyanto

204-206



Simulation of self diffusion of iron (Fe) and Chromium (Cr) in Liquid lead by Molecular Dynamic

Ernik Dwi S, Artoto Arkundato, Supriyadi Supriyadi, Heru Baskoro, Elva Nurul F

207-208



The Study of Electrical Conductance Spectroscopy of The Inner membrane of Salak

Wenny Maulina

209-210



The Accuracy Comparison of Oscilloscope and Voltmeter Utilizated in Getting Dielectric Constant Values

Bowo Eko Cahyono, Misto Misto, Rofiatun Rofiatun

211-213



Window Filter (WinTer) To Capture Pollution of Lead (Pb) For Houses Near The Highway To Prevent Health Problems

Rifang Pri Asmara, Fitri Azizah, Siti Umi Afifah

214-215

 PDF

Simulation of Solar Cell Diode I-V Characteristics Using Finite Element Methode: Influence of p- Layer Thickness

Greta Andika Fatma, Endhah Purwandari, Edy Supriyanto

216-217

 PDF

GIS-based optimization method for utilizing coal remaining resources and post-mining land use planning: A case study of PT Adaro coal mine in South Kalimantan

Mohamad Anis, Arifudin Idrus, Hendra Amijaya, Subagyo Subagyo

219-225

 PDF

Quantification Model of Qualitative Geological Data Variables for Exploration Risk Assessment in Prospect Cu-Au Porphyry Deposit Randu Kuning, Wonogiri, Central Java

Nurkhamim Nurkhamim, Arifudin Idrus, Agung Harijoko, Irwan Endrayanto, Sapto Putranto

226-231

 PDF

A Sensor-Based of Detection Tools To Mitigate People Live in Areas Prone to Landslide

Satryo Budi Utomo, Januar Fery Irawan

232-236

 PDF

Relocation of hypocenter using Jacobian's matrix and Jeffreys-Bullen's velocity model

Faid Muhlis, Risca Listyaningrum, Indriati Retno Palupi

237-238

 PDF

Analysis Of The Geothermal Potential Based Fault Zone In Burni Telong Bener Meriah, Aceh, Indonesia

Gartika Setiya Nugraha, Marwan Marwan, Oky Ikhrallah, Susanti Alawiyah, Sutopo Sutopo

239-242

Synthesis Of Zeolites From Lombok Pumice As Silica Source For Ion Exchanger

Mega Putri K., Regina G.L. D., Ade L.N. F., Haiyina H. A., Nura H. H., Darminto Darminto
244-247

Optimisation of Extractant and Extraction Time on Portable Extractor Potentiometric Method for Determining Phosphate in Soil

Anggia Rose Sukaton, Siswoyo Siswoyo, Bambang Piluharto
248-252

Analysis of protein profile of neem leaves juice (azadirachta indica I. Juss)

I Dewa Ayu Ratna Dewanti, I Dewa Ayu Susilawati, Pujiana Endah Lestari, Roedy Budirahardjo
253-255

Hydrophobic Aerogel-Based Film Coating On Glass By Using Microwave

Poerwadi Bambang, Diah Agustina P, Christia Meidiana
256-258

Preparation and Characterization of Cacao Waste As Cacao Vinegar And Charcoal

Mohammad Wijaya, Muhammad Wiharto
259-261

The Effect of Physico-Chemical Properties of Aquatic sediment to the Distribution of Geochemical Fractions of Heavy Metals in the Sediment

Barlah Rumhayati, Catur Retnaningdyah, Novi Anitra, Ahmad Dodi Setiadi
262-265

Increased Concentration of Bioethanol by Rectification Distillation Sieve Tray Type

Yuana Susmiati, Mochamad Nuruddin

266-269

 PDF

Determination of Lead in Cosmetic Sampels Using Coated Wire Lead (II) Ion Selective Electrode Based On Phyropillite

Qonitah Fardiyah, Barlah Rumhayati, Ika Rosemiyani

270-272

 PDF

Pyrolysis Temperature Effect on Volume and Chemical Composition of Liquid Volatile Matter of Durian Shell

Waode O.S. Ilmawati, M. Jahiding, Waode O.S. Musnina

273-275

 PDF

High Performance Liquid Chromatography of Amino Acids Using Potentiometric Detector With A Tungsten Oxide Electrode

Yeni Maulidah Muflihah, Zulfikar Zulfikar, Siswoyo Siswoyo, Asnawati Asnawati, Qurrota Ayun

276-278

 PDF

Rainwater Treatment Using Treated Natural Zeolite and Activated Carbon Filter

Lili Mulyatna, Yonik M. Yustiani, Astri Hasbiah, Widya Yopita

279-281

 PDF

Filtration of Protein in Tempe Wastewater Using Cellulose Acetate Membrane

Dwi Indarti, Badrut Tamam Ibnu Ali, Tri Mulyono

282-284

 PDF

Image Encryption Technique Based on Pixel Exchange and XOR Operation

Kiswara A. Santoso, Fatmawati Fatmawati, Herry Suprajitno

286-288

Fuzzy Anp Method And Internal Business Perspective For Performance Measurement In Determining Strategy SMEs

Yeni Kustiyahningsih, Eza Rahmanita, Jaka Purnama
289-294

Application of Fuzzy TOPSIS Method in Scholarship Interview

Abduh Riski, Ahmad Kamsyakawuni
295-298

The Effect of Inflation, Interest Rate, and Indonesia Composite Index (ICI) to the Performances of Mutual Fund Return and Unit Link with Panel Data Regression Modelling

Siti S. Purwaningsih, Anny Suryani, Euis Sartika
299-302

Using Logistic Regression to Estimate the Influence of Adolescent Sexual Behavior Factors on Students of Senior High School 1 Sangatta, East Kutai-East Kalimantan

Darnah Darnah, Memi Norhayati
303-306

Application Cluster Analysis on Time Series Modelling with Spatial Correlations for Rainfall Data in Jember Regency

Ira Yudistira, Alfian Futuhul Hadi, Dian Anggraeni, Budi Lestari
307-310

A Zero Crossing-Virus Evolutionary Genetic Algorithm (VEGA) to Solve Nonlinear Equations

M. Ziaul Arif, Zainul Anwar, Ahmad Kamsyakawuni
311-315

Analysis of Simultaneous Equation Model (SEM) on Non normally Response used the Method of Reduce Rank Vector Generalized Linear Models (RR-VGLM)

Miftahul Ulum, Alfian Futuhul Hadi, Dian Anggraeni
316-318

The Rainbow (1,2)-Connection Number of Exponential Graph and It's Lower Bound

Gembong A. W., Dafik Dafik, Ika Hesti Agustin, Slamin Slamin
319-320

Construction of Super H-Antimagicness of Graph by Uses a Partition Technique with Cancelation Number

Rafiantika Megahnia Prihandini, Dafik Dafik, Ika Hesti Agustin
321-324

On The Total r-dynamic Coloring of Edge Comb Product graph $G \text{ D } H$

Dwi Agustin Retno Wardani, Dafik Dafik, Antonius C. Prihandoko, Arika I. Kristiana
325-327

On The Metric Dimension with Non-isolated Resolving Number of Some Exponential Graph

S. M. Yunika, Slamin Slamin, Dafik Dafik, Kusbudiono Kusbudiono
328-330

On Total r-Dynamic Coloring of Several Classes of Graphs and Their Related Operations

Kusbudiono Kusbudiono, Desi Febriani Putri, Dafik Dafik, Arika Indah Kristiana
331-336

The Analysis of r-dynamic Vertex Colouring on Graph Operation Of Shackle

Novita Sana Susanti, Dafik Dafik

337-339



On the Rainbow Vertex Connection Number of Edge Comb of Some Graph

Agustina M., Dafik Dafik, Slamin Slamin, Kusbudiono Kusbudiono

340-342



On the edge r-dynamic chromatic number of some related graph operations

Novian Nur Fatihah, Arika Indah Kriatiana, Ika Hesti Agustin, Dafik Dafik

343-346



Handling Outlier In The Two Ways Table By Using Robust Ammi And Robust Factor

Kurnia Ahadiyah, Alfian Futuhul Hadi, Dian Anggraeni

347-350



An Epidemic Model of Varicella with Vaccination

Qurrota A'yuni Ar Ruhimat, Imam Solekudin

351-355



The Correlation Between Perception And Behavior Of River Pollution By Communities Around Brantas Riverbank In Malang

Kuni Mawaddah, Sueb Sueb

357-359



Isolation And Screening Of Specific Methicillin Resistant-Staphylococcus Aureus Bacteriophage From Hosiptal Waste At Banyumas

Chairunisa Fadhilah, Saefuddin Aziz, Hendro Pramono

360-364

Co(III) as Mediator in Phenol Destruction Using Electrochemical Oxidant

Herlina Herlina, Derlini Derlini, Muhammad Razali
365-369

Design of System Batch Injection Analysis (BIA) for Monitoring the Production of Alcohol (II)

Tri Mulyono, Dwi Indarti, Rizqon Rizqon
370-374

Preliminary Study Gold Mineralization Hosted By Metamorphic Rocks In The Southeastern Arm Of Sulawesi, Indonesia

Hasria Hasria, Arifudin Idrus, I Wayan Warmada
375-378

Effects of Packaging Types on Moisture Content, Microbe Total and Peroxide Value of Instant Ganyong (*Canna edulis* Kerr) Yellow Rice

Lilis Sulandari
379-383

Resistivity Value as Characteristics Of Majapahit Kingdom Era Red Bricks

Supriyadi Supriyadi, Nurul Priyantari, Rosaria Dwi Sukmadewi
384-385

Strategy to Increase Contract Farming Satisfaction on Red Chili Farmer with The Hortikultura Lestari Cooperation (Evidence : Dukuh Dempok Village Wuluhan District)

Hesti Herminingsih
386-390

Application Cluster Analysis on Time Series Modelling with Spatial Correlations for Rainfall Data in Jember Regency

Ira Yudistira, Alfian Futuhul Hadi, Dian Anggraeni, Budi Lestari

Mathematics Depart. University of Jember Indonesia

e-mail: Irayudistira91@gmail.com

Abstract—Forecasting is a statistical analysis to obtain an overview the development of event in the future. Forecasting performed on time series data, is a series of data observation data that affected by previous data. In addition, time series data is also affected by the location of research, it is called spatial correlations. This correlation can be analyzed by cluster analysis method. Cluster analysis aims to group objects based on similar characteristics. Variability of rainfall in Jember Regency depends on time and space so that there is a spatial correlation. Cluster analysis is expected to form groups that optimal in the data so that the forecasting results more optimal. Selection of the best forecasting models in this study is determined by the smallest RMSE value.

Keywords—Forecasting, Time Series, Cluster Analysis, Spatial Correlations

INTRODUCTION

Cluster analysis is a multivariate technique that has the main purpose to classify objects based on the characteristics possessed. Cluster analysis to classify objects so that any objects that are closest parallels are in the same cluster. The resulting clusters have internal homogeneity and external heterogeneity high. Another goal of cluster analysis is to find a subset of the variables that have the highest correlation, so that these variables can describe subsets without losing important information [1]. Cluster analysis can be used to group data on a time series forecasting.

Time series data is data obtained from the points of time, where there is a correlation between the structure of its values[2]. Time series data from several adjacent sites often have a mutually dependent relationship[3]. This relationship is called spatial correlation. Forecasting time series data that is linked to the time and location modeled with Generalized Space Time Autoregressive (GSTAR). This model is the development of *Space Time Autoregressive* (STAR) models, which tend to be inflexible in the face of the locations that have the characteristics of heterogeneous [1]. Unlike the STAR model, GSTAR not require that the values of the parameters the same for all locations. Therefore, GSTAR model more realistic, because in fact more prevalent models with different parameter model for different locations [4]. The difference between locations are shown in the form of weighting matrix.

Rainfall data is one of the time series data that have spatial correlation. Rainfall variability is heavily dependent on space and time. According to the scale of the space, precipitation variability was much influenced geography, altitude, latitude location, topography and general wind direction [5]. So each location tend to have different rainfall. Based on this, researchers are interested in deploying a cluster analysis on the modeling of time series forecasting with spatial relationships for rainfall data in Jember district. Cluster analysis is used to classify locations homogeneous rainfall station in the same cluster and forecasting carried out on the data that has been clustered. Cluster analysis used in this study is the K-Means cluster analysis and forecasting models that will be used is GSTAR.

RESEARCH METHODS

a. Research Data

The data used in this study is the rainfall data of 77 rainfall stations in the Jember Regency period January 2005 to December 2015. This data is derived from research data [6]. Data is divided into two parts, ie the data in-sample and out-sample of data. In-sample data

used to establish a model, while the out-sample data is used to check the power of prediction models created from the data in-sample.

1. Data in-sample: in January 2005 to December 2014 as many as 120 data.
2. Data out-sample: in January 2015 to December 2015 as many as 12 data.

List of the 77 rainfall station can be seen in **Table 1**.

Table 1 Data rainfall station in the Jember regency

No	Rainfall Station	No	Rainfall Station
1	Watuurip	40	Sabrang DM. 4
2	Tanggul	41	Sabrang SB. 1
3	Darungan	42	Sumberejo
4	Sukorejo	43	Tempurejo
5	Dam Langkap	44	Sanenrejo
6	Dam Kijingan	45	Kr. Kedawung
7	Dam Tugusari	46	Renes (Ajung)
8	Wringin Agung	47	Dam Makam
9	Pladingan	48	Dam Pecoro
10	Pondokwaluh	49	Rambipuji
11	Kencong	50	Rawatantu
12	Kencong	51	Curahmalang
13	Wonorejo	52	Dam Klatakan
14	Bagorejo	53	Dam Karanganom
15	Gumukmas(BT)	54	Dam Pono
16	Bedodo	55	Dam Manggis
17	Gumukmas(KT)	56	Dam Semangir
18	Menampu	57	Bintoro
19	Pondokjoyo	58	Dam Sembah
20	Pondokjoyo	59	Kopang
21	Semboro	60	Wirolegi
22	Paleran	61	Jember
23	Puger	62	Dam Tegal Batu
24	Grenden	63	Sukowono
25	Jambearum	64	Sukorejo
26	Balung	65	Sbr. Jambe
27	Karangduren	66	Cumedak
28	Gumelar Timur	67	Sbr. Kalong
29	Tamansari	68	Ajung
30	Glundengan	69	Ledokombo
31	Lojejer	70	Suren
32	Ampel	71	Sumberjati
33	Tanjungrejo	72	Silo
34	Kesilir	73	Seputih
35	Dam Talang	74	Jatian
36	Jenggawah	75	Kottok
37	Kemuningsari	76	Pakusari
38	Jatisari	77	Dam Arjasa
39	Karang Anyar		

b. Grouping Data with K-Means Cluster Analysis

In this study 77th rainfall station are grouped into 4 clusters. Forecasting is performed on each grouping. The grouping data in this study using the K-Means cluster analysis. K-Means is one of the non-hierarchical cluster method used to classify data that have a large size [7]. The process of grouping with K-means is as follows:

1. Determine the number of clusters (k)
2. Determine the center of the cluster. Cluster centers is the average of the whole object in the group.

3. Determine the shortest distance (Euclidean) each object with the center of the cluster.
4. Grouped object to a cluster based on the flats nearby.
5. Recount central cluster if the object is moved from the starting position.
6. Repeat step 2 until no further transfer of objects between clusters.

c. Identification of Stationary Data

Time series data is said to be stationary if the mean and variance constant or no systematic change. Formally to identify stationary data is done by using Augmented Dickey Fuller (ADF) or by looking at the cross correlation matrix scheme MACF and MPACF. If the plot MACF and MPACF down slowly, the data is not stationary to mean so needs differencing. Similarly if the value up and down value on lambda is less than zero then the data has not been stationary on the variant, so it is necessary to transform Box Cox [8].

ADF test is a test to determine whether a stationary time series data contains unit root. The model used is

$$\Delta Y_t = \beta_1 + \delta Y_{(t-1)} + e_1 \quad (1)$$

where $\delta = \rho - 1$ and the hypothesis is

$$H_0: \delta = 1 \text{ (} Y_t \text{ is not stationary)}$$

$$H_1: \delta < 1 \text{ (} Y_t \text{ is stationary)}$$

The significance test for this hypothesis using test τ (tau) with a test statistic is $\tau = \frac{\rho}{(SE(\rho))}$. Hypothesis H_0 rejected if τ is smaller than the value of τ in ADF with certain real level or p -value $< 5\%$ [9].

d. Identification GSTAR Model

GSTAR is a model that has a relationship between time and location where the locations studied had heterogeneous characteristics. In GSTAR, parameter values at the same spatial lag allowed different. In matrix notation, GSTAR models with p autoregressive degrees and degrees of spatial $\lambda_1, \lambda_2, \dots, \lambda_p$ is modeled by

$$Z(t) = \sum_{k=1}^p [\phi_{k0} + \phi_{k1}W]Z(t-1) + e(t) \quad (2)$$

where is

$$\phi_{k0} = di \quad (\phi_{k0}^1, \dots, \phi_{k0}^n)$$

$$\phi_{k1} = dia \quad (\phi_{k1}^1, \dots, \phi_{k1}^n), \text{ and}$$

$$W = \text{Weight with } W_{ii} = 0 \text{ and } \sum_{i \neq j} W_{ij} = 0$$

$e(t)$ = noise vector size $(n \times 1)$ multivariate normal distribution with mean 0 and variance-covariance matrix $\frac{\sigma_2}{N}$ [10].

e. Selection of Order GSTAR Models

The selection of spatial order GSTAR generally restricted to the order of 1, because the higher order will be difficult to interpret[11]. Meanwhile, on the order of time (autoregressive) can be determined by AIC (Akaike Information Criterion). Selection of the best order models can be determined by looking at the smallest AIC value.

The calculation of the value AIC formulated with

$$AIC(p) = \ln \left| \sum_{t=1}^T \tilde{u}(p) \right| + \frac{2p}{T} K^2$$

Where $\sum_{t=1}^T \tilde{u}(p) = T^{-1} \sum_{t=1}^T \hat{u}_t \hat{u}_t'$ is a matrix of the estimated residual vector autoregressive models (p) and T and K respectively are the number of residual and number of variable [4].

f. Weight Calculation Model Location GSTAR

One of the locations weight on GSTAR is the inverse distance. This weight value is obtained by calculating the distance between the actual locations. The closer two locations will have greater weight value.

Weighting by the inverse distance refers to the distance between sites, for example the distance between the four locations are defined:

r_1 = distance between location 1 and 2

r_2 = distance between locations 1 and 3

r_3 = distance between locations 1 and 4

r_4 = distance between locations 2 and 3

r_5 = distance between locations 2 and 4

r_6 = distance between locations 3 and 4

Written in matrix form:

$$W = \begin{bmatrix} 0 & W_{12} & W_{13} & W_{14} \\ W_{21} & 0 & W_{23} & W_{24} \\ W_{31} & W_{32} & 0 & W_{34} \\ W_{41} & W_{42} & W_{43} & 0 \end{bmatrix} = \begin{bmatrix} 0 & \frac{r_2+r_3}{r_1+r_2+r_3} & \frac{r_1+r_3}{r_1+r_2+r_3} & \frac{r_1+r_2}{r_1+r_2+r_3} \\ \frac{r_4+r_5}{r_1+r_4+r_5} & 0 & \frac{r_1+r_5}{r_1+r_4+r_5} & \frac{r_1+r_4}{r_1+r_4+r_5} \\ \frac{r_4+r_6}{r_2+r_4+r_6} & \frac{r_2+r_6}{r_2+r_4+r_6} & 0 & \frac{r_2+r_4}{r_2+r_4+r_6} \\ \frac{r_5+r_6}{r_3+r_5+r_6} & \frac{r_3+r_6}{r_3+r_5+r_6} & \frac{r_3+r_5}{r_3+r_5+r_6} & 0 \end{bmatrix}$$

The above matrix is standardized in the form W_{ij}^* to get $\sum_{i \neq j} W_{ij}^* = 1$ [12].

g. Parameter Estimation GSTAR Model

Parameter estimation GSTAR be done using Least Squares Method. GSTAR with order $p = 1$ and order spatial 1 will result model

$$Z_i(t) = \phi_{10}^{(i)} Z_i(t-1) + \phi_{11}^{(i)} \sum_{j=1}^N W_{ij} Z_j(t-1) + e_i(t)$$

With $Z_i(t)$ expressed observations on $t = 0, 1, \dots, T$ for $i = 1, 2, \dots, N$ location.

This applies to linear form $Y_i = X_i \beta_i + e_i$

$$Y_i = \begin{bmatrix} Z_i(1) \\ Z_i(2) \\ \vdots \\ Z_i(t) \end{bmatrix}, \quad X_i = \begin{bmatrix} Z_i(0) & V_i(0) \\ Z_i(1) & V_i(1) \\ \vdots & \vdots \\ Z_i(t-1) & V_i(t-1) \end{bmatrix}$$

$$e_i = \begin{bmatrix} e_i(1) \\ e_i(2) \\ \vdots \\ e_i(t) \end{bmatrix}$$

$$\beta = (\phi_{10}^{(1)}, \phi_{10}^{(2)}, \dots, \phi_{10}^{(N)}; \phi_{11}^{(1)}, \phi_{11}^{(2)}, \dots, \phi_{11}^{(N)})$$

with

$$V_i(t) = \sum_{j=1}^N W_{ij} Z_j(t)$$

Match the model for all the linear model is $Y = \beta X +$

with $Y = (Y_1', Y_2', \dots, Y_N)'$

$$X = (X_1, X_2, \dots, X_N)$$

$$\beta = (\beta_1', \beta_2', \dots, \beta_N)'$$
 and

$$e = (e_1', e_2', \dots, e_N)'$$

so the form of the least squares estimation of $\hat{\beta}_T$ is

$$\hat{\beta}_T = (X'X)^{-1} X'y \text{ [13].}$$

h. Feasibility GSTAR Model

GSTAR be feasible if it meets the constant variance (white noise). Testing assumptions need to be conducted to determine whether the residual meet the white noise. if the layout contained in the AIC values lag AR (0) and MA (0) then the residual meet the assumption of white noise[4]. Fulfillment Assuming white noise can be done using the portmanteau test with significance level of 5%.

RESULTS AND DISCUSSION

a. Identification of Data

77th rainfall station are grouped into 4 and 6 clusters using the K-Means. The results are summarized in table 2.

Table 2. The Result of Grouped Data

No.	4 Cluster	Number of Object	6 Cluster	Number of Object
1.	Cluster 1 (Z ₄₁)	15	Cluster 1 (Z ₆₁)	14
2.	Cluster 2 (Z ₄₂)	24	Cluster 2 (Z ₆₂)	22
3.	Cluster 3 (Z ₄₃)	29	Cluster 3 (Z ₆₃)	25
4.	Cluster 4 (Z ₄₄)	9	Cluster 4 (Z ₆₄)	3
5.	-	-	Cluster 5 (Z ₆₅)	5
6.	-	-	Cluster 6 (Z ₆₆)	8
	Total	77	Total	77

Forecasting is performed on each grouping. The data used is the average value of rainfall from each station in these groups. Data used in forecasting must be stationary on the mean and variance. Stationary on the variance can see from plot of data.




Fig 1. Plot of Data with 4 grouping




Fig 2. Plot of Data with 6 grouping

Plot data on Figure 1. and Figure 2. have not significant changes so can be said that the data has been stationary for variant. Stationary on the mean can see from ADF test.

Table 3. The Result of ADF Test

Clustering	Location	ADF-test	p-value	Description
4 Cluster	Z ₄₁	-7.8237	0.01	stationary
	Z ₄₂	-7.6768	0.01	stationary
	Z ₄₃	-7.7669	0.01	stationary
	Z ₄₄	-7.7301	0.01	stationary
6 Cluster	Z ₆₁	-7.7472	0.01	stationary
	Z ₆₂	-7.5623	0.01	stationary
	Z ₆₃	-7.7967	0.01	stationary
	Z ₆₄	-8.3247	0.01	stationary
	Z ₆₅	-6.9225	0.01	stationary
	Z ₆₆	-7.5013	0.01	stationary

From table we can see that ADF test generate p-value < 5%, so we can say that the data is stationary on the means.

GSTAR Modeling

GSTAR models depend on spatial and autoregressive order. Spatial order of GSTAR model restricted to only one. While the autoregressive order model can be determined from the value of the smallest MIC. The smallest MIC value lies in AR(1) and MA(0) amounting to 32.533335 for 4 grouping and 49.144803 for 6 Grouping. so that got p value is 1 and the models formed by

$$Z_i(t) = [\phi_{10} + \phi_{11}W]Z(t-1) + e(t) \\ = \phi_{10}Z(t-1) + \phi_{11}WZ(t-1) + e(t)$$

b. Weights Locations

Location weight in this study using inverse distance weighting. The distance between location calculated based on the shortest distance between stations on each cluster. Inverse distance weighting presented in the following matrix.

$$W_{ij} = \begin{bmatrix} 0 & 0.763 & 0.575 & 0.663 \\ 0.614 & 0 & 0.728 & 0.658 \\ 0.635 & 0.857 & 0 & 0.508 \\ 0.699 & 0.813 & 0.488 & 0 \end{bmatrix} \text{ for 4 grouping}$$

and

$$W_{ij} = \begin{bmatrix} 0 & 0.924 & 0.888 & 0.932 & 0.364 & 0.892 \\ 0.753 & 0 & 0.826 & 0.652 & 0.913 & 0.856 \\ 0.843 & 0.925 & 0 & 0.722 & 0.768 & 0.741 \\ 0.931 & 0.892 & 0.800 & 0 & 0.438 & 0.939 \\ 0.618 & 0.984 & 0.901 & 0.666 & 0 & 0.831 \\ 0.840 & 0.935 & 0.728 & 0.911 & 0.586 & 0 \end{bmatrix} \text{ for 6 grouping.}$$

c. Parameter estimation

Parameter estimation in this study using OLS (Ordinary Least Square). Parameter estimation results are summarized in the following table.

Table 4. The Result of Parameter estimation results for 4 grouping

Parameter	Estimasi	Std. Error	t-value	p-value	Sig
ϕ_{10}	0.19894	0.18510	1.075	0.28303	
ϕ_{20}	0.33726	0.27760	1.215	0.22501	
ϕ_{30}	-0.48306	0.25659	-1.883	0.06038	.
ϕ_{40}	1.29705	0.21466	6.042	3.1e-09	***
ϕ_{11}	0.29153	0.10029	2.907	0.00382	**
ϕ_{21}	0.15833	0.13271	1.193	0.23346	
ϕ_{31}	0.42742	0.09525	4.487	9.1e-06	***
ϕ_{41}	-0.40856	0.14727	-2.774	0.00575	**

Table 5. The Result of Parameter estimation results for 6 grouping

Parameter	Estimasi	Std. Error	t-hitung	p-value	Sig
ϕ_{10}	-0.02353	0.24149	-0.097	0.922413	
ϕ_{20}	0.18773	0.06082	3.087	0.002105	**
ϕ_{30}	-0.46668	0.30212	-1.545	0.122870	
ϕ_{40}	0.26518	0.06998	3.789	0.000164	***
ϕ_{50}	-0.44221	0.26471	-1.671	0.095260	.
ϕ_{60}	0.19598	0.04650	4.215	2.83e-05	***
ϕ_{11}	0.50106	0.12064	4.153	3.68e-05	***
ϕ_{21}	0.09230	0.04254	2.170	0.030365	*
ϕ_{31}	0.52564	0.12834	4.096	4.70e-05	***
ϕ_{41}	0.02366	0.03451	0.685	0.493279	
ϕ_{51}	1.09123	0.18616	5.862	7.04e-09	***
ϕ_{61}	-0.12523	0.05918	-2.116	0.034674	*

From the table shows that there are some p-value greater than 0.05 is the parameter ϕ_{10} , ϕ_{20} , ϕ_{21} for 4 grouping and for ϕ_{10} , ϕ_{20} , ϕ_{41} 6 grouping. This indicates that parameter is not significant but the parameter is still used in modeling in forecasting GSTAR because there is no guarantee that the models created

from the significant parameters will generate small error values. So the models for 4 grouping obtained are as follows

$$\begin{aligned}\hat{Z}_{41}(t) &= 0.199Z_{41}(t-1) + 0.222Z_{42}(t-1) \\ &\quad + 0.168Z_{43}(t-1) + 0.193Z_{44}(t-1) \\ &\quad + e_1(t) \\ \hat{Z}_{42}(t) &= 0.337Z_{42}(t-1) + 0.097Z_{41}(t-1) \\ &\quad + 0.115Z_{43}(t-1) + 0.104Z_{44}(t-1) \\ &\quad + e_2(t) \\ \hat{Z}_{43}(t) &= -0.483Z_{43}(t-1) + 0.271Z_{41}(t-1) \\ &\quad + 0.366Z_{42}(t-1) + 0.217Z_{44}(t-1) \\ &\quad + e_3(t) \\ \hat{Z}_{44}(t) &= 1.297Z_{44}(t-1) + 0.286Z_{41}(t-1) \\ &\quad + 0.332Z_{42}(t-1) + 0.199Z_{43}(t-1) \\ &\quad + e_4(t)\end{aligned}$$

with RMSE 109.7019. And the models for 6 grouping obtained are as follows

$$\begin{aligned}\hat{Z}_{61}(t) &= -0.024Z_{61}(t-1) + 0.924Z_{62}(t-1) \\ &\quad + 0.888Z_{63}(t-1) + 0.932Z_{64}(t-1) \\ &\quad + 0.364Z_{65}(t-1) + 0.892Z_{66}(t-1) \\ &\quad + e_1(t) \\ \hat{Z}_{62}(t) &= -0.467Z_{62}(t-1) + 0.753Z_{61}(t-1) \\ &\quad + 0.826Z_{63}(t-1) + 0.652Z_{64}(t-1) \\ &\quad + 0.913Z_{65}(t-1) + 0.856Z_{66}(t-1) \\ &\quad + e_2(t) \\ \hat{Z}_{63}(t) &= -0.442Z_{63}(t-1) + 0.843Z_{61}(t-1) \\ &\quad + 0.925Z_{62}(t-1) + 0.722Z_{64}(t-1) \\ &\quad + 0.768Z_{65}(t-1) + 0.741Z_{66}(t-1) \\ &\quad + e_3(t) \\ \hat{Z}_{64}(t) &= 0.501Z_{64}(t-1) + 0.931Z_{61}(t-1) \\ &\quad + 0.892Z_{62}(t-1) + 0.800Z_{63}(t-1) \\ &\quad + 0.438Z_{65}(t-1) + 0.939Z_{66}(t-1) \\ &\quad + e_4(t) \\ \hat{Z}_{65}(t) &= 0.526Z_{65}(t-1) + 0.618Z_{61}(t-1) \\ &\quad + 0.984Z_{62}(t-1) + 0.901Z_{63}(t-1) \\ &\quad + 0.666Z_{64}(t-1) + 0.831Z_{66}(t-1) \\ &\quad + e_5(t) \\ \hat{Z}_{66}(t) &= 1.091Z_{66}(t-1) + -0.105Z_{61}(t-1) \\ &\quad + -0.117Z_{62}(t-1) \\ &\quad + -0.091Z_{63}(t-1) \\ &\quad + -0.114Z_{64}(t-1) \\ &\quad + -0.073Z_{65}(t-1) + e_6(t)\end{aligned}$$

with RMSE 105.2595.

d. Feasibility of Model

Feasibility of Model using Portmanteau test. Portmanteau test generate p-value is greater than 0.05. This suggests that the residuals still meet the assumptions of "white noise". Therefore we can conclude the model fit for use. Portmanteau test results are summarized in the following table 6.

Table 6. The Result of Portmanteau test

lag	4 Cluster		6 Cluster	
	df	p-value	df	p-value
2	16	0.0832	36	0.0823
3	32	0.5175	72	0.5066
4	46	0.2063	108	0.7007
5	64	0.1342	144	0.7003
6	80	0.2094	180	0.6696
7	96	0.3957	216	0.7095
8	112	0.2789	252	0.8578
9	128	0.0724	288	0.9381
10	144	0.0824	324	0.9269

CONCLUSION

Based on data analysis, RMSE values generated at grouping by 6 groups is smaller than grouping by 4 groups. So we can conclude that grouping by 6 groups making better forecast model.

REFERENCES

- [1] N. Hajarisman, "Analisis Statistika Multivariat Terapan", Bandung: Universitas Islam Bandung, 2003.
- [2] T. W. Liao, "Clustering of Time Series Data-Survey", Pattern Recognition, vol. 38, pp 1857–1874, 2005.
- [3] S. A. Borovkova, H. P. Lopuhaa and B. N. Ruchjana, "Generalized STAR Model with Eksperimental Weights". In M. Stasionopoulus and G. Toulomi (Eds.), Proceeding of the 17th International Workshop on Statistical Modeling, Chania, pp. 139-147, 2002.
- [4] R. S. Tsay, "Analysis of Financial Time Series". New Jersey: John Wiley & Sons, 2005.
- [4] E. Aldrian and R. D. Susanto, "Identification Of Three Dominant Rainfall Regions Within Indonesia And Their Relationship To Sea Surface Temperature", International Journal Of Climatology, vol. 23, pp. 1435-1452, 2003.
- [5] F. Nurcahyani, "Pengelompokan Stasiun Hujan untuk Model *Generalized Space Time Autoregressive* (GSTAR) pada Peramalan Curah Hujan Kabupaten Jember dengan Tiga Pembobotan", Thesis, Jember: Jurusan Matematika FMIPA Universitas Jember, 2016.
- [6] S. A. P. Rani, H. Kusdarwati and E. Sumarminingsih, "Pemodelan Generalized Space Time Autoregressive (GSTAR(p1)): Penerapan pada Data Kesakitan Penyakit ISPA di Kota Malang", Malang: Universitas Brawijaya, 2013.
- [7] S. Makridakis, S. C. Wheelwright and V. E. McGee, "Metode dan Aplikasi Peramalan", Jakarta: Erlangga, 1992.
- [8] R. Harris and S. Robert, "Applied Time Series Modelling and Forecasting", England: John Wiley & Sons, Inc, 2003.
- [9] R. Sitepu, "Analisis Cluster terhadap Tingkat Pencemaran Udara pada Sektor Industri di Sumatera Selatan", Jurnal Penelitian Sains, vol. 14, issue 14303, pp. 11-15, 2011.
- [10] D. W. Wutsqa, Suhartono and B. Sujito, "Generalized Space-Time Autoregressive Modeling", Proceedings of the 6th IMT-GT Conference on Mathematics, Statistics and its Applications (ICMSA2010), Universitas Tunku Abdul Rahman, Kuala Lumpur, Malaysia, 2010.
- [11] D. Anggraeni, A. Prahutama and S. Andari, "Aplikasi Generalized Space Time Autoregressive (GSTAR) pada Pemodelan Volume Kendaraan Masuk Tol Semarang", Media Statistika, vol. 6, issue 2, pp. 71-80, 2013.
- [12] S. Borovkova, H. P. Lopuhaa and B. N. Ruchjana, "Consistency and Asymptotic Normality of Least Squares Estimators in Generalized STAR Models", Journal, 2008.