

Home > Archives > Vol 21, No 2 (2023)

Vol 21, No 2 (2023)

April

DOI: <http://dx.doi.org/10.30811/jpl.v21i2>

Table of Contents

Implementation of rapid entire body assessment and anthropometry methods in conveyor design	PDF 158-164
<i>Nismah Panjaitan, Felica Felica</i>	
Web-based low-cost rooftop solar power plant for household application	PDF 165-169
<i>Angga Wahyu Aditya, Nur Rani Alham, Restu Mukti Utomo</i>	
Development of CFD simulation model of earth air heat exchanger for space cooling of a 36 M2 house in tropical climate Banda Aceh, Indonesia	PDF 170-178
<i>Sarwo Edhy Sofyan, Khairil Khairil, Zhafran Maulana, Akram Tamliha, Jalaluddin Jalaluddin, M. Syaukani</i>	
A study on Flame Characteristics Premixed Burning by Giving Magnetic Field Induction	PDF 179-182
<i>Deny tomy andrianto, Muh. Nurkoyim Kustanto, Yuni Hermawan, Nasrul Ilminnafik, Salahuddin Junus</i>	
Computational analysis of magnetohydrodynamic effects on biodiesel flow rate	PDF 183-186
<i>Tatun Hayatun Nufus, Candra Damis Widiawati, Ahmad Indra Siswantara, Gun Gun Ramdhan Gunadi, Dianta Mustofa Kamal, Asep Apriana, Dela siska, Bayu Prasetyo, Irfan Hermansyah Saputra</i>	
Numerical-hydrodynamic analysis, vickers hardness, and tensile test of cast-brass alloy for boat propellers	PDF 187-191
<i>Akhyar Akhyar, Iqbal Iqbal, Muhammad Bahi, Ahmad Farhan, Seab Piseth</i>	
Optimization of the jaloe kayoh seat design using the quality function deployment (QFD) method based on anthropometric measurements of the Acehnese Society	PDF 192-198
<i>Akram Tamliha, Samsul Rizal, Iskandar Hasanuddin, M.M. Noor, Rahmad Ferdiansyah, Sri Rahmawati, Nazaruddin Nazaruddin</i>	
Numerical simulation analysis of structural strength of portable skid for storage tank with 50.000 liter capacity	PDF 199-203
<i>Muslimin Al Masta</i>	
Trends, relationship, and model of selected service sector workers in Malaysia: Physiological responses of mental workload and mental fatigue during performing real-time tasks	PDF 204-213
<i>Nurul Izzah Abd Rahman, Siti Zawiah Md Dawal, Nukman Yusoff, Siti Nurani Hassan, Azmah Hanim Mohamed Ariff</i>	
The effect of variations in electric load on the performance of a 3 kW Micro Hydro Power Plant using an undershot waterwheel	PDF 214-218
<i>Yusuf Dewantoro Herlambang, Bono Bono, Gatot Suwoto, Suwarti Suwarti, Baktiyar Mei Hermawan, F Gatot Sumarno, Margana Margana, Marliyati Marliyati</i>	
Effect of green clam shells powder addition on properties biodegradable films of polyvinyl alcohol (PVA)	PDF 219-223
<i>Hendri Hestiawan, Yuzuar Afrizal, Junas Haidi, Candy Juyetzu</i>	
Analysis of wind speed and direction as support for green buildings in urban areas using the weibull method	PDF 224-229
<i>Yudi Kurniawan, Ida Bagus Dharmawan, Wahyu Anhar, Akhmad Nurdin</i>	
Design of photovoltaic/thermal (PV/T) with heat pipes as a heat transfer medium used for water heater	PDF 230-239
<i>Rahmat Iman Mainil, Afdhal Kurniawan Mainil, Azridinal Aziz, Faisal Aff</i>	

Publication Ethics

Open Access Policy

Online Submission

Peer Review Process

Author Fees

Abstracting & Indexing

COLLABORATED WITH PDRI;



MoU Jurnal Polimesin-PDRI

Supported by :



ARTICLE TEMPLATE



ISSN

P-ISSN: 1693-5462 ; E-ISSN: 2549-1199



USER

Username
 Password
 Remember me

JOURNAL CONTENT

Search
 Search Scope

Browse

- » By Issue
- » By Author
- » By Title
- » Other Journals



Perpustakaan Universitas Jember
Jurnal Polimesin
 Disseminating information on the research of mechanical engineering
 Index: ICI, SINTA 2, Google Scholar ISSN Online: 2549-1199, ISSN Print: 1693-5462
 Department of Mechanical Engineering, Lhokseumawe State Polytechnic, Lhokseumawe 24301, Indonesia

- HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS FOCUS & SCOPE AUTHOR GUIDELINES EDITORS REVIEWERS

Home > About the Journal > Editorial Team

Editorial Team

Editor in Chief

A. Jannifar, PhD, Politeknik Negeri Lhokseumawe, Scopus Author ID: 55123253500, Indonesia

Managing Editor

Azwinur Azwinur, Politeknik Negeri Lhokseumawe, Scopus Author ID: 57209408481, Indonesia

Associate Editors

- Dr. Iskandar Hasanuddin, Mechanical and Industrial Engineering Department, Universitas Syiah Kuala, Darussalam, Banda Aceh, Indonesia, Indonesia
- Syukran ,IWS.,IWE, Politeknik Negeri Lhokseumawe. ID Scopus: 55995422000. API-IWS, Indonesia
- Muhammad Akil, Universitas Negeri Makassar, Indonesia
- Alex Taufiqurrohman Zain, Politeknik Negeri Jember, Indonesia
- Amir Zaki Mubarak, Syiah Kuala University, Scopus Author ID: 57190937549
- Riki Effendi, SINTA Author ID: 6005340, University of Muhammadiyah Jakarta, Indonesia
- Dr. Faisal Muhammad Nur, Universitas Malikussaleh, Scopus Author ID: 57201065285, Indonesia
- Zulkifli Zulkifli, Politeknik Negeri Balikpapan, Indonesia

Advisory International Editorial Boards

- Prof. Dr-ing. Yupiter HP Manuring, Universiti Teknologi MARA, Scopus Author ID=36768369500, Malaysia
- Prof. Dr. Teuku Meurah Indra Mahlia, University of Technology Sydney, Scopus Id Author: 56997615100, Australia
- Prof. Dr. Ir. Wahyu Kuntjoro, Universiti Teknologi Mara, Scopus Author ID=26429710100, Malaysia
- Assoc. Prof. Dr. Nor Azwadi Che Sidik, Universiti Teknologi Malaysia, Scopus Author ID=57204852231, Malaysia
- Dr. Ghulamullah Khan, Balochistan University of Information Technology, Engineering and Management Sciences (BUITEMS) Quetta Balochistan, Scopus ID: 57069647500, Pakistan
- Prof. Dr. Husaini Husaini, Scopus Author ID: 18039973700, Syiah Kuala University, Indonesia
- Prof. Dr. Ahmad Syuhada, Scopus Author ID: 6507237385, Syiah Kuala University., Indonesia
- Dr. Abdul Rahman Mohamed Mallah, R&D Engineer alfanr Electric Systems, alfanr Group Riyadh, Scopus Author ID=57203285563, Saudi Arabia
- Dr. Thanh-Long Le, Ho Chi Minh City University of Technology (HCMUT), VNU-HCM, Scopus Author ID:56482723600., Viet Nam

Assistant Editor

- Dr. Irfai Fathurohman, Universitas Muria Kudus, Scopus Author ID 57198432046, Indonesia
- Dr. Widhorini Widhorini, PDRI (Persaudaraan Dosen Seluruh Indonesia), Universitas Kuningan.
- Phan Thi Kim Thao, Hochiminh city University of Education, Viet Nam
- Ismi Amalia, Politeknik Negeri Lhokseumawe, Indonesia
- Andri Wardana, Mae Fah Luang University, Thailand
- Wahdaniah Wahdaniah, Politeknik Negeri Lhokseumawe, Indonesia
- Emilda Emilda, Universitas Malikussaleh, Indonesia

ABSTRACTING & INDEXING BY:




Ciptaan disebarluaskan di bawah Lisensi Creative Commons Atribusi-BerbagiSerupa 4.0 Internasional.

- Publication Ethics
- Open Access Policy
- Online Submission
- Peer Review Process
- Author Fees
- Abstracting & Indexing

COLLABORATED WITH PDRI;



MoU Jurnal Polimesin-PDRI

Supported by :



ARTICLE TEMPLATE



ISSN

P-ISSN: 1693-5462 ; E-ISSN: 2549-1199



USER

Username
 Password
 Remember me

JOURNAL CONTENT

Search
 Search Scope
 All

Browse

- >> By Issue
- >> By Author
- >> By Title
- >> Other Journals

Home > About the Journal > People

People

Peer-Reviewers

Prof. Syamsul Hadi, State Polytechnic of Malang, Indonesia

Dr. Nguyen Huu Tho, Nguyen Tat Thanh University, Scopus Author ID:55914755300, Viet Nam

Dr. Richard A.M. Napitupulu, Universitas HKBP Nommensen, Indonesia

A. Muhammad Syafar, Universitas Islam Negeri Alauddin Makassar, Indonesia

Dr. Eng. Rahmat Iman Mainil, Universitas Riau, Indonesia

Dr. Widyastuti Widyastuti, Institut Teknologi Sepuluh Nopember, Scopus Author ID=36631229300, Indonesia

Dr. Rusnaldy Rusnaldy, Universitas Diponegoro, Scopus ID: 18838044200

Dr. Sarwo Edhy Sofyan, Scopus Author ID: 56507449300, Syiah Kuala University, Indonesia

Dr. Intan Sari Areni, Universitas Hasanudin, Indonesia

Dr. Melinda Melinda, Universitas Syiah Kuala, Indonesia

Dr. The Jaya Suteja, Universitas Surabaya, Indonesia

Dr. Wawan Hermawan, Institut Pertanian Bogor, Scopus ID: 6602716827

Tatun Tatun Hayatun Nufus, Politeknik Negeri Jakarta, Indonesia

Dr. Muslimin Al Masta, Politeknik Negeri Jakarta, Indonesia

Dr. Nismah Panjaitan, Universitas Sumatera Utara, Author Id Scopus: 57203311110, Indonesia

Prof. Dr. Tech. Ir. Agus Pramono, MT., CPMP, University of Sultan Ageng Tirtayasa. Scopus Author ID:57201345647, Indonesia

Dr. Omer A. Alawi, Universiti Teknologi Malaysia, Scopus Author ID:56108584300, Malaysia

Dr. Raja Ariffin Bin Raja Ghazilla, University Of Malaya, Scopus Author ID: 35317256400, Malaysia

Dr. Suriani Ibrahim, University of Malaya, Scopus Author ID:56879752200, Malaysia

Dr. Hendro Nurhadi, Institut Teknologi Sepuluh Nopember. Scopus Author ID: 25646368600, Indonesia

Dr. Rusdi Nur, Politeknik Negeri Ujung Pandang, Scopus Author ID=55983114500, Indonesia

Dr. Mukhsinun Hadi Kusuma, Pusat Riset Teknologi Reaktor Nuklir, Oganisasi Riset Tenaga Nuklir, Badan Riset dan Inovasi Nasional, Indonesia

Dr. Irza Sukmana, Universitas Lampung, Scopus Author ID: 35757952700, Indonesia

Dr. Amiruddin Amiruddin, Universitas Negeri Makassar, Indonesia

Dr. Abubakar Dabet, Universitas Malikussaleh. Scopus Author ID: 57205328431, Indonesia

Dr. Usman Usman, Politeknik Negeri Lhokseumawe, SCOPUS ID: 57195385464, Indonesia

Dr. Irwin Syahri Cebro, Politeknik Negeri Lhokseumawe, Indonesia

Dr. Samsul Bahri, Politeknik Negeri Lhokseumawe, Scopus Author ID:57203144032, Indonesia

Dr. Muhammad Arhami, Politeknik Negeri Lhokseumawe, Scopus Author ID: 57204195094, Indonesia

Dr. Indra Mawardi, Politeknik Negeri Lhokseumawe, Scopus Author ID: 57201855745, Indonesia

Dr. Ir. Irwan M.T., Chemical Engineering Department, Politeknik Negeri Lhokseumawe, Indonesia

Dr. Adi Setiawan, Malikussaleh University, Scopus Author ID: 56166019400, Indonesia

Prof. Dr. Akhyar Akhyar, Syiah Kuala University, Scopus Author ID: 57191728819, Indonesia

Publication Ethics

Open Access Policy

Online Submission

Peer Review Process

Author Fees

Abstracting & Indexing

COLLABORATED WITH PDRI;



MoU Jurnal Polimesin-PDRI

Supported by :



ARTICLE TEMPLATE



ISSN

P-ISSN: 1693-5462 ; E-ISSN: 2549-1199



USER

Username

Password

Remember me

JOURNAL CONTENT

Search

Search Scope

All

Browse

- » By Issue
- » By Author
- » By Title
- » Other Journals

- Dr. Irwansyah Irwansyah, Universitas Syiah Kuala, Scopus Author ID:56106271900, Indonesia
- Dr. Agus Sigit Pramono, Institut Teknologi Sepuluh Nopember, Scopus Author ID: 12774830800, Indonesia
- Dr. Taufiq Bin Nur, Universitas Sumatera Utara, Scopus Author ID: 9233001200, Indonesia
- Dr. Surya Dharma, Politeknik Negeri Medan, Scopus Author ID:57112241700, Indonesia
- Dr Mahros Darsin, University of Jember, ID Scopus: 56012509700, Indonesia
- Dr. Yusuf Dewantoro Herlambang, Politeknik Negeri Semarang, Scopus Author ID:57194209980, Indonesia
- Dr. Eng. Dedi Suryadi, Scopus Author ID: 55819732700, Universitas Bengkulu, Indonesia
- Dr. Muhammad Amin, Universitas Samudra, Scopus Author ID: 57111382800, Indonesia
- Dr. Fatahul Arifin, Politeknik Negeri Sriwijaya, Scopus Author ID: 55489401300, Indonesia
- Dr. Petrus Sutiyasadi, Universitas Sanata Dharma, Scopus Author ID: 36968351900, Indonesia

INFORMATION

- » For Readers
- » For Authors
- » For Librarians

KEYWORDS

: Oil Treatment, Motor bensin, Viskositas, Aditif. Abaca, natural fiber, matrix, composite, vacuum method. Aluminum, friction stir welding, dissimilar metal, second phase CAD/CAE Commercial DOE Design, Screw Turbine, Archimedes Screw Turbine, Hydropower Plant, Head Elevation Water FDM Filling ratio Heat pipe Loss In Weight Feeder, feed rate, PID controller, Direct Synthesis Optical and electrical properties, Zinc Oxide, Dragon fruit dye, Sensitizer Solar Cells Resin Signal-to-noise ratio Temperature difference Thermosiphon. marble powder sago fiber and composites. static simulation, continuous passive motion, solid works, stress, yield strength steam turbine, evaluation, maintenance, performance, optimization tensile test

Web Traffic Analysis

Visitors	See
78,358	974
57,630	669
11,865	617
4,910	584
2,282	559
1,654	557
1,648	455
1,456	420
1,256	373
1,199	364

00415933

Web Traffic Analysis

WRITING TOOLS

Mendeley Citation.pdf

JOURNAL HELP

ABSTRACTING & INDEXING BY:

Ciptaan disebarluaskan di bawah Lisensi Creative Commons Atribusi-BerbagiSerupa 4.0 Internasional.

Mailing Address:

Politeknik Negeri Lhokseumawe
 Jl. Banda Aceh-Medan
 Km. 280,3, Buketrata, Mesjid Punteut, Blang Mangat,
 Kota Lhokseumawe, 24301
 Propinsi Aceh,
 Indonesia



Article Processing Dates: Received on 2022-12-23, Reviewed on 2023-01-30, Revised on 2023-02-07, Accepted on 2023-02-09 and Available online on 2023-04-25.

Study of premix combustion flame characteristics with magnetic field induction

Deny Tomy Andrianto, Muh. Nurkoyim Kustanto*, Yuni Hermawan, Nasrul Ilminnafik, Salahuddin Junus

Department of Mechanical Engineering, Jember University, Jember 68121, Indonesia.

*Corresponding Author: nurkoyin@unej.ac.id

Abstract

This study aims to study the effect of magnetic field induction on the characteristics of a fire resulting from the combustion of a mixture of methanol and biodiesel fuel *calophyllum* mixed with *inophyllum*. Further research on premix combustion flames due to magnetic field induction. As time goes by, petroleum is currently running low, therefore alternative biofuels are needed. One type of non-food vegetable oil is *Jatropha calophyllum inophyllum* oil, besides not being consumed, it can also be processed into biodiesel as fuel. To get a more effective and efficient flame, you can apply a magnetic field effect to the fire, especially in terms of the burning rate of the flame. The experimental research method is to heat the *calophyllum* biodiesel *inophyllum* until it is in the form of steam, then flow it to the burner which will then be given air whose mass flow is regulated. Then the fire is ignited and the mass of the air flow is enlarged until the fire is extinguished until it is extinguished. Two magnets are placed between the burners by varying the direction of the magnetic field N-S, N-N and the results of this study are the shape of the flame. The resulting fire is more transparent, clearer and more visible. The direction of the N-S magnetic field causes a higher temperature than the direction of the N-N magnetic field. The height of the flame is affected by the direction of the magnetic field, the stronger the N-S magnetic field. The magnetic field can affect the burning speed of the biodiesel flame. In a poor mixture ($\phi < 1$) in the presence of a magnetic influence, the rate of fire is lower without the influence of a magnetic field, but in a rich mixture ($\phi > 1$) in the presence of a magnetic influence, the rate of fire is higher than without the influence of a magnetic field. This is due to the influence of magnets that induce oxygen. Oxygen is paramagnetic, so it can be attracted by magnetic fields.

Keywords:

Premixed combustion rate, *calophyllum inophyllum*, biodiesel, magnetic field effect

1 Introduction

The depletion of fossil fuel reserves and the negative impact of their use on the environment has increased the development of alternative fuels, including biodiesel. Biodiesel is a renewable fuel, environmentally friendly and non-toxic, does not contain sulfur and aromatic compounds [1]. Energy sources used as alternative forms of energy are biofuels, bioethanol and biodiesel as substitutes for gasoline and diesel. One of the energy sources used as a substitute for diesel fuel is biodiesel (an energy source made from plants and animals). The concept of using biofuels in diesel engines is not radical. A novel idea, an inventor named Rudolph Diesel demonstrated his first development of a Compression Ignition (CI) diesel engine using peanut oil as fuel at the World's

Fair in Paris in 1900 [2]. What Rudolph Diesel does not only offer advantages in terms of exhaust emissions, but also reduces the world's dependence on imported petroleum, supported by the local agricultural industry and increased agricultural income [3]. As an example, studies on the production of *Calophyllum inophyllum* Methyl Ester (CIME) and its implementation as a fuel in partial or single fuel modes have been carried out in various parts of the world, especially in Indonesia, India and Malaysia [4].

Research on premix combustion has been carried out using conventional fuels [5]. Emissions of Nitrogen Oxides (NOx) under certain conditions can be reduced if the conventional combustion system is replaced with a premixed system [6]. If the speed of the reactants is the same as the speed of fire propagation, then the fire (reaction zone) will be silent [7]. Premix combustion requires a state of rest because it affects the stability of the flame. The stationary state of combustion occurs when the speed of the reactants is equal to the speed of the flame. In the pre-mixed combustion test, the stationary combustion condition occurs at an equivalent ratio = 1. The preheating temperature is 20 to 100 °C, the laminar flame speed increases with the addition of the given preheating temperature [8], premixed combustion test Use of a cylindrical type Bunsen burner in vegetable oil biodiesel shows that the laminar rate will decrease if the equivalent ratio is increased until an explosion occurs [9].

The shape of the flame and the direction of the flow of combustion products and oxygen change due to the direction of the magnetic force. Therefore, the flame can be controlled by applying a magnetic field which can also improve the combustion characteristics. That only non-uniform magnetic fields can interact with the flame, and small laminar flames are more affected by a mixture or partially mixed flame [10]. Fuel ionization is another new technique that has not been widely explored by researchers. Liquid fuels mostly contain hydrocarbons which have strong properties [11]. In this study, electro magnets were placed around a laminar burning methane flame to create a gradient magnetic field (a high downward gradient of the square of magnetic flux density) [12]. The flame interacts with the electromagnetic field through the ions and electrons in the fuel. So far, this studies have been conducted to observe the flame of conventional gaseous fuels such as methane and some liquid fuels such as methanol. This study aims to study the effect of magnetic field induction on the characteristics of a fire resulting from the combustion of a mixture of methanol and biodiesel *calophyllum* pre-mixed with *inophyllum*.

2 Materials and Methods

C. inophyllum oil consists of free fatty acids, glycerides, sterols, terpenoids, steroids, *calophyllolids*, *inophyllolids* and *calophyllic acid*. Nyamplung oil has properties almost equivalent to petroleum diesel and fulfills various engine combustion parameters such as heat release, ignition delay, peak pressure and time of peak pressure [13].

This research was conducted by testing the combustion characteristics of Methanol fuel with biodiesel. Fuels are shown in Table 1 Percentage methanol and biodiesel *calophyllum inophyllum*.

Table 1. Percentage methanol and biodiesel *calophyllum inophyllum*

Fuel	Percentages
M0B100	0% methanol + 100% biodiesel <i>calophyllum inophyllum</i>
M10B90	10% methanol + 90% biodiesel <i>calophyllum inophyllum</i>
M20B80	20% methanol + 80% biodiesel <i>calophyllum inophyllum</i>
M30B70	30% methanol + 70% biodiesel <i>calophyllum inophyllum</i>

Prior to examining the combustion characteristics, biodiesel was tested to determine the heating value (American Society for Testing and Materials (ASTM) D240), density (ASTM D1298), viscosity (ASTM D445) and flash point (ASTM D93).

Fuel is supplied to the Bunsen burner via a pump syringe which is heated to 200-400 °C in a pipe. Air is supplied to the Bunsen burner by the compressor through a pipe. Fuel vapor and air mix in the mixing chamber and ignite in the Bunsen burner. The flame on the Bunsen burner is affected by magnetic induction and then recorded using a camera for analysis.

2.1 Research Tool Schematic




Fig. 1. Laminar speed and flame test equipment.

In Fig. 1 is the test equipment used in this study, with the specifications of the air compressor 3/4 Pk Horsepower: 3/4 HP electric power: 500-Watt tank capacity: 10 liters airflow capacity: 120 liters/minute, flow rate air 1.5 liters/minute, fuel flow rate 15-10 ml/hour, magnetic distance to burner is 0.6 mm. The image of the flame is taken when it is stable and then given a magnetic field.

From the flame, we obtain the height (h) and flame angle (α) measured in the inner flame cone, as shown in Fig. 2.




Fig. 2. Testing the height and angle of the flame.

From the data obtained, the laminar combustion velocity can be calculated using Eq. [5].

$$SL = V \cdot \sin \alpha \quad (1)$$

where SL is laminar burning speed (cm/s), V is speed of reactants (cm/s), α is flame angle

$$V = \frac{Q_{Air} + Q_{Fuel}}{A} \quad (2)$$

where V is speed of reactants (cm/s), Q_{air} is airflow (ml/min.), Q_{fuel} is fuel discharge (ml/min.), A is cross-sectional area of the bunsen burner (cm²).

Experimental tests were carried out at equivalent ratios $\phi = [0.6] [0.8] [1] [1.2] [1.4]$ where the ratio equation is defined in Equation [8].

$$\phi = \frac{(Q_{fuel}/Q_{air})_{actual}}{(Q_{fuel}/Q_{air})_{stoic}} \quad (3)$$

3 Results and Discussion

The different orientations of the magnetic poles have different effects on the burning speed. The repulsion of the magnetic poles has less effect than the attraction of the magnetic poles. Repelling magnetic poles, in Fig. 3 is an illustration of the orientation of the magnetic field on a flame.




Fig. 3. Orientation of the direction of the magnetic field on the flame.


NS produces a higher combustion rate than NN because NS pumps more heat that H₂O brings to the flame while NN removes H₂O which carries product heat out of the flame [14].



(a)



(b)



(c)

Fig. 4. Stability and flame form of pre-mixed biodiesel equivalent to: (a) without magnet, (b) NN magnets, and (c) NS magnets.

Fig. 4 shows that it is faster at the NS pole. The change in combustion speed due to changes in the direction of the magnetic poles in biodiesel is getting bigger, this shows that heat is the product of H₂O being pumped by magnets is an important factor in biodiesel combustion to overcome the increasingly strong intermolecular attractions.

Temperatures are at various equivalence ratios and magnetic field orientations. Combustion speed shows the rate of combustion reaction, namely the rate of heat release. Although the nature of the magnetic field increases the temperature of the flame, the higher the flame speed increases the biodiesel results in a decrease in temperature. This maybe because some of the heat is taken to vaporize biodiesel which is more difficult to evaporate due to the stronger attraction and polarity of the molecules as shown in Fig. 5.




Fig. 5. The laminar burning velocity of biodiesel versus the equivalence ratio in the orientation of a magnetic field and without a magnetic field.

The results of the study of the laminar burning rate of biodiesel *calophyllum inophyllum* in Fig. 5 show that the laminar flame speed increases and decreases with increasing equivalent ratio and magnetic field. This tendency is the same as research on burning other hydrocarbons such as petro diesel, palm oil methyl ester, CH₄, and ethyl-benzene [8].

The magnetic field has a greater effect and shortens the flame on biodiesel. This case happens because the magnet makes the electrons more energetic so the reaction speed can increase.

From Fig. 5 and from several previous studies it is known that the magnetic field has the power to affect the magnetic poles of electrons in molecular bonds, which means it affects the spin of electrons in molecules. The second role is that the magnetic field can change the rotation of the hydrogen protons in the fuel from para to ortho [15] [16] [17] [18].

Thus, the combustion reaction can take place more quickly. The change from para to ortho is more pronounced in premixed biodiesel combustion where the laminar combustion speed increases higher due to the stronger electrical polarity of the biodiesel [16] and applies to almost all biodiesel that has more oxygen content.

Biodiesel molecules are more diffusive because they are less polar, so the diffusion time is shorter. By changing the proton spin to ortho and providing electron spin energy to biodiesel due to a magnetic field, the reaction time is shortened, so the reaction zone becomes thinner. The third role of the magnet is to attract paramagnetic molecules in the event of burning oxygen and repel diamagnetic molecules in H₂O which carry heat. The magnetic field can affect the burning speed of the biodiesel flame. In a poor mixture ($\phi < 1$) in the presence of a magnetic influence, the rate of combustion is lower without the influence of a magnetic field, but in a rich mixture ($\phi > 1$) in the presence of a magnetic influence, the rate of fire is higher than without the influence of a magnetic field.

4 Conclusion

Experimental study on the combustion of premixed. The strength of the magnetic field increases the speed of the laminar combustion of *calophyllum inophyllum*. The orientation of the magnetic poles plays a role in transporting O₂ because the magnetic field binds oxygen in biodiesel fuel and maximizes the transport of heat carried by H₂O in reaction products which greatly determines stability in achieving combustion.

Reference

- [1] M. Fadhlullah, SNB Widiyanto, and E. Restiawaty, "The potential of nyamplung (*Calophyllum inophyllum* L.) seed oil as biodiesel feedstock: Effect of seed moisture content and particle size on oil yield," *Energy Procedia*, vol. 68, pp. 177–185, 2015, doi: 10.1016/j.egypro.2015.03.246.
- [2] HC Ong, TMI Mahlia, HH Masjuki, and RS Norhasyima, "Comparison of palm oil, *Jatropha curcas* and *Calophyllum inophyllum* for biodiesel: A review," *Renew. sustain. Energy Rev.*, vol. 15, no. 8, pp. 3501–3515, 2011, doi: 10.1016/j.rser.2011.05.005.
- [3] DC Rakopoulos, CD Rakopoulos, EG Giakoumis, RG Papagiannakis, and DC Kyritsis, "Influence of properties of various common bio-fuels on the combustion and emission characteristics of high-speed DI (direct injection) diesel engine: Vegetable oil, bio-diesel, ethanol, n-butanol, diethyl ether," vol. 73, pp. 354–366, 2014.
- [4] K. Nanthagopal, B. Ashok, RS Garnepudi, KR Tarun, and B. Dhinesh, "Investigation on diethyl ether as an additive with *Calophyllum inophyllum* biodiesel for CI engine application," *Energy Convers. Manag.*, vol. 179, no. x, pp. 104–113, 2019, doi: 10.1016/j.enconman.2018.10.064.
- [5] DBN Riwu, ING Wardana, and L. Yuliati, "The Speed of Combustion of Premixed Castor Oil Mixture - Liquefied Petroleum Gas (LPG) in Circular Tube Burner," *J. Mechanical Engineering*, vol. 7, no. 2, pp. 41–47, 2016, doi: 10.21776/ub.jrm.2016.007.02.1.
- [6] MA Maulana, "Analysis of the Effect of a Magnetic Field on Air Fuel Ratio Combustion Premixed Mixture of Coconut Oil and B50 Castor Oil Against Flame Characteristics," *Mechonversio Mech. Eng. J.*, vol. 3, no. 1, p. 7, 2020, doi: 10.51804/mmej.v3i1.833.
- [7] S. Bahri La Muhaya, I. Wardana, and D. Widhiyanuriyawan, "Combustion of Premixed Vegetable Oil in a Cylinder Type Bunsen Burner," *J. Mechanical Engineering*, vol. 6, no. 1, pp. 45–49, 2015, doi: 10.21776/ub.jrm.2015.006.01.7.
- [8] S. Pambudi, N. Ilminnafik, S. Junus, and MN Kustanto, "Experimental Study on the Effect of Nano Additives γ Al₂O₃ and Equivalence Ratio to Bunsen Flame Characteristic of Biodiesel from," vol. 4, no. 2, pp. 51–61, 2021.
- [9] DHT Prasetyo, N. Ilminnafik, and S. Junus, "The Flame Characteristics of Diesel Fuel Blend with Kepuh (*Sterculia Foetida*) Biodiesel," *J. Mech. Eng. sci. Technol.*, vol. 3, no. 2, pp. 70–80, 2019, doi: 10.17977/um016v3i22019p070.
- [10] Y. Xie, Z. Wei, T. Zhou, H. Zhen, Z. Liu, and Z. Huang, "Combustion Characteristics of Small Laminar Flames in an Upward Decreasing Magnetic Field," *Energies*, vol. 14, no. 7, p. 1969, 2021, doi: 10.3390/en14071969.
- [11] S. Thiyagarajan *et al.*, "Effect of electromagnet-based fuel-reforming system on high-viscous and low-viscous biofuel fueled in heavy-duty CI engine," *J. Therm. Anal. Calorim.*, vol. 138, no. 1, pp. 633–644, 2019, doi: 10.1007/s10973-019-08123-w.

- [12] W. Wu, J. Qu, K. Zhang, W. Chen, and B. Li, "Experimental Studies of Magnetic Effect on Methane Laminar Combustion Characteristics," *Combust. sci. Technol.* , vol. 2202, no. February, 2016, doi: 10.1080/00102202.2015.1119825.
- [13] A. Arumugam and V. Ponnusami, "Biodiesel production from Calophyllum inophyllum oil a potential non-edible feedstock: An overview," *Renew. Energy* , vol. 131, pp. 1–59, 2018, doi: 10.1016/j.renene.2018.07.059.
- [14] D. Perdana, L. Yuliati, N. Hamidi, and ING Wardana, "The Role of Magnetic Field Orientation in Vegetable Oil Premixed Combustion," vol. 2020, 2020.
- [15] FA El Fatih and GM Saber, "Effect of fuel magnetism on engine performance and emissions," *Aust. J. Basic Appl. sci.* , vol. 4, no. 12, p. 6354–6358, 2010.
- [16] AS Faris *et al.* , "Effects of magnetic fields on fuel consumption and exhaust emissions in two-stroke engines," *Energy Procedia* , vol. 18, pp. 327–338, 2012, doi: 10.1016/j.egypro.2012.05.044.
- [17] M. Chandrasekaran, KB Prakash, S. Prakash, and M. Ravikumar, "Influence on performance and emission characteristics of diesel engines by introducing medium strength magnetic field in fuel and air lines," *IOP Conf. Ser. Mater. sci. Eng.* , vol. 764, no. 1, 2020, doi: 10.1088/1757-899X/764/1/012006.
- [18] MSGad, "Influence of magnetized waste cooking oil biodiesel on performance and exhaust emissions of a diesel engine," *Int. J. ChemTech Res.* , vol. 11, no. 11, p. 255–267, 2018, doi: 10.20902/ijctr.2018.111126.