1

Publikasi jurnal internasional







## About the Journal

## Focus and Scope

The aim of the International Journal of Dental Research (IJDR) (ISSN 2310-2993) is to provide fast publication of refereed, high quality original research papers in all areas of dentistry.

Topics covered include the management of dental disease, periodontology, endodontology, operative dentistry, fixed and removable prosthodontics, dental biomaterials science, long-term clinical trials including epidemiology and oral health, technology transfer of new scientific instrumentation or procedures, as well as clinically relevant oral biology and translational research.

### Peer Review Process

The following is the review process that every manuscript submitted to the journal undergoes during the course of the peer-review process.

The entire review process is performed using online submission. Once a manuscript is submitted, the manuscript is assigned to an editor most appropriate to handle it based on the subject of the manuscript and the availability of the editors. First, the editor evaluates all manuscripts. It is rare but entirely feasible for an exceptional manuscript to be rejected at this stage. Those rejected at this stage either lack originality, have poor grammar, or are outside the aims and scope of the journal. Should the editor decide not to assign reviewers but instead reject the submission, they are required to provide comments that will be sent to the author. If the editor decide not to assign reviewers but instead reject the submission they are required to provide comments that will be sent to the author. If the editor determines that the submitted manuscript is of sufficient quality and falls within the scope of the journal, they will assign the manuscript to a minimum of 2 and a maximum of 5 external reviewers for peer review. The deadline to complete the review process is **4-8 weeks**. The reviewers will then submit their reports on the manuscripts along with their recommendations for one of the following actions to the editor.

- Accept
- Consider after Minor Changes
- Consider after Major Changes
- Reject

When all reviewers have submitted their reports, the editor can make one of the following editorial recommendations:

- Publish - Consider after Minor Changes

Consider after Major Changes
Reject

When all reviewers have submitted their reports, the editor can make one of the following editorial recommendations:

- Publish

Consider after Minor Changes
Consider after Major Changes

## - Reject

If the editor recommends "Publish," the manuscript is accepted for publication.

If the editor recommends "Consider after Minor Changes," the authors are notified to prepare and submit a final copy of their manuscript with the required minor changes suggested by the reviewers. Only the editor reviews the revised manuscript after minor changes have been made by the authors. Once the editor is satisfied with the final manuscript, the manuscript can be accepted.

If the editor recommends "Consider after Major Changes," the recommendation is communicated to the authors. The authors are expected to revise their manuscripts in accordance with the changes recommended by the reviewers and to submit their revised manuscripts in a timely manner. Once the revised manuscript is submitted, the editor can then make an editorial recommendation, which can be "Publish" or "Consider after Minor Changes" or "Reject." If the editor recommends rejecting the manuscript, the rejection is immediate. Additionally, if two of the reviewers recommend rejecting the manuscript, the rejection is immediate.

The editors have the authority to reject any manuscript due to the inappropriateness of its subject, tack of quality, or incorrectness of its results. The peer review process is single-blinded, which means the reviewers know who the authors of the manuscript are but the authors do not have access to the information of who the peer reviewers are.

### **Open Access Policy**

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

### Archiving

This journal utilizes the LOCKSS system to create a distributed archiving system among participating libraries and permits those libraries to create permanent archives of the journal for purposes of preservation and restoration. More...

### Copyright

This is an open-access journal which means that all content is freely available without charge to the user or his/her institution. Users are allowed to read, download, copy, distribute, print, search, or link to the full texts of the articles in this journal without asking prior permission from the publisher or the author.

Open-access authors retain the copyrights of their papers, and all open-access articles are distributed under the terms of the <u>Creative Commons Attribution license</u>, which permits unrestricted use, distribution, and reproduction in any medium, provided that the original work is properly cited.

The use of general descriptive names, trade names, trademarks, and so forth in this publication, even if not specifically identified, does not imply that the relevant laws and regulations do not protect these names. While the advice and information in this journal are believed to be true and accurate on the date of its going to press, neither the authors, the editors, nor the

publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

### **Reasons to Publish**

Why publish with Science Publishing Corporation?

Science Publishing Corporation is an ideal outlet for the publication of your significant research findings. Science Publishing Corporation's goal is to ease the whole publication process by offering excellent services and expertise.

3

### **Rapid** publication

Online submission, electronic peer review, and production make the process of publishing your article simple and efficient.

## Online submission system

An efficient, easy, and user-friendly online submission system reduces the overall time from submission to publication.

## No space constraints

Publishing online means unlimited space for figures, extensive data, and video footage.

## Included in all major bibliographic databases

All articles published in Science Publishing Corporation's journals are included in all major bibliographic databases so that your work can be found easily and cited by researchers around the world.

## Global coverage

Authoritative articles from around the world give you a truly global perspective on the subjects that matter to you.

## Peer-reviewed, high-impact research

Make the right decisions with confidence while knowing that our trustworthy and authoritative content is widely cited by your peers.

## Promotion of your articles

Articles are widely promoted through email updates, table of contents, email alerts, postings on the Science Publishing Corporation homepage, and press releases to the general and scientific press - all resulting in increasing levels of access for each article. Science Publishing Corporation journals are also promoted at many major scientific conferences to bring your work to the attention of professionals in your field. You can also promote your article via your own email lists, online links, listserves, distribution at conferences, and any other innovative techniques you wish to adopt.

### You retain the copyright, licensing the article

This means that your article can be freely redistributed and reused by yourself and others as long as the article is correctly attributed. For example, your published article can be posted on your personal or institutional homepage, emailed to friends and colleagues, printed and sent to as many people as you wish, archived in a collection, distributed on CD-ROM, included in course packs, quoted in the press, translated and further distributed as often and widely as possible.

## High visibility and international readership in your field

Our open access policy ensures high visibility and maximum exposure for your work - anyone with online access can read your article.

### From broad to specialist interest journals

Whether you wish to publish in a broad interest or specialist interest journal, Science Publishing Corporation offers an open-access journal to suit your manuscript.

### **Plagiarism Policy**

Plagiarism is the copying of ideas, text, data, and other creative work (e.g. tables, figures, and graphs) and presenting it as original research without proper citation. Plagiarism is a serious violation. We define plagiarism as a case in which a paper reproduces another work with at least 20% similarity and without citation. If evidence of plagiarism is found before or after acceptance or after the publication of the paper, the author will be offered a chance to defend his/her paper. If the arguments are found to be unsatisfactory, the manuscript will be retracted and authors found to have been guilty of plagiarism will no longer have papers accepted for publication by SPC.

CrossCheck is a multi-publisher initiative to screen published and submitted content for originality. Science Publishing Corporation (SPC) uses the iThenticate software to detect instances of overlapping and similar text in submitted manuscripts. Wherever you see the 'CrossCheck Deposited' or 'CrossCheck Depositor' logos, you can be reassured that the publisher whose content you are reading is committed to actively combating plagiarism and publishing original research. To find out more about CrossCheck visit <a href="https://www.crossref.org/crosscheck.html">https://www.crossref.org/crosscheck.html</a>

iThenticate is also available to authors and researchers who wish to check their papers before submission. iThenticate compares submitted documents to extensive data repositories to create a comprehensive Similarity Report, which highlights and provides links to any significant text matches, helping to ensure that you are submitting an original and well-attributed document. iThenticate for Researchers is a separate service to CrossCheck.

B	nternation	al Jourr	nal of Dental R	esearch	S.C.		Register Login
lbout +	Current Issue	Archives	Submit a Manuscript	Other Journals	Contact us		Q SEARCH
							Submit a Manuscript
Н		nissions					
Sub	missions						
Lo	gin or <u>Register</u> to n	nake a subm	ission.				
Auth	or Guideline	s					
Manus of sub	Submission cripts should be in mission. of Submission	n English. The	ey should be written clea	irly and concisely ir	n <mark>MS Word</mark> files via onlin	ne submission. The papers will I	be refereed within one month
review article institut Furthe	or thesis) and are s publication has ion are submitted	not currentl been appro with the ap and proof w	y under consideration by ved by all the other co- proval of the necessary vill be sent to the author	/ another journal pu authors. It is also i institution. Only an	ublished by any publish the author's responsibi acknowledgment from	t in the form of an abstract or a er. The submitting author is res- lity to ensure that the articles in the editorial office officially es dicated. It is the condition of su	ponsible for ensuring that the emanating from a particular stablishes the date of receipt.

#### Peer Review

All manuscripts are subject to peer review and are expected to meet standards of academic excellence. Submissions will be considered by an editor if not rejected by peer reviewers, whose identities will remain anonymous to the authors.

Title and Authorship Information The following information should be included:

- Paper title
- Author's full name
- Full institutional mailing addresses
- Corresponding author's email

### Corresponding author's en Abstract

The manuscript should contain an abstract. The abstract should be self-contained and citation-free and should not exceed 200 words. The abstract should state the purpose, approach, results, and conclusions of the work. The author should assume that the reader has some knowledge of the subject but has not read the paper. Thus, the abstract should be intelligible and complete in itself (no numerical references), it should not cite figures, tables, or sections of the paper. The abstract should be written using the third person instead of the first person.

## The abstract format varies as follows:

Review articles: abstracts need not be structured.

Clinical and basic research studies. They must have structured abstracts of no more than 250 words. Abstracts must be written in the third person. Abstracts for clinical studies should have the following subheadings: Background, Objectives, Methods, Results, and Conclusions.

Laboratory studies and new apparatuses and techniques: a shorter form is requested. These abstracts should have the following subheadings: Background, Methods, Results, and Conclusions.

## Preliminary/short communications and case report: an unstructured abstract of no more than 150 words is required

Keywords

## Five keywords (for the purposes of indexing) should be supplied below the abstract, in alphabetical order.

Releases

If any material in the manuscript is from a prior copyrighted publication, the manuscript must be accompanied by a letter of permission from the copyright holder. However, we prefer not to publish figures that have been published elsewhere. If applicable, permission to use unpublished data and personal communications must be included.

### Text

Do not submit papers written with editors other than MS Word or Latex as they will not be accepted for review. Save the files compatible with many versions of MS Word (avoid document extensions other than "doc, "docx, or "rtf). Do not submit papers without performing a careful spell check and an English language grammar check.

Articles written in poor English will be rejected without any scientific review. Any article which does not meet the writing guidelines will be rejected. Any articles that have been plagiarized will be rejected, and the authors will be banned from publishing in the journal.

Use correct symbols for physical or technical terms. (Example:  $\epsilon_0$  and not  $\epsilon_0$  for permittivity) Do not repeat definitions throughout the article. Refer to already defined symbols, equations, and theorems by using the cross-reference number. (Example: As pointed out in (1).)

Authors should use subheadings to divide the sections of their manuscript: Introduction, Methods, Results, Discussion, Acknowledgements, and References. Headings and format

Sections and subsections should be numbered 1, 2, etc., and 11, 12, 21, 22 respectively. Capital letters should be used for the initial letter of each noun and adjective in the section titles, the section should be formatted as left, bold, Times New Roman, and 14pt font size. For subsections (left, bold, Times New Roman, and 12pt), the initial letter of the first word should be capitalized, and also similarly for other sub-subsections (left, bold, Times New Roman, and 12pt).

### Figures, photos, tables, and equations

A table, figure, equation, and the corresponding text which is describing it should be placed on the same page. Otherwise, it may be placed on the page immediately following it. One page may contain images no more than 2/3 of its entire content. Do not add multiple or irrelevant photos in your article. Photos must be crystal clear with high resolution to allow visibility of fine details. If necessary, put two figures in a horizontal arrangement. The elements from any photo must be explained using numbers, letters, etc. The text within a figure or photo must have the same style, shape, and height as the caption.

Any table, figure, or picture must have a caption (Fig.1, Table 1, etc.) followed by a proper description. (Example: Fig.2. The experimental setup: 1-Agilent E8257D signal generator, 2-antenna, 3-16dB attenuator)

All similar graphics must be generated using the same software. (Excel. Origin, Mathematica, etc.) Importing graphics into the article as images (UPG, BMP, PNG, etc.) should be avoided. All similar electronic schematics, charts, program flow, simulated characteristics, etc. from the article should be generated using the same software product. Importing images from other articles or books is forbidden unless they are cited.

### Labels of figures and tables

Labels of figures and tables

A figure or photo should be labeled with 'Fig.' and a table with 'Table.' It must be assigned with Arabic numerals as a figure or a table number, the figure number and caption should be placed below the figure or photo. The first letter of the caption should be in capital letters. (Example: Fig.1) The first letter of the description following it should be in capital letters. (Example: Fig.1) The sperimental setup.) The table number and caption should be placed at the top of the table. Use Table 1 format as a model for your tables. Be careful to keep the same aspect for all the tables in the article despite the number of columns.

Figures and tables should be placed in the middle of the page between the left and right margins. More than one figure or one table is accepted on horizontal arrangement for efficient use of space. Reference to the figure in the text should read "Fig" instead of "Figures" Figures and tables should be sized as they are to appear in print. Check the visibility of your figures, tables, or pictures by creating a press-resolution PDF with at least 3600 dpi. Articles with figures or tables incorrectly sized will be returned to the author for reformatting.

### Main results

Focus on original results and discuss those results compared with results from references. You can also compare simulations with experimental results. Do not compare simulations with other simulations if you do not have a very good reason to do so. Do not expect the reader to search for your results throughout the article and references. Do not present results as a well-known theory. A good result may contain only a good explanation of your novel idea, a measuring methodology, a design, or all of them. Be specific in naming your results: the results are purely theoretical, simulations, simulations followed by experimental measurements. experimental measurements followed by manufacturing prototypes, etc.

### Conclusion

In this section, you should present the conclusion of the paper. Conclusions must focus on the novelty and exceptional results you acquired. Allow sufficient space in the article for conclusions. Do not repeat the contents of the Introduction or the Abstract. Focus on the essential ideas of your article.

### Acknowledgments

This is a text of acknowledgement. Do not forget the people who have assisted you with your work. Do not go overboard with your appreciation. If your work has been paid for by a grant, mention the grant's name and number here.

#### References

Do not use any title for the authors (Ph.D., IEEE member, etc.). Do not forget the page number when citing from books or review articles with many pages. Always at the end of the reference, if the article is available online add, "available online: <u>http://xxx</u>". Check the link to the web address for consistency. Use at least 10-20 reference papers in your article, make sure they are well chosen with respect to the article's content. Cite the references in ascendant order starting with Ial. Do not copy the text from references in your paper without using quotes.

Authors are responsible for ensuring that the information in each reference is complete and accurate. All references must be cited using Arabic numerals in the order in which they appear and citations of references in text should be identified using numbers in square brackets (e.g., "as solved by Smith 151", "as solved elsewhere (g. 101"). All references should be cited within the text otherwise, these references will be automatically removed.

List all authors, but if the number exceeds 6, list only the first 3 authors followed by et al. Please follow the format and punctuation shown in the following examples: Journal Articles: Initials and last name of authors, the title of the article (capitalize only the first word, proper names, and abbreviations normally capitalized; no quotation marks), journal title, volume, issue number, year of publication, inclusive page numbers.

B. Batiha, M.S.M. Noorani, I. Hashim, Numerical simulation of the generalized Huxley equation by He's variational iteration method, Applied Mathematics, and Computation 186 (2007) 1322-1325.

Books: Initials and last name of authors, the title of the book, edition number (if after the first edition), publisher, city and country of publisher, year of publication, page numbers (only if specifically cited).

### Example

A.H. Nayfeh, Perturbation Methods, John Wiley, New York, 1973.

Book Chapters: Initials and last name of authors, the title of the chapter, the title of the book, etc.

Example:

K.E. McCash, Applying critical thinking to the nursing process, Medical Surgical Nursing-Assessment and Management of Clinical Problems, St. Louis, MO, USA: Mosby Inc. 2005, 3–13

## Example. K.E. McCash, Applying critical thinking to the nursing process, Medical Surgical Nursing-Assessment and Management of Clinical Problems. St. Louis, MO, USA:

5

K.E. McCash, Applying critical thinking to the nursing process, Medical Surgical Nursing-Assessment and Management of Clinical Problems. St. Louis, MO, USA: Mosby Inc, 2005; 3-13.

Online References: Author(s), if given, the title of the specific item cited (if none is given, use the name of the organization responsible for the site); the name of the website; full URL; date published; date the website was accessed. Example:

American Association of Critical-Care Nurses. Moral distress position statement. http://www.aacn.org/WD/Practice /Docs/Moral\_Distress.pdf. Revised August 2008. Accessed December 18, 2011. Proofs

Corrected proofs must be returned to the publisher within 2-3 days of receipt. The publisher will do everything possible to ensure prompt publication. It will therefore be appreciated if the manuscripts and figures conform from the outset to the style of the journal.

## **Copyright Notice**

## Copyright Notice

Authors who publish in this journal agree to the following terms:


- 1 Authors retain copyright and grant the journal right of first publication with the work simultaneously licensed under a <u>Creative Commons Attribution</u> License that allows others to share the work with an acknowledgment of the work's authorship and initial publication in this journal.
- 2: Authors are able to enter into separate, additional contractual arrangements for the non-exclusive distribution of the journal's published version of the work (e.g., post it to an institutional repository or publish it in a book), with an acknowledgment of its initial publication in this journal.
- 3 Authors are permitted and encouraged to post their work online (e.g., in institutional repositories or on their website) prior to and during the submission process, as it can lead to productive exchanges, as well as earlier and greater citation of published work (See <u>The Effect of Open Access</u>).

## **Privacy Statement**

The names and email addresses entered in this journal site will be used exclusively for the stated purposes of this journal and will not be made available for any other purpose or to any other party.


Contact Information	Follow us on	Quick Links	Partners
Amman, Jordan	<u>Facebook</u>	• <u>Home</u>	<u>Google Schola</u>
Oueen Rania Street, The Union Building, Office 29	Twitter	Contact us	CrossRef

Current Issue	Archives	Submit a Manuscript	Other Journals	Contact us	Q SEARCH
					Submit a Manu
	ial Team				
itorial Tear	m				
or-in-Chief					
r A. Taqa tal College , Mosul U il : <u>amertaga@hotma</u>					
orial Team					
nd Frankenberger artment of Operative II : <u>frankbg@med.uni</u>		d Endodontology, Unive	rsity of Marburg, Ge	ermany	
	ducation Sch			gram in Periodontics. Diplomate, r Dental Studies. United States	American Board of Periodontology. Coordinator,
tha Kumudunie Jaya Ity of Dental Science I∶ <u>chanthaj⊛pdn.ac I</u>	s, University	of Peradeniya, Sri Lanki	a, Sri Lanka		
ck R. Schmidlin 1 Division of Periodo 1 patrick schmidlina		of Preventive Dentistry	. Periodontology ar	d Cariology Center of Dentistry, U	niversity of Zurich, Switzerland
ıran Safavi				Health Center, 263 Farmington Av	



• Open J-Gate

Submit a Manuscript





## **Publication Ethics**

The publication of an article in a peer-reviewed journal is an essential model for our journal.

It is necessary to agree upon standards of expected ethical behavior for all parties involved in the act of publishing; the author, the journal editor, the peer reviewer, and the publisher.

Our ethical statements are based on COPE's Best Practice Guidelines for Journal Editors.

### **Duties of Editors Publication decisions**

The editor is responsible for deciding which of the articles submitted to the journal should be published.

The editor may be guided by the policies of the journal's editorial board and constrained by such legal requirements as shall then be in force regarding libel, copyright infringement, and plagiarism. The editor may confer with other editors or reviewers in making this decision.

### Fair play

An editor at any time evaluates manuscripts for their intellectual content without regard to race, gender, sexual orientation, religious belief, ethnic origin, citizenship, or political philosophy of the authors

### Confidentiality

The editor and any editorial staff must not disclose any information about a submitted manuscript to anyone other than the corresponding author, reviewers, potential reviewers, other editorial advisers, and the publisher, as appropriate.

### Disclosure and conflicts of interest

Unpublished materials disclosed in a submitted manuscript must not be used in an editor's own research without the express written consent of the author.

### Duties of Reviewers:

### **Contribution to Editorial Decisions**

Peer review assists the editor in making editorial decisions, and through the editorial communications with the author may also assist the author in improving the anar

### Promptness

Any selected referee who feels unqualified to review the research reported in a manuscript or knows that its prompt review will be impossible should notify the editor and excuse himself from the review process Confidentiality

## Confidentiality

Any manuscripts received for review must be treated as confidential documents. They must not be shown to or discussed with others except as authorized by the editor

### Standards of Objectivity

Reviews should be conducted objectively. Personal criticism of the author is inappropriate. Referees should express their views clearly with supporting arguments.

Acknowledgment of Sources Reviewers should identify relevant published work that has not been cited by the authors. Any statement that an observation, derivation, or argument had been previously reported should be accompanied by the relevant citation. A reviewer should also call to the editor's attention any substantial similarity or overlap between the manuscript under consideration and any other published paper of which they have personal knowledge

### Disclosure and Conflict of Interest

Privileged information or ideas obtained through peer review must be kept confidential and not used for personal advantage. Reviewers should not consider manuscripts in which they have conflicts of interest resulting from competitive, collaborative, or other relationships or connections with any of the authors, companies, or institutions connected to the papers.

### Duties of Authors:

**Reporting standards** 

Authors of reports of original research should present an accurate account of the work performed as well as an objective discussion of its significance. Underlying data should be represented accurately in the paper. A paper should contain sufficient detail and references to permit others to replicate the work. Fraudulent or knowingly inaccurate statements constitute unethical behavior and are unacceptable.

### Data Access and Retention

Authors are asked to provide the raw data in connection with a paper for editorial review, and should be prepared to provide public access to such data (consistent with the ALPSP-STM Statement on Data and Databases), if practicable, and should, in any event, be prepared to retain such data for a reasonable time after

### nublication. **Originality and Plagiarism**

The authors should ensure that they have written entirely original works, and if the authors have used the work and/or words of others that this has been appropriately cited or quoted.

### Multiple, Redundant, or Concurrent Publication

An author should not in general publish manuscripts describing essentially the same research in more than one journal or primary publication. Submitting the same manuscript to more than one journal concurrently constitutes unethical publishing behavior and is unacceptable

### Acknowledgment of Sources

Proper acknowledgment of the work of others must always be given. Authors should cite publications that have been influential in determining the nature of the reported work

### Authorship of the Paper

Authorship should be limited to those who have made a significant contribution to the conception, design, execution, or interpretation of the reported study. All those who have made significant contributions should be listed as co-authors. Where there are others who have participated in certain substantive aspects of the research project, they should be acknowledged or listed as contributors.

The corresponding author should ensure that all appropriate co-authors and no inappropriate co-authors are included in the paper and that all co-authors have seen and approved the final version of the paper and have agreed to its submission for publication.

## Hazards and Human or Animal Subjects

work involves chemicals, procedures, or equipment that has any unusual hazards inherent in their use, the author must clearly identify these in the manuscript. Disclosure and Conflicts of Interest

All authors should disclose in their manuscript any financial or another substantive conflict of interest that might be construed to influence the results or interpretation of their manuscript. All sources of financial support for the project should be disclosed.



## ARTICLE-JURNAL PUBIKASI



# The severity level of malocclusion and orthodonthic treatment needs based on the index of orthodonthic treatment need (IOTN) on students aged 9-12 years old at candijati jember 1 state elementary school

Sukanto <sup>1</sup>, Sulistiyani <sup>1</sup>, Niken Probosari <sup>1</sup>, Herniyati <sup>2</sup>, Ilham Wahyudi <sup>3</sup>\*, Berlian Prihatiningrum <sup>1</sup>, Dyah Setyorini <sup>1</sup>, Roedy Budi Rahardjo <sup>1</sup>

<sup>1</sup> Department of Pediatric Dentistry, Faculty of Dentistry, University of Jember, Jember, Indonesia
<sup>2</sup> Department of Orthodonthics Dentistry, Faculty of Dentistry, University of Jember, Jember, Indonesia
<sup>3</sup> Faculty of Dentistry, University of Jember, Jember, Indonesia
\*Corresponding author E-mail: ilhamwahyudi173@gmail.com

Malocclusion is a condition of dental occlusion that is not suitable from normal conditions that affect oral function and facial aesthetics and has now become a great concern in the health sector. Malocclusion occurs mostly in children aged 9-12 years which is the second phase of the mixed teeth period. The severity's level of malocclusion and orthodontic treatment needs can be measured using the maloc- clusion index, one of which is the Index of Orthodontic Treatment Need (IOTN). Dental Health Component (DHC) is one component of IOTN that is effective in overcoming malocclusion and has good potential for orthodontic treatment because it assesses objectively by examining and measuring the circumstances of the teeth. The purpose of this study was to determine the severity of malocclusion and orthodontic treatment needs based on the Index of Orthodontic Treatment Need (IOTN) in students aged 9-12 years at SDN 01 Candijati Jember. Sampling was determined using the total sampling method on subjects encountered inclusion criteria; 96 samples were obtained. This study was conducted by measuring the study model of the patient's dental printing results based on DHC from IOTN and analyzed descriptively. The results of the study found the severity of malocclusion and the need for orthodontic treatment based on the Index of Orthodontic treatment based on the Index of Orthodontic treatment based on the Index of Orthodontic treatment based on DHC from IOTN and analyzed descriptively. The results of the study found the severity of malocclusion and the need for orthodontic treatment based on the Index of Orthodontic treatment based on 2, namely mild malocclusion with little need for treatment. Then the severity's level of malocclusion and the need for orthodontic treatment is greater in women than men and great-est in students aged 12 years.

Keywords: Malocclusion; The Severity's Level of Malocclusion; Orthodontic Treatment Needs; Index of Orthodontic Treatment Need (IOTN); Dental Health Component (DHC).

# 1. Introduction

Malocclusion is a condition of dental occlusion that is not suitable from normal conditions Malocclusion problems that affect oral functionand facial aesthetics have become a great concern of dental health. Malocclusion can happen because factor general and local. General factors of malocclusion are hereditary factors, congenital damage, environment factors, deficiency nutrition, and bad habits whereas local factors of malocclusion are anomalies quantity, shape and size of teeth, anomalies form lips, premature loss, and caries [1]. If malocclusiondoesn't get treatment it can cause bad face apperance, temporomandibular joint disorders, speech disorders, risk of caries, periodontal disease and trauma [2].

Malocclusion occurs mostly in children aged 9-12 years which is the second phase of the mixed teeth period. At the age of 9-12 years, it is included in the orthodontic interceptive period, which is a period in children who are in the phase of mixed teeth and have the potentialto experience malocclusion<sup>2</sup>. Based on the results of a study by Anindita et al. (2023) on 140 children aged 9-12 years in the coastal area of Manado City, the prevalence of malocclusion was 99.28% [3].

Malocclusion epidemiology requires a quantitative and objective assessment that limits deviations from normal occlusion and then separatemalocclusion according to level of severity and orthodontic treatment needs. The severity's level of malocclusion is useful to see the scale of orthodontic treatment required whereas needs of orthodontic treatment is aimed to fixing malocclusion that can affect the health of the teeth and oral cavity as well as looks of someone's face [4]. The severity's level of malocclusion and orthodontic treatment needs, one of which is the Index of Orthodontic Treatment Need (IOTN) [5].

Index of Orthodontic Treatment Need (IOTN) is one of the indices that describes the severity of malocclusion and the need for orthodontic treatment in a population. Assessment of malocclusion severity and orthodontic treatment needs based on IOTN has been agreed upon internationally because this method has been proven to be valid and trustworthy [6]. IOTN has the advantage of being easy to use and

ight © Sukanto et al. This is an open access article distributed under the <u>Creative Commons Attribution License</u>, which permits tricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

simple compared to other indices. IOTN consists of two components, namely the Aesthetic Component (AC) and the Dental Health Com-ponent (DHC) [7].

Aesthetic Component (AC) assesses a person's perception of the appearance of the patient's teeth through a photographic scale, where thereare 10 points that show the level of appearance of the most aesthetically attractive teeth and 10 photos represent the least aesthetically attractive teeth<sup>8</sup>. AC measurements were obtained by taking photos of the state of the anterior teeth of the research subjects using a camera, while DHC measurements were carried out by examining the study model of the research subjects. The Dental Health Component (DHC)assesses abnormalities that are seen sequentially and is an acronym for MOCDO, which is in the form of the letter prefix of Missing, Overjet, Crossbite, Displacement of contact point, Overbite including openbite. DHC divides the severity of malocclusion and the need fortreatment into 5 grades, namely grade 1 normal occlusion, no treatment, grade 2 mild malocclusion, requiring mild treatment, grade 3 moderate malocclusion, requiring borderline treatment, grade 4 severe malocclusion, requiring treatment and grade 5 very severe maloc- clusion, requiring treatment. According to Kharpanda (2020), DHC is more effective in overcoming malocclusion and has good potential for orthodontic treatment because it assesses objectively by examining and measuring the state of the teeth<sup>7</sup>. This shows that an attractive or ideal anterior appearance of teeth does not necessarily have other anomalies [6].

Alatrach's (2014) study conducted in Syria on 200 children aged 8-13 years old found that the severity of malocclusion using the Dental Health Component IOTN was (60.2%) mild malocclusion, (30%) moderate malocclusion and (9.8%) severe malocclusion [9]. Based on research by Nofrizal et al. (2023) on 22 children aged 9-11 years old at RSGM Trisakti University, it was found that the level of Dental Health Component treatment needs based on gender, namely women with little need for treatment 4 samples (13.8%), need moderate treatment 11 samples (38%), need treatment 6 samples (20.7%) and very need treatment 1 sample (3.4%). Males requiring moderate treat-ment 4 samples (13.8%), and requiring treatment 3 samples (10.3%)<sup>10</sup>. This research was conducted at SDN 01 Candijati Jember. Candijati Village is one of the agro-industry villages located in the Arjasa District area and precisely in Jember Regency [11]. Previous research has explained that the residents of agro-industry areas in Jember Regency have low dental and oral health due to the lack of knowledge and information about dental and oral health obtained [12]. In the research of Kiswaluyo et al. (2023), it was found that there was dental caries in 36 grade 5 students at SDN 01 Candijati and SDN 04 BitingArjasa amounting to (88.9%) [13]. The existence of a fairly high caries rate can cause malocclusion if not treated. In accordance with the background description that has been described above, the author wishes to conduct research on the severity of malocclusion and the needfor orthodontic treatment based on the Index of Orthodontic Treatment Need (IOTN) in students aged 9-12 years at SDN 01 Candijati Jember.

# 2. Method

This type of research is quantitative, using a descriptive observational method with a cross-sectional approach. The research was carried out at SDN 01

# 3. Results

Based on research that has been carried out is obtained results.

## Table 1: General Characteristics of the Study Sample

Age	Gender Woman	Man	Number of Samples	Percentage
9	9	15	24	25
10	14	10	24	25
11	13	12	25	26.04
12	9	14	23	23.96
Total	45	51	96	100

Based on Table 1. general characteristics of the research sample were mostly female as many as 45 samples, while the number of male samples was 51 samples. The sample of this study was mostly at the age of 11 years old as many as 25 samples and the lowest at the age of 12 years old was 23 samples.

## Table 2: Malocclusion Status and Level of Treatment Need Based on DHC

Grades	Malocclusion Status	Level of Treatment Needs	Number of Samples	Percentage
1	Normal	No requiring treatment	7	7.29
2	Mild	Requiring mild treatment	45	46.88
3	Moderate	Requiring borderline treatment	20	20.83
4	Severe	requiring treatment	20	20.83
5	Very severe	requiring treatment	4	4.17
Total			96	100

Based on Table 2. status of malocclusion and the need for treatment are dominated in grade 2 with a mild degree of malocclusion with little treatment, namely as many as 45 children or (46.88%) and the least in grade 5, namely severe malocclusion and very needing ortho-dontic treatment as many as 4 children or (4.17%).

## Table 3: Distribution of the DHC-IOTN Index by Gender

Grades	Severity and need for treatment	Female (n) (%)	Male (n) (%)
1	Normal occlusion, no requiring treatment	4 (9.09)	3 (5.77)
2	Mild malocclusion, requiring mild treatment	16 (36.36)	29 (55.77)
3	Moderate malocclusion, requiring borderline treatment	9 (20.45)	11 (21.15)
4	Severe malocclusion, requiring treatment	11 (25)	9 (17.3)
5	Very severe malocclusion, requiring treatment	4 (9.09)	0 (0)
Total		45 (46.88)	51 (53.12)

Based on Table 3. distribution of the DHC-IOTN index by gender was obtained with the largest number of samples in grade 2 girls, namely 16 children or (36.36%) and at least 4 children or (9.09%) in grade 1. In the male sex sample, the largest sample was in grade 2, namely 29 children or (55.77%) and the least in grade 5 as much as 0.

## Table 4: Distribution Index DHC-IOTN Based on Age

Grades	Neverity and need for treatment	Age	Age			
Grades		9 (n) (%)	10 (n) (%)	11 (n) (%)	12 (n) (%)	
1	Normal occlusion, no requiring treatment	2 (8.33)	2 (8.33)	3 (12)	0 (0)	
2	Mild malocclusion, requiring mild treatment	10 (41.67)	10 (41.67)	13 (52)	12 (52.17)	
3	Moderate malocclusion, requiring borderline treatment	8 (33.33)	4 (16.67)	5 (20)	3 (13.04)	
4	Severe malocclusion, requiring treatment	3 (12.5)	6 (25)	4 (16)	7 (30.43)	
5	Very severe malocclusion, requiring treatment	1 (4.17)	2 (8.33)	0 (0)	1 (4.35)	
Total	· · · ·	24 (25)	24 (25)	25 (26.04)	23 (23.96)	

Based on Table 4. DHC-IOTN index distribution in 9-year-old children out of 24 children was obtained with a maximum sample of 10 children or (41.67%) classified as grade 2 or mild malocclusion and requiring little treatment. In 10-year-olds out of 24 children, the maximum number of samples was obtained 10 children or (41.67%) classified as grade 2 or mild malocclusion and requiring little treatment, in 11-year-old children out of 25 children the maximum number of samples was obtained 13 children or (52%) classified as grade 2 or mild malocclusion and requiring little treatment. In 12-year-old children out of 23 children, the maximum number of samples was 12 children or (52.17%) classified as grade 2 or mild malocclusion and required little treatment.

Digital Repositor	w/IIhiive	isitas lember	
Category Deviation	Frequency	Percentage	1
Missing teeth	17	17.71	
Overjet	56	58.33	
Crossbite	13	13.54	
Displacement of contact points	57	59.38	
Overbite	65	67.71	

Based on Table 5. largest tooth deviation based on MOCDO DHC-IOTN was obtained in overbite, which was 57 children or (59.38%) and the least in missing teeth deviation, which was 17 children or (17.71%).

# 4. Discussion

Malocclusion is an unbalanced relationship between the teeth, jawbone and skull, as well as the surrounding muscles that cause poor aesthetics and functional imbalance [14]. Malocclusion can be corrected with orthodontic treatment. Orthodontic treatment has been rec- ommended to improve oral and speech function<sup>6</sup>. The determination of the severity and need for orthodontic treatment can be identified by the Index of Orthodontic Treatment Need (IOTN). IOTN has 2 components, namely the Aesthetic Component (AC) and the Dental Health Component (DHC). AC assesses the severity of malocclusion and the level of need for orthodontic treatment based on a photo- graphic scale, while DHC assesses several types of malocclusion such as overjet, overbite, openbite, crossbite, crowding, obstructed palataleruptions, cleft lip or palatals, and hypodontia<sup>8</sup>. In this study, the researcher used DHC components, because DHC is more thorough in conducting assessments.

The sample of this study uses the age criteria of 9-12 years. At the age of 9-12 years, it is the second phase of the mixed teeth period. During this period, there is a change from the first tooth to the permanent tooth which causes many problems. Occlusion sometimes becomes inappropriate so that there can be a state of crammed teeth, cross bites, open bites, and deep bites. If left untreated, malocclusion can get worse and require orthodontic treatment. The results of the research are in Table 2. The status of malocclusion and the level of treatment need based on DHC in children aged 9-12 years were found that the largest number of samples were children classified as grade2, namely mild malocclusion and requiring little orthodontic treatment as much as (46.88%). This is in line with the research of Lubis andLaturiuw (2018) on the need for orthodontic treatment at SMP 15 Medan using DHC, 100 children who are classified as grades 1-2 with apercentage (89%), grade 3 with a percentage (8%) and grades 4-5 with a percentage (3%) [15]. Likewise, a study conducted by Kolonio etal. in 2016 showed that the severity of malocclusion and the need for orthodontic treatment were more in grade 2 or mild malocclusion andrequired less treatment, which was as much as (30%), especially in 30 children aged 12-13 years at SMP Negeri 1 Wori<sup>6</sup>. Malocclusion inthis study may be caused by low socioeconomic levels and bad habits owned by children. Bad habits that continue after the age of six canresult in malocclusion, abnormalities in the shape of the face, and abnormalities in the shape of the palae<sup>16</sup>. Bad habits also affect dentofa-cial functions such as the process of chewing, speaking, dental occlusion, tooth support tissue structure and aesthetics (Gupitasari, 2018). Bad habits that are often practiced by children include sucking on the thumb, pushing the tongue, biting the lips and nails, wrong swallowing habits, breathing through the mouth, and bruxism [17], [18].

Research that has been conducted by Rezalinoor et al in 2017 stated that the severity of malocclusion and the need for orthodontic treatmentin women is higher than that of men<sup>8</sup>. The results of the study on the severity of malocclusion and the need for orthodontic treatment based on gender based on DHC components in males with a total of 28 students were obtained grade 1-2 with indications of not needing/mild treatment as much as (32.1%), grade 3 with indications of moderate/borderline treatment as much as (10.7%) and grades 4-5 with indica- tions of very needing treatment as much as (57.1%). In women with a total of 32 students, grades 1-2 were obtained with indications of notneeding/mild treatment as much as (18.7%), grade 3 with indications of moderate/borderline treatment as much as (12.5%) and grades 4-5 with indications of very needing treatment as (68.7%). In Table 3. It was found that the severity of malocclusion and the need

for orthodontic treatment in women were higher than in men. This can be seen in the female gender, the percentage in grades 4 and 5 is higher than that of men. The difference in the severity of malocclusion and the need for orthodontic treatment in men and women can be caused by variations in growth acceleration that can affect the size of the jaw arch. Generally, it occurs in women at the age of 10-12 years and in men, namely at the age of 12-14 years [19]. Malocclusion can be related to genetic factors that cause differences in the size of the width of the teeth with the size of the jaw arch, for example, large teeth with small jaws, the size of large teeth and small jaws is a conditioninherited from both parents. The disharmony between the size of the tooth width and the width of the tooth arch is also related to the growth of jaw size where chewing provides a stimulus to jaw growth [20]. According to Anzarkusuma et al. (2014), girls tend tolike snacks more than boys. The lack of stimulus in jaw growth can trigger malocclusion, especially in girls who consume snacks more often [21].

Age differences in children aged 9-12 years do not affect the severity of malocclusion and the need for orthodontic treatment. At that age, children have a varied pattern of growth and development of teeth and jaws. This is influenced by socioeconomic factors such as parents income which can affect the nutritional status of children. If poor nutritional status lasts for a long time, chronic malnutrition will occur which can interfere with the growth and development process. Nutritional intake that is not in accordance with what is needed by the bodycan affect the formation and development of the jaw and facial bones during the child's growth and development. In addition, the growth and development of skull and jaw bones can be slower than children who have good nutritional intake [22]. Late eruption of permanent teeth is one of the manifestations of malnutrition. Lack of weight can affect the delay in the occurrence of permanent tooth eruptions. Delayed eruption of permanent teeth can affect the teeth that are nearby, because the teeth will move to fill the empty space so that it can cause the permanent teeth to erupt in the wrong place and cause the teeth to be crammed [19], [23]. In Table 4. The highest severity of malocclusion and the need for orthodontic treatment is obtained at the age of 12 years This can happen because at the age of 12 the averagechild's teeth have completely erupted. Permanent teeth that have erupted completely can indicate the presence of more pronounced maloc-clusion. In line with research conducted by Adha in 2019, the highest severity of malocclusion in 12-year-old children was 25%, especially in 52 children aged 8-12 years at SDN Gambut 10. Meanwhile, according to research by Wijayanti et al. (2014) conducted in Cempaka Putih on 98 children aged 9-11 years using IOTN, the need for orthodontic treatment is the highest in 10-year-old children at 83.8% [24]. Malocclusion deviations in school-age children can occur due to the age factor of the child who does not have awareness that he or she needs orthodontic treatment, or does not have knowledge about orthodontic treatment. The role of parents in maintaining children's dentalhealth in the age of growth and development is very necessary because the motivation of school-age children to take treatment of their teeth is still lacking so that children who experience malocclusion feel that they do not need [25], [26]. The Dental Health Component assesses malocclusion abnormalities that are seen sequentially and is an acronym for MOCDO, which is in the form of the letter prefix of Missing, Overjet, Crossbite, Displacement of contact point, Overbite including openbite. In Table 4.5 and Figure 4.4, the highest number of samples in overbite including openbite was obtained as many as (67.71%). In line with the research of Nahusona and Sari (2018), abnormalities from 226 children aged 11-12 years in Lalabata District were found to be 25.2% overjet, 25.2% overbite, 20.8% crossbite and 21.2% openbite [27]. Overbite disorder in children can be caused by several factors, for example abnormal growth patterns such as small jaw arch and persistence of the first teeth, excessive bite spacing so that the upper anterior teeth do not come into contact with the lower anterior teeth, narrow upper jaw arch, anterior teeth inclination forward, supraocclusive posterior teeth, and also by bad habits (tonguethrusting, sucking fingers, breathing through

## igital Repository Universitas Jember the mouth mesnational Journal of

The results of the study showed that the average severity of malocclusion and the need for orthodontic treatment were included in the mildcategory. This can happen because students aged 9-12 years at SDN 01 Candijati maintain good dental and oral health.

# 5. Conclusion

The severity of malocclusion and the need for orthodontic treatment based on the Index of Orthodontic Treatment Need (IOTN) in studentsaged 9-12 years at SDN 01 Candijati Jember are as follows.

- The severity of malocclusion and the need for orthodontic treatment most often occurs in grade 2, which is mild malocclusion with 1) little orthodontic treatment required
- 2) The severity of malocclusion and the need for orthodontic treatment in women is greater than in men.
- 3) The severity of malocclusion and the need for orthodontic treatment are most severe at the age of 12 years.
- MOCDO-based malocclusion disorders in DHC are most common in overbite disorders. 4)

# References

- Premkumar, S. (2015). Textbook Of Ortodontics. India: Elsevier.
- Herawati, H., Sukma, N., Utami, R. D. (2015). Relationships Between Deciduous Teeth Premature Loss and Malocclusion Incidence in Elementary [2] School in Cimahi. Journal of Medicine and Health. 1(2). https://doi.org/10.28932/jmh.v1i2.510.
- [3] Anindita, P. S., Zuliari, K., Nanlessy. M. S. (2023). Prevalensi Maloklusi Pada Anak Usia 9-12 Tahun Di Daerah Pesisir Kota Manado. Jurnal e-GiGi (eG), 12(2); 168-174. https://doi.org/10.35790/eg.v12i2.50386.
- [4] Axel, O. B., Anindita, P. S., Leman, M. A. (2015). Kebutuhan Perawatan Ortodonti Berdasarkan Index of Orthodontic Treatment Need Pada Usia Remaja 15 - 17 Tahun. Jurnal e-GiGi (eG), 3(2); 292-295. https://doi.org/10.35790/eg.3.2.2015.8770.
- Suala, H. N., Wibowo. D., Setyawardhana, R. H. D. (2021). Kebutuhan Perawatan Ortodonti Berdasarkan Index of Orthodontic Treatment Need [5] Pada Remaja. Dentin Jurnal Kedokteran Gigi, 5(3). https://doi.org/10.20527/dentin.v5i3.4348.
- Kolonio, F. E., Anindita, P. S., Christy, N. Mintjelungan. (2016). Kebutuhan Perawatan Ortodonsi Berdasarkan Index Of Orthodontic Treatment [6] Need Pada Siswa Usia 12-13 Tahun Di SMP Negeri 1 Wori. Jurnal e-GiGi (eG), 4(2). https://doi.org/10.35790/eg.4.2.2016.14164
- Kharpanda, O. P. (2020). Orthodontics Diagnosis and Management of Maloclusion And Dentofacial Deformities 3rd Edition. New Delhi: Jaypee Brothers Medical Publishers.
- Rezalinoor, M. A., Kurniawan, F. K. D., Wibowo, D. (2017). Gambaran Tingkat Kebutuhan Perawatan Ortodonti Di SMPN 2 Takisung Berdasarkan [8] Index of Orthodontic Treatment Need. Dentino (Jur. Ked. Gigi), 2(2); 188-193.
- Alatrach, A. B., Fayez, S. K., Osman, Esam. (2014). The Prevalence of Malocclusion and Orthodontic Treatment Need In A Sample Of Syrian Children. European Scientific Journal, 10(30); 1857 - 7881.
- [10] Nofrizal, R., Maharani, C. V. (2023). Hubungan Tingkat Kebutuhan Perawatan Ortodonti Menggunakan Index Of Orthodontic Treatment Need (IOTN) Dengan Dental Aesthetic Index (DAI). JKGT, 5(1); 197-199. <u>https://doi.org/10.25105/jkgt.v5i1.17122</u>.
- [11] utejo, I. R., Noveyani, A. E., Lukmawati, A. (2021). Pemberdayaan Petani Desa Candijati Dalam Pencegahan Covid-19 Dan Peningkatan Status Ekonomi Melalui Pembuatan Masker Jerami Aromaterapi. Jurnal Kreativitas Pengabdian Kepada Masyarakat (PKM), 5(1); 177-184. https://doi.org/10.33024/jkpm.v1i1.5404.
- [12] Fatimatuzzahro, N., Prasetya, R. C. (2015). Peningkatan Kesehatan Gigi Dan Mulut Petani Kakao Kecamatan Bangsalsari. Universitas Jember: Fakultas Kedokteran Gigi Universitas Jember.
- [13] Kiswaluyo, Budirahardjo., R, Sulistiyani, Misrohmasari., E. A. A, Putri., N. L. P. M. (2023). The Relationship Between Parental Support on Children Oral Health and Children Dental Caries in Agroindustrial Area of Jember. Jurnal Multidisiplin Madani (MUDIMA), 3(9); 1972-1977. https://doi.org/10.55927/mudima.v3i9.5249.
- [14] Budiman, J. A., Sudiono, J. A., Amin, M. F., Ariefin, S. P. (2022). Pemeliharaan Kesehatan Gigi Dan Mulut Dalam Rangka Pencegahan Kelainan Maloklusi di Masa Pandemi COVID-19. Jurnal AKAL: Abdimas dan Kearifan Lokal, 3(1); 100-109. https://doi.org/10.25105/akal.v3i1.9754.
- [15] Lubis, H. F., Laturiuw, H. P. (2018). Socioeconomic Status And Orthodontic Treatment Need Based On The Dental Health Component. Dental Jurnal, 51(3): 119-123. https://doi.org/10.20473/j.djmkg.v51.i3.p119-123.
- [16] Proffit, W., Fields, H., Larson, B., Sarver, D. (2019). Contemporary Orthodontics. 6th ed. Philadelphia: Elsevier; 126-34.
- [17] Anindita, P. S., Gosal, S., Ginting P. E. B. (2024). Prevalensi Maloklusi Pada Anak Usia 9–12 Tahun Di Daerah Pesisir Kecamatan Malalayang Kota Manado. e-GiGi, 12(1); 137-141. https://doi.org/10.35790/eg.v12i1.50363.
- [18] Lydianna, T., Utari D. (2021). Pengaruh Kebiasaan Buruk Oral Terhadap Malrelasi Gigi Pada Anak Panti Asuhan Usia 7-13 Tahun. Insisiva Dental Journal: Majalah Kedokteran Gigi Insisiva, 10(2); 32-37. <u>https://doi.org/10.18196/di.v10i2.12796</u>. [19] Graber, L. W., Vanarsdall, R. L., Vig, K. W. L., Huang, G. J. (2017). Orthodontics Current Principles And Techniques (6th ed). Missouri: Elsevier.
- [20] Riyanti, E., Indriyanti, R., Primarti, R. S. (2018). Prevalensi Maloklusi Dan Gigi Berjejal Berdasarkan Jenis Kelamin Dan Umur Pada Anak-Anak Sekolah Dasar Di Bandung. Jurnal Pengabdian Kepada Masyarakat ,2(12).
- [21] Anzarkuma, Indah S., Mulyani, E. Y., Idrus, Dudung A. (2014). Status Gizi Berdasarkan Pola Makan Anak Sekolah Dasar Di Kecamatan Rajeg Tangerang. Indonesian Journal of Human Nutrition, 1(2); 135-148.
- [22] Andries, A. M., Anindita, P. S., Gunawan, P. N. (2021). Hubungan Antara Gigi Berjejal Dan Status Gizi Pada Remaja. e-GiGi, 9(1); 8-14. https://doi.org/10.35790/eg.9.1.2021.32308.
- [23] Dimaisib, N. J., Duijster, D., Benzian, H., Heinrich, W. R., Homsavath, A., Monse, B., et al. (2018). Nutritional Status, Dental Caries, And Tooth Eruption In Children: A Longitudinal Study In Cambodia, Indonesia, And Lao PDR. BMC Pediatr, 18(300); 1-12. https://doi.org/10.1186/s12887-018-1277-6.
- [24] Wijayanti, P., Krisnawati, Ismah N. (2014). Gambaran Maloklusi Dan Kebutuhan Ortodonti Pada Anak Usia 9-11 Tahun [serial online]. Jurnal PDGI, 63(1); 25-29.
- [25] Aditya, M. Y., Baehaqi, M., Praptiningsih, R. S. (2015). Pengaruh Pengetahuan Orang Tua Tentang Ortodonsi Preventif Dengan Perilaku Pencegahan Maloklusi Pada Gigi Anak. ODONTO Dental Journal, 2(1). https://doi.org/10.30659/odj.2.1.46-50.
- [26] Farani, W., Abdillah, M. I., (2021). Prevalensi Maloklusi Anak Usia 9-11 Tahun di SD IT Insan Utama Yogyakarta. Insisiva Dental Journal: Majalah Kedokteran Gigi Insisiva, 10(1); 26-31. https://doi.org/10.18196/di.v10i1.7534.
- [27] Nahusona, D. R., Sari, J. P. (2018). Tingkat Keparahan Maloklusi Pada Anak Usia 11-12 Tahun Dengan Menggunakan Indeks Handicapping Malocclusion Assesment Record: Penelitian Observasional Di Kecamtan Lalabata, Kabupaten Soppeng. Makassar Dent J, 7(2): 61-67.
- [28] Wilar, L. R. (2014). Kebutuhan Perawatan Ortodonsi berdasarkan Index of Orthodontic Treatment Need Pada Siswa SMP Negeri 1 Tareran. Jurnal e-Gigi, 2(2). https://doi.org/10.35790/eg.2.2.2014.5035.

