Volume

06 02

Heart Science

p-ISSN 2721 - 9984 e-ISSN 2721 - 9976

heartscience.ub.ac.id

Issue Digitan Repository Universitas Jember

Focus Issue on:

The Complexity in the Management of Heart Rhythm Disorder

EDITORIAL

AF-CARE: The current approach in atrial fibrillation management

- REVIEW ARTICLE
- Atrial myopathy: a pathogenic mechanism linking atrial fibrillation and ischemic stroket
 Time components contributing to door-to-balloon time of patients with ST-elevation myocardial infarction

- Technical procedure of endovenous laser ablation for chronic venous insufficiency
 Transcatheter atrial septal defect closure: Focus on tips and tricks for interventional procedure in challenging cases
 Benefits of exercise training on pulmonary arterial pressure as measured by echocardiography in patients with pulmonary hypertension

rotective effects of colchicine: Targeting pyroptosis and inflammation in myocardial infarction Cardio ORIGINAL ARTICLE

- The relationship between atrial myopathy with and without atrial fibrillation to cryptogenic stroke
- Long term radial artery occlusion following distal or proximal transradial artery access in invasive cardiovascular procedures
 Analysis of activated clotting time in patients receiving unfractionated heparin with and without continuous infusion during elective percutaneous coronary
- The influence of renal insufficiency on in-hospital major adverse cardiovascular events in STEMI patients receiving primary percutaneous coronary intervention
 The effect of exercise training as adjuvant treatment on mean pulmonary arterial pressure by echocardiography and functional capacity in congenital heart disease with negative vaso reactivity test pulmonary hypertension patient at Salful Anwar Hospital Malang
- The role of job demands, resources, work-life balance, and supervisor relationships in burnout among Indonesian cardiology residents CASE REPORT

- Case series analysis: atrial fibrillation ablation with normal vs. left atrium enlargement
 Optimal treatment resolves total atrioventricular block in patient with myocardial infarction non-obstructive coronary artery: A case report
- Unveiling strategies in acute cardiac care for ventricular septal rupture following acute myocardial infarction: Lessons from casesLA: a case report
- Navigating backward, healing forward: The impact of retrograde EVLT in venous ulcer management: A case report Precision in practice, save the limb, save the life: Early detection of grade IIA acute limb ischemia and management using catheter-directed thrombolysis A case

Rapid heparinization as a decisive strategy for acute upper limb ischemia: a case report Diagnostic and therapeutic challenges in managing purulent pericardial effusion with concurrent pneumonia: A geriatric case report

Editor-in-chief

Deputy Editors

Mohammad Saifur Rohman, Indonesia

Yoga Waranugraha, Indonesia

Jonny Karunia Fajar, Indonesia





Vol. 6 No. 2 (2025): The Complexity in the Management of Heart Rhythm Disorder



Heart Science Journal Volume 6-2, April 2025

Focus Issue on: The Complexity in the Management of Heart Rhythm Disorder

DOI: https://doi.org/10.21776/ub.hsj.2025.006.02

Published: 2025-04-30

Full Issue

```
🖾 PDF
```

Editorial

AF-CARE: The current approach in atrial fibrillation management DOI: <u>https://doi.org/10.21776/ub.hsj.2025.006.02.1</u> Ardian Rizal

🖾 PDF

Review Article

Atrial myopathy: a pathogenic mechanism linking atrial fibrillation and ischemic stroke DOI: <u>https://doi.org/10.21776/ub.hsj.2025.006.02.2</u>

Cik Kahadi, Ardian Rizal

🖾 PDF

Time components contributing to door-to-balloon time of patients with ST-elevation myocardial infarction DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.3

Dion Setiawan, Setyasih Anjarwani, Mohammad Saifur Rohman

```
🔎 PDF
```

The role of GALNT and EGFR in vascular calcification: Study on pathophysiology and its implications in vascular therapy DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.4

Mokhamad Aswin Bahar, Mohammad Saifur Rohman



Technical procedure of endovenous laser ablation for chronic venous insufficiency

DOI: <u>https://doi.org/10.21776/ub.hsj.2025.006.02.5</u>

Imam Mi'raj Suprayoga, Novi Kurnianingsih

🖾 PDF

Transcatheter atrial septal defect closure: Focus on tips and tricks for interventional procedure in challenging cases

DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.6

Dion Setiawan, Valerinna Yogibuana Swastika Putri, Heny Martini, Wella Karolina

🖾 PDF

Benefits of exercise training on pulmonary arterial pressure as measured by echocardiography in patients with pulmonary hypertension DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.7

Muhammad Firdaus, Heny Martini

🔎 PDF

Cardioprotective effects of colchicine: Targeting pyroptosis and inflammation in myocardial infarction DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.8

Budi Satrijo, Mohammad Saifur Rohman, Aulanni'am Aulanni'am, Hidayat Sujuti , Bayu Lestari, Rislan Faiz Muhammad

🔎 PDF

Original Article

The relationship between atrial myopathy with and without atrial fibrillation to cryptogenic stroke DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.9

Cik Kahadi, Ardian Rizal , Mohammad Saifur Rohman

🔎 PDF

Long term radial artery occlusion following distal or proximal transradial artery access in invasive cardiovascular procedures DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.10

Aninka Saboe, Maulana Ibrahim, Raymond Pranata, Triwedya Indra Dewi, Achmad Fauzi Yahya

🖾 PDF

Analysis of activated clotting time in patients receiving unfractionated heparin with and without continuous infusion during elective percutaneous coronary intervention

DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.11

Zaki Saidi, Sasmojo Widito

🖾 PDF

The influence of renal insufficiency on in-hospital major adverse cardiovascular events in STEMI patients receiving primary percutaneous coronary intervention

DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.12

Setyasih Anjarwani, Akhmad Isna Nurudinulloh, Sasmojo Widito, Atma Gunawan, Indra Prasetya

🔎 PDF

The effect of exercise training as adjuvant treatment on mean pulmonary arterial pressure by echocardiography and functional capacity in congenital heart disease with negative vaso reactivity test pulmonary hypertension patient at Saiful Anwar Hospital Malang

Muhammad Firdaus, Heny Martini, Wella Karolina, Valerinna Yogibuana, Cholid Tri Tjahjono



The role of job demands, resources, work-life balance, and supervisor relationships in burnout among Indonesian cardiology residents DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.14

Lana Emilia Gondowahjudi, Noermijati Noermijati, Ananda Sabil Hussein, Kusuma Ratnawati

🖾 PDF

Case Report

Case series analysis: Atrial fibrillation ablation with normal vs. left atrium enlargement

DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.15

Shalahuddin Suryo Baskoro, Gebryel Dennis Saerang, Vemmy Lian Saputri, Ardian Rizal, Adhika Prastya Wikananda, Yoga Waranugraha

🔎 PDF

Optimal treatment resolves total atrioventricular block in patient with myocardial infarction non-obstructive coronary artery: A case report DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.16

Suryono Suryono, Muhammad Rijal Fahrudin Hidayat, Muhammad Irsyad Amien, Achmad Ilham Tohari, Antonius Dwi Saputra, Hazbina Fauqi Ramadhan

🖾 PDF

Unveiling strategies in acute cardiac care for ventricular septal rupture following acute myocardial infarction: Lessons from cases DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.17

Akhmad Isna Nurudinulloh, Setyasih Anjarwani, Indra Prasetya, Valerinna Yogibuana, Anna Fuji Rahimah, Wella Karolina

🖾 PDF

Giant left coronary artery with coronary cameral fistula in significant coronary artery disease : A case report DOI: <u>https://doi.org/10.21776/ub.hsj.2025.006.02.18</u>

Fahreza Caesario, Sa<mark>skia Dyah Handar</mark>i

🔎 PDF

Navigating backward, healing forward: The impact of retrograde EVLT in venous ulcer management: A case report DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.19

bon <u>metps://doi.org/10.21//0/db.msj.2025.000.02.15</u>

Calysta Citra Sekarsari, Novi Kurnianingsih, Dea Arie Kurniawan

🖾 PDF

Precision in practice, save the limb, save the life: Early detection of grade IIA acute limb ischemia and management using catheter-directed thrombolysis - A case report

DOI: https://doi.org/10.21776/ub.hsj.2025.006.02.20

Nisa Amnifolia Niazta, Novi Kurnianingsih, Dea Arie Kurniawan

🖾 PDF

Rapid heparinization as a decisive strategy for acute upper limb ischemia: a case report

DOI: <u>https://doi.org/10.21776/ub.hsj.2025.006.02.21</u>

Zhafran Veliawan, Novi Kurnianingsih

🖾 PDF

Diagnostic and therapeutic challenges in managing purulent pericardial effusion with concurrent pneumonia: A geriatric case report DOI: https://doi.org/10. Drightali Repository Universitas Jember Ira Vori, Setyasih Anjarwani, Cholid Tri Tjahjono 🖾 PDF CURRENT ISSUE: OCTOBER VOL 5-4 ? ? Information for Author Register Online Submissions Author Guidelines Download Template INDEXES ??????? ? ? TOOLS ?????? Keywords ISSN ?

Visitor Statistic

Socket operation timed out

Failed to load URL <u>https://matomo.ub.ac.id/index.php?</u> module=Widgetize&action=iframe&widget=1&moduleToWidgetize=UserCountry&actionToWid

QtNetwork Error 4

Platform & workflow by OJS / PKP

Editorial Team

Editor-in-chief

Mohammad Saifur Rohman, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang (Scopus ID : 8325126900), Indonesia

Deputy Editor-in-chief

Yoga Waranugraha, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang, Indonesia (Scopus ID : 57200085839), Indonesia

Jonny Karunia Fajar, Department of Internal Medicine, Rumah Sakit Universitas Brawijaya, Malang, Indonesia. (Scopus ID : 56156139600), Indonesia

Editorial board

Djanggan Sargowo, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 23475360300), Indonesia

Cholid Tri Tjahjono, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 57192893732), Indonesia

Sasmojo Widito, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang, Indonesia

Heny Martini, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 57222605047), Indonesia

Setyasih Anjarwani, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang (Scopus ID : 57298683500), Indonesia

Budi Satrijo, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 58247190300), Indonesia

Novi Kurnianingsih, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 57223044495), Indonesia

Ardian Rizal, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 57218771291), Indonesia

Anna Fuji Rahimah, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 57792650400), Indonesia

Indra Prasetya, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 56725585200), Indonesia

Valerinna Yogibuana Swastika Putri, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 57204503698), Indonesia

Wella Karolina, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang, Indonesia (Scopus ID : 57223046972), Indonesia

Dyah Wulan Anggrahini, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Gajah Mada, Yogyakarta. (Scopus ID : 35285645700), Indonesia Saskia Dyah Handari, Departmen of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Ciputra, Surabaya. (Scopus ID : 24832693809) Representation Universitas Jember

Dwi Adi Nugroho, Brawijaya Cardiovascular Research Center, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 57195721024), Indonesia

Mifetika Lukitasari, Brawijaya Cardiovascular Research Center, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 56902530200), Indonesia

Imam Suseno Bayuadi, Department of Thoracic and Cardiovascular Surgery, Faculty of Medicine, Universitas Brawijaya, Malang, Indonesia

Koernia Kusuma Wardhana, Department of Thoracic and Cardiovascular Surgery, Faculty of Medicine, Universitas Brawijaya, Malang, Indonesia

Artono Isharanto, Department of Thoracic and Cardiovascular Surgery, Faculty of Medicine, Universitas Brawijaya, Malang. (Scopus ID : 57222904007), Indonesia

International editorial board

Salvatore Di Somma, Department of Surgical and Medical Sciences and Translational Medicine, Sapienza University of Rome, Rome. (Scopus ID : 7003878465), Italy

Gindo Tampubolon, Global Development Institute, The University of Manchester, Manchester. (Scopus ID : 7801438670), United Kingdom

Delvac Oceandy, Division of Cardiovascular Sciences, The University of Manchester, Manchester Academic Health Science Centre, Manchester. (Scopus ID : 6506557120), United Kingdom

Asri Maharani, Division of Neuroscience and Experimental Psychology, Faculty of Biology, Medicine and Health, The University of Manchester, Manchester. (Scopus ID : 56597011200), United Kingdom

Layout editor

Bunga Bella Pratiwi, Brawijaya Cardiovascular Research Center, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang, Indonesia. (Scopus ID : 57791657700), Indonesia

dr. Shalahuddin Suryo Baskoro, Medical Faculty Brawijaya University

Dion Setiawan, Brawijaya Cardiovascular Research Center, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang, Indonesia

Alif Jayanti, Brawijaya Cardiovascular Research Center, Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Brawijaya, Malang, Indonesia

CURRENT ISSUE: OCTOBER VOL 5-4

?

Information for Author

Register Online Submissions Author Guidelines Download Template



TOOLS	
Keywords	
ISSN	
?	
A	Visitor Statistic
	Socket operation timed out
	Failed to load URL https://matomo.ub.ac.id/index.php?

- -



Contents list available at www.heartscience.ub.ac.id

Heart Science Journal



Journal Homepage : www.heartscience.ub.ac.id

Case Report

Optimal treatment resolves total atrioventricular block in patient with myocardial infarction non-obstructive coronary artery: A case report

Suryono Suryono^{1*}, Muhammad Rijal Fahrudin Hidayat², Muhammad Irsyad Amien², Achmad Ilham Tohari², Antonius Dwi Saputra², Hazbina Fauqi Ramadhan³

¹Department of Cardiology and Cardiovascular Medicine, Faculty of Medicine, University of Jember/Dr. Soebandi Regional Hospital, Jember, Indonesia ²Faculty of Medicine, University of Jember, Indonesia. ³Bina Sehat Hospital, Jember, Indonesia

	AR	ΤI	CL	ΕI	N	FO
--	----	----	----	----	---	----

Coronary Angiography;

ABSTRACT

Background: Total atrioventricular block (TAVB) cause of myocardial infarction non-obstructive coronary artery (MINOCA) in the anteroseptal segment is an uncommon case. Appropriate treatment can prevent worsening and give the best outcome to the patient.

Case Presentation: We present a TAVB patient with unstable hemodynamics and complains of severe chest pain. Narrowing in the LAD segment was found in the coronary angiography without any sign of atherosclerosis. The patient improved with optimal reperfusion, and TAVB resolved within 24 hours.

Conclusion: Optimal treatment focused on rapid reperfusion due to vasospasm can resolve TAVB and improve clinical conditions in the patients.

1. Introduction

Keyword :

MINOCA;

Vasopasm.

TAVB;

LAD:

Patients diagnosed with total atrioventricular block (TAVB) usually present with dyspnea and chest pain, followed with unstable hemodynamics.¹ TAVB in myocardial infarction non-obstructive coronary artery (MINOCA) patients is rare, especially in the anteroseptal segment infarction. Several underlying mechanisms contribute to MINOCA, including coronary vasospasm, microvascular dysfunction, spontaneous coronary artery dissection, and spontaneous thrombosis resolution. In MINOCA patients with provocative tests, 46% show coronary vasospasm in the pathophysiology of MINOCA, leading to TAVB.^{2,3}

TAVB in MINOCA poses diagnostic and therapeutic challenges. Managing myocardial infarction (MI) with classical obstructive coronary artery disease (CAD) is easier with taking revascularization procedures like PCI or thrombolysis.⁴ In contrast, managing MINOCA is more challenging, especially in treating TAVB due to the involved pathophysiology. Early recognition and intervention are crucial for positive outcomes in MINOCA patients TAVB. Rapid reperfusion strategies can restore coronary perfusion and resolve conduction disturbances through vasodilation.⁴ This case report underscores the significance of early diagnosis and optimal treatment focused on rapid reperfusion due to vasospasm can resolve TAVB and improve clinical conditions in the patients.

2. Case Presentation

In the emergency room, 65 years old came with unstable hemodynamics. The vital signs were blood pressure 70/48 mmHg,

heart rate 49 times palpation, and respiratory rate 32 times per minute. An electrocardiogram demonstrated TAVB with ventricular escape rhythm (figure 1). Troponin test was positive, and other laboratory tests were normal. There were no diabetes mellitus, dyslipidemia, hypertension, or smoking. A temporary pacemaker (TPM) is placed in ICCU for the patient. Patient was started on intravenous nitroglycerin preparation for coronary angiography and there was improvement in chest pain.

Coronary angiography revealed narrowing blood vessels in the left artery descending (LAD) segment (figure 2A). There is no specific sign of atherosclerosis, and no thrombus was found. Intracoronary isosorbide dinitrate 1 mg was performed, dilatation of the previously narrowing mid-LAD was shown, and chest pain gradually disappeared (figure 2B). Another Right Coronary Artery (RCA) and Left Circumflex Artery (LCx) vascular segment evaluation is shown in normal conditions (Figure 2C & 2D). The patient decided not to proceed with stenting and was referred again to ICCU for monitoring.

Norepinephrine was administrated 0.1 mcg/kgBW/minute and after 3 hours of ICCU monitoring, the patient blood pressure was 120/80 mmHg, and the norepinephrine was stopped. Oral diltiazem 30 mg twice daily and intravenous nitroglycerin were also continued. Electrocardiography reveals sinus rhythm with a resolution of TAVB within 24 hours and a heart rate was 70 beats per minute. A temporary pacemaker was standby. Double antiplatelet acetylsalicylic acid, clopidogrel, atorvastatin 40 mg, fondaparinux injection 2.5 mg persisted until 5 days.

E-mail address: suryonofiha@gmail.com (S.Suryono).

https://doi.org/10.21776/ub.hsj.2025.006.02.16

^{*} Corresponding author at: Department of Cardiology and Cardiovascular Medicine, Faculty of Medicine, University of Jember/Dr. Soebandi Regional Hospital, Jember, Indonesia

Received 7 January 2025; Received in revised form 18 February 2025; Accepted 26 February 2025. Available online 30 April 2025

S.Suryono, et al.

Digital Repository Universitas Jember Heart Science Journal 2025; 6(2): 101-104



Figure 2 (A). Significant epicardial spasm in the middle segment of the LAD before intracoronary nitrate administration. (B) Epicardial spasm regressed and dilatation of the previously narrowing middle segment of the LAD after 1 mg intracoronary of isosorbide dinitrate. (C, D) The right coronary artery (RCA) and left circumflex artery (LCx) were within normal limits.

S.Suryono, et al. Digital Repository Universitas Jember Heart Science Journal 2025; 6(2): 101-104

3.Discussion

ST-segment elevation condition in MINOCA predicts causes of death, and there is an increased mortality observed in ST-elevation myocardial infarction (STEMI) compared with non-ST-elevation myocardial infarction (NSTEMI).^{5,6} However, patients with MINOCA typically present with angina-like symptoms and have elevated cardiac troponin, similar to patients with myocardial infarction due to obstructive coronary artery disease.⁴ MINOCA should be considered a diagnosis when there is no clear evidence of cause for increased troponin level in the patient.⁷ If the data supports an acute myocardial infarction but the angiography results do not show stenosis, a provocative test needs to be carried out. In this case, the vasospasm was visible on angiography, so there was no need to do a provocative test, nitrate was immediately given to the patient.

TAVB can occur due to vascular or non-vascular problems such as degenerative processes caused by age, smoking habit, and risk of diabetes or hypertension in the long term. However, in this patient, risk factors such as diabetes, hypertension, and smoking habits were denied.8 Additionally, genetic predispositions such as ACE I/D and bradykinin B2 receptor polymorphisms are known to influence individual responses to cardiovascular medications like ACE inhibitors, which may also contribute to variability in cardiovascular outcomes.9 This inter-individual variability is echoed in other fields, such as studies identifying predictors of high antibody titers in convalescent plasma donors for SARS-CoV-2, where host factors significantly affect therapeutic responses.¹⁰ Furthermore, TAVB only happens when the MINOCA is established and improves after rapid treatment for coronary spasm with vasodilators given to the patient. Clearly, the TAVB was caused by MINOCA, and it improved after the underlying MINOCA was resolved. Interestingly, absence of hypertension in this patient might also reflect the absence of AGT gene polymorphisms, such as M235T or T174M, which have been associated with the development of essential hypertension in various populations.11 Several previous studies have reported that patients who experienced TAVB were more likely associated with inferior myocardial infarction (STEMI inferior)12-14. It occurs cause of disruption of blood supply to an atrioventricular node or the upper portion of the bundle. The occlusion to these arteries is responsible for 90% of inferior myocardial infarction and could lead to AV block condition. This was not like what happened with our patient, who experienced TAVB due to complications from anteroseptal STelevation MINOCA, where there was a blockage in the mid-distal LAD artery. This TAVB condition occurred because there was a myocardial infarction involving the septum. The heart's septum acts as a protector and separates the heart into right and left parts. Generally, when there is a disturbance of the anterior segment of the heart, it can't affect the atrioventricular node, which is supplied from RCA because of the protection from this septum. So, when there is extensive myocardial infarction involving the septum, it may result in extensive bilateral bundle branch infarction and lead to TAVB.15 The complexity of MINOCA and its complications, such as TAVB, underscores the need for multifactorial assessment and individualized management strategies. Similar to how multifaceted determinants influenced the decline of notified dengue infections in Indonesia in 2017, recognizing and addressing a range of clinical and environmental factors is essential for improving outcomes in rare cardiovascular presentations.¹⁶

4. Conclusion

This case report demonstrates that anteroseptal segment infarction due to the vasospasm of the LAD artery in a MINOCA patient can cause TAVB. Optimal intervention in the underlying coronary vasospasm can resolve TAVB and improve the patient's clinical conditions.

5. Declaration

5.1 Ethics Approval and Consent to participate Patient has provided written informed consent prior to involvement in the study.

5.2. Consent for publication Not applicable.

5.3 Availibility of data and materials Data used in our study were presented in the main text.

5.4 Competing interests Not applicable.

5.5 Funding Source Not applicable.

5.6 Authors contributions

Idea/concept: SS. Design: ADS. Control/supervision: SS. Data collection/processing: MRFH. Analysis/interpretation: MIA. Literature review: MRFH, MIA. Writing the article: MRFH, AIT. Critical review: SS, MRFH, MIA, ADS, HFR. All authors have critically reviewed and approved the final draft and are possible for the content and similarity index of the manuscript.

5.7 Acknowledgements

We thank to Jember Cardiovascular Research Center.

References

- Yanagisawa Y, Ibrahim W, Kumar N. A case of atrial fibrillation complicated by complete atrioventricular block. SAGE Open Med Case Rep 2023;11 (1):2050313X231157486. doi: 10.1177/2050313X231157486.
- Montone RA, Niccoli G, Fracassi F, Russo M, Gurgoglione F, Camma G, et al. Patients with acute myocardial infarction and nonobstructive coronary arteries: safety and prognostic relevance of invasive coronary provocative tests. Eur Heart J 2018;39 (2):91-98. doi: 10.1093/eurheartj/ehx667.
- Sutrisno W, Dzhyvak V. Assessing corticosteroid utilization and mortality risk in septic shock: insights from network metaanalysis. Deka in Medicine 2024;1 (1):e791. doi: 10.69863/dim.v1i1.5.
- 4. Tamis-Holland JE, Jneid H, Reynolds HR, Agewall S, Brilakis ES, Brown TM, et al. Contemporary Diagnosis and Management of Patients With Myocardial Infarction in the Absence of Obstructive Coronary Artery Disease: A Scientific Statement From the American Heart Association. Circulation 2019;139 (18):e891e908. doi: 10.1161/CIR.00000000000670.
- Pasupathy S, Lindahl B, Litwin P, Tavella R, Williams MJA, Air T, et al. Survival in Patients With Suspected Myocardial Infarction With Nonobstructive Coronary Arteries: A Comprehensive Systematic Review and Meta-Analysis From the MINOCA Global Collaboration. Circ Cardiovasc Qual Outcomes 2021;14 (11):e007880. doi: 10.1161/CIRCOUTCOMES.121.007880.
- 6. Bouisset F, Ruidavets JB, Dallongeville J, Moitry M, Montaye M, Biasch K, et al. Comparison of Short- and Long-Term Prognosis between ST-Elevation and Non-ST-Elevation Myocardial Infarction. J Clin Med 2021;10 (2):180. doi: 10.3390/jcm10020180.
- Khan A, Lahmar A, Riasat M, Ehtesham M, Asif H, Khan W, et al. Myocardial Infarction With Non-obstructive Coronary Arteries: An Updated Overview of Pathophysiology, Diagnosis, and Management. Cureus 2022;14 (3):e23602. doi: 10.7759/cureus.23602.
- Rahmianti N, Vendarani Y, Maulidiyah N. Right ventricular strain: Cardiovascular challenges in pulmonary diseases. Deka in Medicine 2024;1 (3):e359. doi: 10.69863/dim.2024.e359.
- Rohman MS, Fajar JK, Kuncahyo BH, Yunita L, Sidarta EP, Saka PNB, et al. Angiotensin-converting enzyme (ACE) I/D and bradykinin B2 receptor T/C genes polymorphism in patients with ACE inhibitorsrelated cough. Egyptian Journal of Medical Human Genetics 2018;19 (4):307-313. doi: 10.1016/j.ejmhg.2018.05.006.
- Wardhani SO, Fajar JK, Nurarifah N, Hermanto DH, Fatonah S, Djajalaksana S, et al. The predictors of high titer of anti-SARS-CoV-2 antibody of convalescent plasma donors. Clin Epidemiol Glob Health 2021;11 (1):100763. doi: 10.1016/j.cegh.2021.100763.

S.Suryono, et al.

- 11. Fajar JK, Pikir BS, Sidarta EP, Saka PNB, Akbar RR, Tamara F, et al. The genes polymorphism of angiotensinogen (AGT) M235T and AGT T174M in patients with essential hypertension: A metaanalysis. Gene Reports 2019;16 (1):100421. doi: 10.1016/j.genrep.2019.100421.
- 12. John T-J, Kyriakakis C, Zachariah D, Doubell A. Inferior STelevation myocardial infarction managed with a pharmacoinvasive strategy and conservative management of delayed atrioventricular block: classical case report. European Heart Journal - Case Reports 2020;4 (6):1-7. doi: 10.1093/ehjcr/ytaa375.
- 13. Zam Zami IM. Inferior Myocardial Infarction and Total AV Block in a Patient with Single Ostium in the Right Sinus of Valsava (A Rare Congenital Coronary Anomaly). Cardiovascular and Cardiometabolic Journal (CCJ) 2021;2 (1):36-40. doi: 10.20473/ccj.v2i1.2021.36-40.
- Kawilarang KC, Hermawan IKH, Hartono F. Total atrioventricular block in patient with late onset acute inferior myocardial infarction. International Journal of Research in Medical Sciences 2021;9 (10):3171-3174. doi: 10.18203/2320-6012.ijrms20213678.
- Singh SM, FitzGerald G, Yan AT, Brieger D, Fox KA, Lopez-Sendon J, et al. High-grade atrioventricular block in acute coronary syndromes: insights from the Global Registry of Acute Coronary Events. Eur Heart J 2015;36 (16):976-983. doi: 10.1093/eurheartj/ehu357.
- Dhewantara PW, Jamil KF, Fajar JK, Saktianggi PP, Nusa R, Garjito TA, et al. Original Article: Decline of notified dengue infections in Indonesia in 2017: Discussion of the possible determinants. Narra J 2021;1 (1):e23. doi: 10.52225/narraj.v1i1.23.