

International Journal of Medical Science and Clinical Research Studies



VOLUME 3 | YEAR 2023

Editorial Board

Editorial Team Member

Dr Janna A. Nazarova

Associate Professor of Neurology, Tashkent

Dr. Ulughbek M. Ergashev

Senior Lecturer of the Department of Otorhinolaryngology and Dentistry, Tashkent Medical Academy

<https://orcid.org/0000-0003-3688-877X>

Dr Jamolbek A. Djuraev

Senior Lecturer, Department of Otolaryngology and Dentistry, Tashkent Medical Academy

<https://orcid.org/0000-0003-3776-6029>

Dr. Shokhrukh Sh. Yusupov

Senior Lecturer of the Department of Otolaryngology and Dentistry, Tashkent Medical Academy

<https://orcid.org/0000-0003-3603-2023>

Dr. Kadir Shukurtaev

Head of the Department of Physiology and Pathological Physiology, Urgench branch of the Tashkent Medical Academy

Dr Shaimardan K. Hudjanov

Associate Professor of ENT Diseases, Tashkent Medical Academy

Dr Saida I. Sadiqova

Associate Professor of the Department of Internal Medicine No. 2 of the Tashkent Medical Academy

Dr. Hiram Javier Jaramillo Ramirez

Chief professor of the Internal Medicine Course at the General Hospital of Mexicali

Prof. Dr. Majid Mohammed mahmood

Professor of Immunology in Mustansiriyah University – College of Science, Baghdad

Mr. Rangappa. S. Ashi

Associate Professor

Department Of Child Health Nursing SDM Institute of Nursing Sciences

Shri Dharmasthala Manjunatheshwara University Manushrinagar, Sattur, Dharwad, Karnataka, India.

Hiram Javier Jaramillo

Professor assigned of Integral Medical Clinic at the Faculty of Medicine

Dr. Lucky Jindal

Dental caries in relation to socioeconomic factors of 6 and 12yer old school children of Paonta Sahib, Himachal

Nam-Sun Paik

MD., Ph.D

Ewha Womans Cancer Center Hospital for women, Seoul, Korea

Dr. Khursheed Muzammil

Associate Professor,

Department of Public Health, College of Applied Medical Sciences, Khamis Mushait Campus, King Khalid University, Abha, Aseer Province, Kingdom of Saudi Arabia

Waffa Abdulelah Ahmed

Assistant Professor and scientific researcher in the Unit of Zoonotic Researches Department of Microbiology at the University of Baghdad

Pallavi Kaulwar

Clinical Research coordinator (CRC), MGM Medical College and Hospital, Aurangabad (2021)

Nibha Sinha

Presently associated with Hansraj College, Delhi University as guest faculty

DEODATTA SITARAM BHADLIKAR

Ph.D.

Shalya – Tantra (Surgery), Ph.D. RESEARCH THESIS, M.B.A.

Health Care Management (Distance Education)

DEODATTA SITARAM BHADLIKAR

Ph.D.

Shalya – Tantra (Surgery), Ph.D. RESEARCH THESIS, M.B.A.

Health Care Management (Distance Education)

Dr. Muhammad Akram

Associate Professor, Chairperson, Department of Eastern Medicine, Faculty of Life Sciences, Government College University Faisalabad-Pakistan

Sultan Fahd AL-Nohair

Consultant, Associate Professor Family Medicine

Dr Peerzada Umar Farooq Baba

Associate Professor, Department of Plastic & Reconstructive Surgery, Sher-i-Kashmir Institute of Medical Sciences (SKIMS), Srinagar, J&K, India

Dr. Smriti Chabra MBBS, MD

Psychiatry Professor and Head, Department of Psychiatry

Dr. Mayur

Dr Gawande Oral Maxillofacial Surgery & Dental Care Clinic Uday nagar Square .

Jamol Djuraev

Assistant Teacher of the ENT department of diseases of the Tashkent Medical Academy

Dr. Fatima khan

MD (Microbiology), CCHIC Founder secretary, HISI Aligarh chapter

Aligarh, Uttar Pradesh

Arif Nur Muhammad Ansori

Research Associate - Microbiology and Immunology Research Group, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia.

EHOICHE EDACHE ELIJAH

COLLEGE OF EDUCATION[Zuba-Abuja, Nigeria] 2022

10 Honourable Samuel Ehoche Avenue, Eupi, Otukpo, Benue State

Dr. LIMA HAFEZ AJEEB

Head of the Spectroscopy Laboratory. Scientific Studies and Research Center – Chemical and Pharmaceutical Industries Research Institute Syria Damascus, Syria

Dr. Shoban Babu Varthya

M.D.

Assistant Professor AIIMS, JODHPUR, Rajasthan, India

Flat No. 301, Manolita Building, Arihant Adita, Near DPS Circle, Jodhpur. Rajasthan, India. 342014

Sherifa Ahmed Hamed

M.D.

Department of Neurology and Psychiatry, Assiut University, Faculty of Medicine, Assiut University Hospital

City First Street No. 27 Assiut, Egypt

Doctor Degree in Neurology

Ali B. Roomi

Ph.D

College of Health and Medical Technology, Al-Ayen University, 64001 Thi- Qar, IRAQ

Thi-Qar, Iraq

Dr. DIKSHA SINGH

MDS

Associate Professor Faculty Residential Appts.

Flat 901, Vibhuti Khand, Gomti Nagar, Lko. 226010

Mr. Nickson Das

Ph.D

Assistant professor

24, National park society, Mission road, Nadiad Pin: 387002

Alaa Kamil Mahmood

Ph.D

University of Baghdad

Erbil/ Iraq

Zainab Ahmad Hassan Al-Obaidy PhD (biology)

Lecturer in medical technical institute- Baghdad

(Iraq)

Dr. Shanmugaraj Kulanthaivel

MD - Doctor of Medicine

Department of Public Health, Greater Chennai Corporation india

Sherifa Ahmed Hamed

Doctor Degree in Neurology (M.D.)

Egypt

Department of Neurology and Psychiatry Assiut University, Assiut,

Dr. Jayshri Sadashiv Jankar

MBBS, MD Biochemistry

India

Assistant Professor, Dept of Biochemistry

Hayder Abdul-Kareem Hasan Al-Mutar

PhD (Veterinary Medicine)

Iraq

college of Veterinary Medicine / University of Baghdad

Dr Sharofat A. Sapaeva

Candidate of Medical Sciences

Dean of the pediatric faculty of the Urgench branch of the Tashkent Medical Academy

Khorezm region, Urgench district

DR FARIS DAWOOD ABDUL RAZAQ ALASWAD

Consultant general / laparoscopic Surgeon

FRCS, FRCSI, FEBS, FACS

AUSTRALIA

NMC SPECIALITY HOSPITAL ALNAHDA –DUBAI-UAE POBOX 7832

Jihad Talib Obead

Doctorate of Philosophy in Science of Veterinary Medicine

Iraq

department of pharmacy AL-Zahrawi university college Iraqi

Dr Muxlisakhon U. Dadabaeva(Candidate of Medical Sciences)

Associate Professor of Hospital Orthopedic Dentistry, Tashkent State Institute of Dentistry

Tashkent city, Yunusabad district

Dr Ulugbek N. Vokhidov(Doctor of Medical Sciences)

Head of the department of control of education

Tashkent city, Uzbekistan

Enaam Yousef Al-Ananbeh

Mauta University Princess Muna college of Nursing.

middle east

PhD in nursing philosophy

Mohamed Farid Ahmed Mostafa

Sciences Academy of Experimental Researches

Egypt

Ph.D

Ali Doğan ÖMÜR

Sciences Academy of Experimental Researches

Turkey

PhD

Dr.Abhishek sharma

Former Clinical Pharmacologist (Cardiology & Critical Care Pharmacotherapy)

India

M.B.A. in Hospital Administration" as my additional qualification Doctor of Pharmacy

ORCID ID - <https://orcid.org/0000-0001-7325-8318>".

Dr Djakhangir F. Shamsiev

Head of the Department of Otorhinolaryngology, Tashkent State Dental Institute.

Novnihall-7, Tashkent 700041, Uzbekistan

Doctor of Medical Sciences

AMIN ALINEZHAD

Formulator (Project Formulation Manager)

Iran

Ph.D

Dr. Fitriani Kahar, S. ST., M. Kes

National Lecturer

Indonesia

Ph.D

Dr Shakirbek. Y. Zakirov

Associate Professor of "Microbiology" Urgench branch of Tashkent Medical Academy

Khorezm region, Urgench city

Medical Sciences

Chanchai

Medical center, Faculty of Medicine, Srinakharinwirot University, NakhonNayok, Thailand

Thailand

Doctor of Medicine

SAMREEN RIAZ

Institute of Microbiology and Molecular Genetics, University of the Punjab, New Campus, Lahore 54590,
Pakistan.PAKISTANI

Ph.D

Dr.Deepak Kumar

Assistant professor community medicine at ANIIMS Port Blair from

INDIA

MBBS,M.D.

Dr Mohit Dua

Assistant Professor Dept of Sports Medicine Pt. B. D. Sharma PGIMS, Rohtak

INDIA

MBBS, DNB Ortho, MNAMS

Kenan Karavdić

Associate Professor of Pediatric Surgery Clinic, Surgical Disciplines

Sarajevo

Ph.D

Ali Mahdi Mahmood Mani

Assistant Professor Doctor Al-Qasim Green University - College of Veterinary Medicine

Iraq

Ali Mahdi Mahmood Mani

Assistant Professor Doctor Al-Qasim Green University - College of Veterinary Medicine

Iraq

Ph.D

Prof. Dr. Metin LEBLEBICI

Associate Professor Department of General Surgery Faculty of Medicine Istanbul Medeniyet University

Turkey

Medicine Istanbul University Istanbul Faculty of Medicine

Ibatova Shoira Mavlanovna

Samarkand State Medical University Uzbekistan.

Dr. ABDULLAH ANSARI

Assistant Professor at Ayaan Institute of Medical Sciences

INDIA

MBBS

Dr. Suresh Babu Kondaveeti

Associate Professor, Department of Biochemistry, SMCW,Symbiosis International University-Pune

INDIA

Ph. D. – Medical Biochemistry

Dr. Iffat Jamal

ASSISTANT PROFESSOR , DEPARTMENT OF PATHOLOGY (HEMATOLOGY)

INDIA

MBBS

Rahul

Assistant Professor, Department of Anatomy

INDIA

Ph.D. (Medical Anatomy)

Shailaza Shrestha

Assistant Professor, Department of Biochemistry

INDIA


Ph.D. (Medical Biochemistry)

HARSIMRAT SINGH

Department of PLASTIC SURGERY

INDIA

Bachelor of Medicine, Bachelor of Surgery(M.B.B.S.)



Articles

Haematological Scoring System: An Early Predictor of Newborn Sepsis as Compared to Blood Culture at tertiary care centre

Dr. Rohit Kumar Dhaker, Dr. Surendra Kumar Sharma
279-284

PDF

Deepening Analysis on Factors Related to the Mothers' Practices and Acute Respiratory Infection Disease in Children Under 5 Years Old in The Rural Area, Viet Nam

Hoa Do Thi
285-292

PDF

Epidemiology, Sociodemographic Characteristics, Symptoms Assessment and Outcome of COVID-19 Epidemic among Residents of Niger State, Nigeria (March 2020 – March 2021)

Chindo Ibrahim Bisallah, Michael Ochigbo Onyilo, Isah D Mohammed, Oguh Collins Egwu, Prince Obinna Anyanwu, Adetunji Adedokun, Omolola Adedokun, Bilkisu Sulaiman, Uchenna Michael Ugwoke
293-301

PDF

Phosphorescence and Potential Antibiosis Secondary to Photorhabdus Luminescens Wound Contaminations at the Battle of Shiloh, Tennessee 1862

E Scott Sills
302-305

PDF

Cardiovascular Alterations Present in Systemic Lupus Erythematosus: Review of the Literature

Omar Alejandro Avila Hernández, Manuel Enrique Vadillo Flores, Miguel Ángel Sánchez Dorantes, Diana Laura García Segovia
306-308

PDF

Larva Migrans: Management for the First Contact Physician and Review of the Current Literature

María Cristina Ponce Figueroa, Susana González Hernández, Jaime Picazo Luna, Jacqueline Edith Mut Quej, Nayeli Guadalupe Gonzalez Bonilla
309-311

PDF

Management of Hemorrhagic Pancreatitis: Review of the Current Literature

Santos Somera Luviano, Dafne Sherlyn Moreno Sanchez, Jonathan Moreno Sanchez
312-315

PDF

Relevance of Multiparametric Magnetic Resonance in the Evaluation of Patients with Prostate Cancer

Gabriela Cruz Islas, Rafael Valdivia Campa, José Guadalupe Rivera Cabañas, Fernando García Padilla
316-319

PDF

How to Avoid Pseudoptosis after Lifting and Breast Reduction Mammoplasties

Richard Moufarrege, MD, FRCSC, Marion Aribert, MD, Georgio Gholam, , Romain Laurent, MD, Ramy Schoucair, MD, Cyril Awaida, MD
320-329

PDF

Hepatoprotective Effect of Roselle (*Hibiscus sabdariffa* L.) in N-Diethylnitrosamine Induced Liver Damage in Rats

Adam O. Abaker, Abdelkareem A. Ahmed, Eman I. Kandil, Eman N. Aly, Saber Y. Adam
330-336

PDF

Hostile Abdomen, A Review of the Current Literature

Hector Adrián Salas Rivas, Alexis Molina Pérez, Christian Guadalupe Peña Gio, Axel Fabián Vidales Cervantes, Alexis Quetzalcóatl Vega Morales
337-339

PDF

Amyand's Hernia: Review of the Literature

Arturo Rojas Romero, Aldo González Pineda, Cindy Tatiana vanegas rojas, Martín Obed Obregón Palomar, Ana Laura Esmeralda Muñoz Avendaño
340-342

PDF

Can Infection by Sars-Cov2 Induce Systemic Lupus Erythematosus Reactivation?

Carlos García, Gustavo Aroca-Martinez, María de los Ángeles Velez-Verbel, Álvaro Martínez, Carlos Sepulveda, Camilo Roncallo, Valentina Gutierrez-Campo, Natalia Barraza-Ahumada, Sergio Terrasa, Carlos G. Musso
343-348

PDF

Saccular Cyst of the Larynx - A Clinical Case

Fedir Yurochko, Dzvenyslava Kopanska, Taras Tsolko, Wojciech Domka
349-354

PDF

Treatment of Genital Burns, about A Case

Jesús Albertinio Jarquin Delgado, Tania Lizbeth Angulo Ibarra
355-358

PDF

Client Satisfaction regarding Drug Dispensing Services in Tertiary Public Hospital during COVID-19 Pandemic

Most. China khatun, Poly Rani Kundu, Julia Sultana, Assct Prof Dr. Khursheda Akhter
359-365

PDF

Knowledge Regarding Rabid Animal Bite among Rural Community People

Maksuda Khatun, Kamarun Nahar, Mst. Beauty Begum, Beethi Binte Ali
366-372

PDF

Knowledge Regarding Needle Stick Injury & use of Personal Protective Equipment among Nurses at Dhaka Medical College Hospital, Dhaka

Most. Rabuya Khatun, Dr. SAM Ashik-Ur-Rahman, Apu Chandra Shaha
373-379

PDF

Women's Knowledge, Attitude & Practice Regarding Breastfeeding Attending in Pediatric OPD at 250 Bedded General Hospital, Jashore, Bangladesh

Rinku Rani Das, Pinki Das, Sewli Halder, Shilpi Biswas, Ashees Kumar Saha
380-387

PDF

The Role of Platelet Rich Fibrin for Closure of Oronasal Fistula Post Palatoplasty through Abilities to Keep Growth Factor Activity for a Relatively Longer Period and Stimulate Tissue Regeneration Effectively

Andi Muh. Octavian Pratama, Anwar Lewa
388-393

PDF

BP Limb Length as a Factor for T2DM Remission

José Antonio Alvarez-Ortiz, Carlos Rene Lopez-Lizarraga, Carlos Manuel Moreno-Mendoza, Ma Soledad Aldana-Aguiñaga, Víctor Manuel Navarro-Navarro, Luis Manuel Flores Chavez, Fabian Patricio Jimenez-Zeas, Mariana del Rocío Ruiz-Briseño, Allison Rukmini Esparza-Yañez, Martha Patricia Sánchez-Muñoz, César Alberto Ortiz Orozco
394-399

PDF

Dermatological Manifestations Due to Mycobacterium Tuberculosis Infection

Juan Francisco Medina Ledesma, Martha Estefania Pinedo Hurtado, Esmeralda Hernández Lerma, Mario Eduardo Elias Medina, Miguel A. Ramírez-Madrigal, Patricia Flores Troche
400-402

PDF

Marjolin's Ulcer, A Frequent and Preventable Complication

Hiebda Sofía Martínez Jiménez, Paola Daniela Guerrero Ramírez, María Fernanda Guijosa Ortega, Karla Itzel Sánchez Gutiérrez, Norma Melissa Salazar Ramirez
403-406

PDF

Hospital Acquired Infections during Patient Incubation at Tertiary Care Hospital of Northern India

Dr. Sony Singh, Dr. Aruna, Garima kumari, Priya
407-412

PDF

Correcting the Tuberos Breast Deformity by the Moufarrege Total Posterior Pedicle: An Architectural Reconstruction

Richard Moufarrege, MD, FRCSC, Ramy Schoucair, MD, Georgio Gholam, Marion Aribert, MD, Cyril Awaida, MD, Romain Laurent, MD
413-428

PDF

The Effects of Ethanolic Extract of Premature Musa Paradisiaca (Plantain) Pulp on the Reproductive System of Female Wistar Rats

Victor, P. D., Ordu, K. S., Ogaree, T.B., Allison, T., Ajie, P.C., Wami-Amadi, C.F., Wami-Amadi, C.F., Okpara, P. E., Reuben, E., Nonju, I.I., Jaja, B.N.R.
429-439

PDF

Translation, and Validation of Perceived Obstacles to Pain Assessment and Management Practices Questionnaire among Vietnamese Nurses

Nga Nguyen Thi, Anh Truong Tuan, Hoang Duong Huy, Hang Nguyen Thi
440-451

PDF

Metabolic Complications in Polycystic Ovary Syndrome

Ingrid Pamela Rodríguez Minguela, Zuleyka Roxana Martínez Martínez, Miguel Angel Bonaparte Pimentel
452-456

PDF

The Relationship of the Role of Parents in Dental and Oral Hygiene in Class IV-VI Students of SDN Nogosari 2 in Jember Agroindustry Area

Roedy Budirahardjo, Dyah Setyorini, Luke Pandu Pangestu, Kiswaluyo, Pudji Astuti, Sulistiyani, Agus Sumono
457-460

PDF

Effect of Energy Intake on Percentage Body Fat as Measured by Bia and Cun-Bae Equation Formula: A Comparative Study of Body Fat Measurement Methods

Dwi Prijatmoko, Sulistiyani, Vinny Kartika Alifiana, Kiswaluyo, Sri Hernawati, Leni Rokhma Dewi, Rina Sutjiati
461-465

PDF

Mycetoma: Management for the First Contact Doctor

Susana González Hernández, Jacqueline Edith Mut Quej, Jaime Picazo Luna, Nayeli Guadalupe Gonzalez Bonilla, María Cristina Ponce Figueroa
466-468

PDF

The Moufarrege Total Submuscular Augmentation or How to Preserve Nipple Erogenous Sensation in Breast Augmentation

Richard Moufarrege, MD, FRCSC, Romain Laurent, MD, Ramy Schoucair, MD, Georgio Gholam, Marion Aribert, MD, Cyril Awaida, MD
469-477

PDF

A Study to Assess the Effectiveness of Video-Assisted Teaching Programmes on Knowledge and Attitude Regarding Organ Donation among Non-Health Professional Students at Selected College, Hosur

Mrs. Janet Rose, Mrs. B. GOWRI, M.Sc., (N), Dr. Mrs. R. JAMUNARANI, M.Sc (N). Ph.D
478-484

PDF

A 5-year Retrospective Study of Burn Injury at Tarakan Regional General Hospital Jakarta

Hardianti Putri, Melina Tiza Yanuardani
485-491

PDF

Toxicological Effect of Prolonged Coca-Cola and Bullet Soft Drinks Consumption on Male Hormonal and Testicular Oxidative Profile in Wistar Rats

KIANEN SEKIITA, DR SOLOMON M. UVOH, DR EMILY KIRIDI GE. , OKUROEMI HENRIETTA O.
492-503

Toxicological Effect of Prolonged Coca-Cola and Bullet Soft Drinks Consumption on Male Hormonal and Testicular Oxidative Profile in Wistar Rats

KIANEN SEKIITA, DR SOLOMON M. UVOH, DR EMILY KIRIDI GE. , OKUROEMI HENRIETTA O.
492-503

PDF

Validity and Reliability Measurement of the Knowledge and Attitude Survey Regarding Pain Tool Vietnamese Version

Nga Nguyen Thi, Anh Truong Tuan, Hoang Duong Huy, Nhu Pham Thi Thuy, Hai Vu Thi, Phuong Dao Thi, Phuong Doan Thi, Hanh Pham Thi
504-518

PDF

Effective Communication Practices in Nursing and Challenges: The Perspective of Student Nurses in Anambra State

Ezennakwe, Juliet Okwuchukwu RN, RM, Bsc., Anieche, John Emenike
519-529

PDF

Exploring Metformin as the Potential Oral Antidiabetic of Choice for Type II Diabetes Mellitus with Wound Comorbid: A Case-based Literature Review

Almira Talitha Ulima, Ahmad Fawzy
530-540

Exploring Metformin as the Potential Oral Antidiabetic of Choice for Type II Diabetes Mellitus with Wound Comorbid: A Case-based Literature Review

Almira Talitha Ulma, Ahmad Fawzy
530-540

PDF

Effects of Conventional Treatment on The Composition of The Intestinal Microbiota

Dulce Carolina Lopez Garciano, Maria Alejandra Lastra, Aranza Vazquez Ruvalcaba, Ana Maria Becerra Garcia, Mildred Andrea Zúñiga Onofre, Andrea Sierra Franco
541-545

PDF

Study to Determine the Safety and Efficacy of Tenelegliptin (20 Mg) in Naive Type 2 Diabetes Mellitus

Subhash Chandra, Pulkit Chaudhary, Vagish Baranwal
546-550

PDF

The Effectiveness of Snail (*Achatina Fulica*) Slime Cream toward Inhibiting the Formation of Sunburn Cells on Mice (*Mus Musculus*) Balb/C Skin (Experimental Study with Induced UVB Radiation)

Mulyani Dwi Setianingrum, Ismiralda Oke Putranti, Hidayat Sulisty
551-556

The Effectiveness of Snail (*Achatina Fulica*) Slime Cream toward Inhibiting the Formation of Sunburn Cells on Mice (*Mus Musculus*) Balb/C Skin (Experimental Study with Induced UVB Radiation)

Mulyani Dwi Setianingrum, Ismiralda Oke Putranti, Hidayat Sulisty
551-556

PDF

Factors Related to Self-Care Behaviors in Patients with Type 2 Diabetes Mellitus in Thai Nguyen Province, Vietnam

Phung Van Loi Ph.D., Ngo Huy Hoang, Ph.D., Dao Thanh Xuyen M.D.
557-564

PDF

Early Identification of Postsurgical Sepsis and Surgical Site Infection

Sarahi Elizabeth Rodea Montellano
565-569

PDF

Periprosthetic Femur Fracture on Alkaptonuric Patient: A Rare Case Report in Indonesia

Nyoman Gede Grenata Nanda Ustriyana, Putu Dewinta Darmada, Hasnania Rilanty Munaf, Erwin Saspraditya, Putu Budi Sucitra
570-575

The Inhibition of Green Okra Fruit (*Abelmoschus Esculentus*) Extract Against *Streptococcus Viridans* Root Canals of Teeth

Tantin Ermawati, Sri Lestari, Krystanti Dwi Uswatul Maghfiro
576-580

PDF

Measuring the Quality of Life Patients with Type 2 Diabetes Mellitus at The North Pontianak Public Health Center and Kitamura Pontianak Clinic Using the Diabetes Quality of Life Clinical Trial Questionnaire (DQLCTQ) and Diabetes Distress Scale 17 (DDS 17)


Muhammad Akib Yuswar, Shoma Rizkifani
581-587

PDF

Pseudoexfoliation syndrome in a patient with subluxation of the lens secondary to homocystinuria

Mohamed Bentaleb, Narjisse Taouri, Imane Ed-darraz, Mourad Labhar, Nouredine Boutimzine, L.O. Cherkaoui
588-590

PDF



The Inhibition of Green Okra Fruit (*Abelmoschus Esculentus*) Extract against *Streptococcus Viridans* Root Canals of Teeth

Tantin Ermawati¹, Sri Lestari², Krystanti Dwi Uswatul Maghfiro³

¹Department of Biomedical, Faculty of Dentistry, Jember University, Indonesia

²Department of Conservative, Faculty of Dentistry, Jember University, Indonesia

³Faculty of Dentistry, Jember University, Indonesia

ABSTRACT

Background: *Streptococcus viridans* is the most frequently isolated bacterium from infected root canals (63%) and the leading cause of life-threatening sub-acute endocarditis (35%). The use of 2.5% NaOCl as a root canal irrigation material has disadvantages, it is a bad smell and taste, causing allergies, irritating and toxic, so other alternatives are needed. The green okra fruit extract has secondary antibacterial metabolites such as flavonoids, alkaloids, saponins, tannins, and terpenoids. **Purpose:** This study aims to determine the inhibition of green okra fruit extract against *S. viridans*. **Methods:** This research is an experimental laboratory in vitro with a post-test-only control group design. Antibacterial test using the disk diffusion method which consisted of 5 research groups (green okra extract with a concentration of 1,56%, 3,125%, 6,25%, 12,5%, and 2,5% NaOCl) and 4 repetitions. The result was analyzed using non-parametric statistical tests.

Results: The average diameter of inhibition zone of each concentration of green okra fruit extract is 1,56% (0 mm), 3,125% (0 mm), 6,25% (14,58 mm), 12,5% (18,19 mm), and 2,5% NaOCl (23,55 mm). The Kruskal-Wallis test showed a significance value of less than 0.05 which meant that there was a difference in inhibition in all groups. The Mann-Whitney test showed that there were significant differences between the study groups ($\alpha < 0,05$), except for the green okra extract with a concentration of 1,56% with 3,125%.

Conclusion: Green okra fruit extract (*Abelmoschus esculentus*) has inhibition against *S. viridans* at concentrations of 6,25% (14,58 mm) and 12,5% (18,19 mm) including the strong category.

KEY WORDS: a disk diffusion, green okra fruit extract, inhibition, *Streptococcus viridans*

ARTICLE DETAILS

Published On:
30 March 2023

Available on:
<https://ijmscr.org/>

INTRODUCTION

The Global Burden Disease (2016) states that 3,58 billion people or half the world's population experience dental and oral health problems, especially caries¹. Untreated Caries for a long time will result in pulp infection which will cause necrosis of the pulp. Pulp necrosis is the partial or complete death of pulp tissue which can be caused by physical trauma (mechanical and thermal), chemical irritation, and bacteria². Bacteria are the main etiology of pulp necrosis. The most dominant bacteria in root canal infections are gram-positive anaerobes (75%) such as streptococcus (28%), staphylococcus (15%), and, corynebacteria (10-25%). *Streptococcus viridans* (*S. viridans*) is an oral bacterium belonging to the α -hemolytic or non-hemolytic streptococcus group that is most frequently isolated from infected root

canals (63%) and the leading cause of life-threatening sub-acute endocarditis (35%)³. The treatment for pulp necrosis is root canal treatment. Root canal treatment is a procedure performed by removing vital or necrotic pulp tissue to eliminate the bacterial infection, accelerate healing and maintain teeth as long as possible in the oral cavity. There are three main stages in root canal treatment, namely biomechanical preparation, sterilization, and obturation. Biomechanical preparation is done by opening access to the pulp chamber, shaping, and cleaning the root canal with an irrigation solution. Irrigation is one of the important stages in root canal treatment because it can determine the success of treatment^{4,5}. Root canal irrigation materials are often used from chemicals (synthetic) including sodium hypochlorite (NaOCl) 2.5%⁵. NaOCl can dissolve necrotic tissue, dentin,

and pulp. NaOCl is biocompatible and has antibacterial properties through three reactions that are saponification, chloramination, and neutralization so it has a broad spectrum of action^{3,5}. The use of 2,5% NaOCl as a root canal irrigation material has disadvantages, it is a bad smell and taste, causes allergies, irritates when enters the periapical tissues, and is toxic when used in excessive concentrations^{4,5}. To overcome the disadvantage of synthetic root canal irrigation materials, alternatives from herbal plants are needed because they are affordable, easy to obtain, and have minimal side effects, making them safer to use. One of the plants that can be used is okra (*Abelmoschus esculentus*).

The okra plant is one of the best pharmacological sources because it has several important biological activities such as antioxidant, anti-inflammatory, antibacterial, anticancer, and anti-diabetic⁶. There are two varieties of okra cultivated in Indonesia, namely red okra and green okra. Green okra cultivation is very easy to do in many places with various soil types and pH, such as Ngampel, Kendal, Boja, Banten, and Jember. The production of green okra fruit in Jember is quite high (1,500 tons per year) and has penetrated the export market to Japan⁷. Green okra fruit can be used as a vegetable (fried, steamed, boiled), as a drink, and as a flavoring agent⁸. Utilization of green okra fruit in dentistry is still rare. Based on the phytochemical test, green okra fruit extract contains secondary metabolites such as flavonoids, alkaloids, saponins, tannins, and terpenoids which are antibacterials so expected to inhibit the growth of *S. viridans*⁹.

This study aims to determine the inhibition of green okra fruit extract (*Abelmoschus esculentus*) against *S. viridans* and the concentration of green okra fruit extract (*Abelmoschus esculentus*) which can inhibit the growth of *S. viridans*. The expected benefit is to provide information about the benefits of green okra fruit extract (*Abelmoschus esculentus*) as an antibacterial against *S. viridans* that causes root canal infections, as a preliminary study in the development of green okra fruit as an alternative root canal irrigation material and the results of the research can be used as a reference for further research.

METHODS

Equipment

Petri dish (Pyrex, Japan), test tubes (Pyrex, Japan), Erlenmeyer flask (Pyrex, Jerman), stir bar/spatula, analytical balance (Ohaus, Germany), macerator, sieve, mask (OneMed, Indonesia), handscoon (OneMed, Indonesia), funnel glass, bunsen, blender (Cosmos, Indonesia), autoclave (Hadshin Medical Co., LTD), inoculating loop, measuring cylinder, incubator (Binder BD 53), desiccator, caliper (Medesy, Italy), laminar flow, electric stove, cotton swab, test tubes rack, tube, stopwatch, rotary vacuum evaporator (Heidolph, Jerman).

Material

Green okra fruit (*Abelmoschus esculentus*), 70% ethanol, aquades (Aqua Pro injection), sodium hypochlorite (NaOCl) 2,5% (OneMed, Indonesia), *S. viridans* (Laboratorium Research Centre, RSGM Unair), 0.5 Mc Farland standard solution, paper disk, cotton, filter powder, BHI-A (Merck, Germany), BHI-B (Merck, Germany), label paper (Kenjoy, Indonesia), aluminium foil.

Okra Fruit Extract

This type of research was an experimental laboratory (in vitro) using a post-test-only control group design. Ripe green okra fruit (dark green) and seeds, 10-13 cm, fresh (not wilted) obtained from PT. Mitratani Dua Tujuh Jember was identified then washed, cut into small pieces, and dried in a place protected from direct sunlight and in the oven at 50°C for 3 days. Green okra fruit simplicia was crushed using a blender, sifted, and weighed (374,5 grams). Green okra fruit powder was macerated using 70% ethanol in a ratio of 1:5 for 3 days and diluted (serial dilution method) to obtain a concentration of 1,56%; 3,125%; 6,25%, and 12,5%.

Antibacterial Test

Antibacterial test using disk diffusion method. The bacterial suspension was taken by cotton swab and then inoculated on BHI-A media and leveled by streaking movements throughout the plate surface. A paper disc is soaked in green okra fruit extract until all parts are wetted for about 30 seconds then placed on the media using tweezers carefully with a little pressure. The Petri dish is closed and then put into the desiccator in an inverted position so that bacterial growth is not disturbed (minimizing the fall of moisture into the media). The desiccator was put into the incubator for 1x24 hours at a temperature of 37°C. Inhibitory power is seen by measuring the inhibition zone formed around the disc paper using a vernier caliper.

Data Analysis

The average diameter of the inhibition zone was statistically analyzed using SPSS 25 through normality, homogeneity, Kruskal Wallis, and Mann-Whitney tests. The normality test used was the Shapiro Wilk because the number of samples was less than 50. This test was conducted to determine whether the data distribution was normal. Based on the Shapiro-Wilk normality test results, a significance value of $\alpha > 0,05$ means that the data is normally distributed. Then a variant homogeneity test was carried out using the Levene test to test the population variance. The significance value obtained from this test is 0,00 ($\alpha < 0,05$) meaning that the data is not homogeneous.

Furthermore, the non-parametric statistical test was carried out by Kruskal Wallis because the data was normally distributed but not homogeneous. The results of this test showed a significance value of less than 0,05 (0,00) meaning that there were differences in inhibition in all groups. The

The Inhibition of Green Okra Fruit (*Abelmoschus Esculentus*) Extract against *Streptococcus Viridans* Root Canals of Teeth

Mann-Whitney follow-up test needs to be carried out to determine the significance of the differences in each treatment group. The Mann-Whitney test results showed significant differences between research groups ($\alpha < 0,05$), except for the green okra fruit extract research group with a concentration of 1,56% and 3,125%.

RESULT

The results of the research on the inhibition of green okra fruit extract (*Abelmoschus esculentus*) on *S. viridans* were determined by measuring the clear zone (inhibition) formed around the disc paper. The inhibition zone can be shown in the image below




Figure 1. The inhibition zone of green okra fruit extract around the disc paper is indicated by a yellow arrow. E1) green okra fruit extract concentration 1,56% E2) green okra fruit extract concentration 3,125% E3) green okra fruit extract concentration 6,25% E4) green okra fruit extract concentration 12,5% K) control (NaOCl) 2, 5%

Figure 1. shows that of the various concentrations of the green okra fruit extract, which did not have an inhibition zone were green okra fruit extract concentrations of 1,56% (E1) and 3,125% (E2). The average diameter of inhibition zone and the

standard deviation of each concentration of green okra fruit extract and 2,5% NaOCl can be seen clearly in the average difference in table 1 below.

Table 1. The Average Diameter of Inhibition Zone and Standard Deviation

Group	N	$\bar{X} \pm SD$ (mm)
E1	4	0 ± 0,00
E2	4	0 ± 0,00
E3	4	14,58 ± 0,653
E4	4	18,19 ± 0,459
K	4	23,55 ± 0,499

Keterangan:

N = Number of repetitions

\bar{X} = The average diameter of inhibition zone

SD =Standard deviation




Figure 2. Bar chart of the average diameter of inhibition zone

Based on the table and bar chart above, it appears that the average diameter of the inhibition zone experienced an increase in diameter values starting from green okra fruit extract concentration of 6.25% (E3) (14.58 ± 0.653 mm), green okra fruit extract concentration of 12.5% (E4) (18.19

± 0.459 mm), and the largest was the control group NaOCl 2.5% (K) (23.55 ± 0.499 mm).

DISCUSSION

The results showed that green okra fruit extract concentrations of 1,56% and 3,125% had no inhibition

because of the absence of clear zones around paper discs (figure 1). This is probably due to either the content of secondary metabolites in the extract being too small or there was no diffusion in the agar media, so it could not inhibit the growth of *S. viridans*¹⁰. The concentration of green okra fruit extract which inhibited the growth of *S. viridans* was 6,25% (14,58 mm) and 12,5% (18,19 mm) (table 1). Extracts with higher concentrations will form a larger inhibition zone and the more concentrated extract, the more secondary metabolites in it (figure 2)¹¹. The content of secondary metabolites in green okra fruit extracts such as flavonoids, alkaloids, saponins, tannins, and terpenoids are antibacterial so they can inhibit the growth of *S. viridans*⁹.


The flavonoid quercetin (60-75%) in okra has several antibacterial mechanisms. The hydroxyl group of flavonoids (polar) can bind to the peptidoglycan layer of the bacterial cell wall like lipids and amino acids (polar) and cause damage to the cell wall. Damage to the bacterial cell wall allows flavonoids to enter the cell nucleus and come into contact with DNA so that the DNA lipid structure is damaged (bacterial lysis). Flavonoids inhibit the function of cell membranes by changing the fluidity of hydrophobic and hydrophilic areas, disrupting membrane permeability, and inhibiting ATPase and phospholipase binding¹². Flavonoids inhibit nucleic acids by binding to Gyrase B (a subunit of the gyrase enzyme) thereby interfering with bacterial DNA replication¹³. Flavonoids are also able to inhibit efflux pumps, bacterial toxins, and bacterial cell wall synthesis¹⁴.

Saponins in green okra fruit have characteristics like foam when reacted with water and shaken (detergent). The structure of saponins consists of a steroid or triterpenoid aglycone (non-polar) which is bound to one or more oligosaccharide groups such as pentoses, hexoses, or uronic acid (polar) so that they have a strong active surface against bacteria. Saponins are antibacterial through a saponification reaction, namely the reaction between fat or triglycerides and alkali (NaOH and KOH) which can reduce the surface tension of the bacterial cell wall and increase the permeability of the cell membrane^{12,15}. The antibacterial ability of alkaloids is to inhibit the topoisomerase enzyme's work, interfering with bacterial DNA replication and inhibiting its growth. Alkaloids can also interfere with cell wall synthesis by binding to peptidoglycan constituent components so that the cell wall does not form completely and suffers death due to lysis.

The other metabolites in green okra fruit are tannins and terpenoids. Tannins are part of polyphenolic compounds that are capable of complexing with proteins, polysaccharides, and nucleic acids, causing damage to bacterial cells. Tannins can also interfere with cell permeability by shrinking walls or membranes so that cells cannot carry out their life activities, inhibit their growth, or die. The mechanism of terpenoids against bacteria is by damaging the cell wall layer.

Terpenoids can agglomerate proteins resulting in disturbances in the osmotic pressure of bacterial cells^{16,17}.

Sodium hypochlorite (NaOCl 2.5%) has a very strong (23,55 mm) inhibition against the growth of *S. viridans* (table 1). This is possibly due to the reaction between NaOCl and water (H₂O) to form hypochlorous acid (HOCl) and sodium hydroxide (NaOH), causing potential reactions with other molecules (saponification, chloramination, and neutralization)¹⁸. The following is the reaction of NaOCl with water:



The difference in the diameter of the inhibition zone between 2,5% NaOCl (23,55 mm) and green okra fruit extract concentrations of 6,25% (14,58 mm) and 12,5% (18,19 mm) indicates that both have different abilities in inhibiting *S. viridans* (table 1). According to Davis and Stout, the inhibition strength of a material is categorized into four namely weak categories (≤ 5 mm), medium categories (5-10 mm), strong categories (10-20 mm), and very strong categories (> 21 mm)¹⁹. Based on these criteria, the inhibition of green okra fruit extract at concentrations of 6,25% and 12,5% is a strong category, while the inhibition of 2,5% NaOCl is a very strong category.

Secondary metabolite compounds in green okra fruit extract and NaOCl have a similar mechanism as an antibacterial, there are inhibiting cell walls, cell membranes, and DNA. Whole extract of green okra fruit obtained using organic solvents (ethanol) still contains various unwanted compounds such as dyes (chlorophyll a and b, carotenoids, anthocyanins), carbohydrates, waxes, resins, etc which are often detrimental (disturbing the stability of the physical properties of the extract) and reduce the levels of active compounds in it²⁰. The use of a whole extract of green okra fruit allows the formation of antibacterial power which is smaller than 2,5% NaOCl which has been standardized through various stages in its function as an antibacterial and consists of only a few chemical elements like sodium, oxide, and chlorine so that it has high antibacterial power²¹. Green okra fruit has the potential as an alternative root canal irrigation material, but still requires a lot of further research.

CONCLUSION

Based on the results of the study it can be concluded that green okra fruit extract (*Abelmoschus esculentus*) has an inhibitory effect on *S. viridans* at a concentration of 6,25% (14,58 mm) and 12,5% (18,19 mm) which is included in the strong category.

REFERENCES

- I. Dye BA. The Global Burden of Oral Disease: Research and Public Health Significance. *J Dent Res.* 2017; 96(4):361-363.

- II. Kartinawanti, A.T. dan Asy'ari, A.K. Penyakit Pulpa dan Perawatan Saluran Akar Satu Kali Kunjungan: Literature Review. *JIKG (Jurnal Ilmu Kedokteran Gigi)*. 2021; 4(2): 64-72
- III. Samaranayake, Lakshman. 2018. *Essential Microbiology For Dentistry fifth edition*. London: Churchill Livingstone Elsevier. p: 279-285.
- IV. Garg, N dan Garg, A. 2014. *Text of Endodontics*. India: Jaypee Brothers Medical Publishers. p: 51-73.
- V. Grossman, L. I., Gopikrishna, V. dan Chandra, B. S. 2014. *Endodontic Practice*. 13th ed. New Delhi: Wolters Kluwer (India) Pvt. Ltd. p: 287-341.
- VI. Islam, Muhammad Torequl. *Phytochemical Information and Pharmacological Activities of Okra (Abelmoschus esculentus): A Literature-Based Review*. *Phytotherapy Research*. 2019; 33:72–80.
- VII. Rukmana dan Yudirachman. 2016. *Budidaya Sayuran Lokal*. Bandung: Penerbit Nuansa Cendekia. p: 171-181
- VIII. Lisnawati, Nia, Indri Astuti, dan Fajrianti, Ni'matul. *Analisa Flavonoid Dari Ekstrak Etanol 96% Kulit Buah Okra Merah (Abelmoschus esculentus (L.) Moench) Secara Kromatografi Lapis Tipis dan Spektrofotometri UV-VIS*. *Jurnal Ibnu Sina*. 2016; 1(1):105-112.
- IX. Tandi, J., Melinda, B., Purwantari, A., Widodo, A. *Analisis Kualitatif dan Kuantitatif Metabolit Sekunder Ekstrak Buah Okra (Abelmoschus esculentus L. Moench) dengan Metode Spektrofotometri UV-Vis*. *KOVALEN: Jurnal Riset Kimia*. 2020; 6(1): 74-80.
- X. Benbettaieb, Nasreddine., Debeaufort, Frédéric dan Karbowiak, Thomas. *Bioactive edible films for food applications: mechanisms of antimicrobial and antioxidant activities*. *Critical Reviews in Food Science and Nutrition*. 2018. p: 6-8.
- XI. Ernawati, H. *Uji Vitokimia dan Antibakteri Senyawa Metabolit Sekunder Ekstrak Metanol Daun Mangrove (Rhizophora mucronata)*. *Jurnal biologi*. 2015; 3(11): 44-55.
- XII. Ernawati dan Sari K. *Chemical Compound Content And Antibacterial Activity Of Avocado (Persea americana P.Mill) Peel Extract On Vibrio alginolyticus Bacteria*. *Jurnal Kajian Veteriner*. 2015; 2(3) p:203-211.
- XIII. Tria, F., Ermawati, T. dan Aju, D. *Daya Hambat Ekstrak Kulit Buah Apel (Malus sylvestris Mill.) Varietas Manalagi terhadap Pertumbuhan Streptococcus viridians*. *Stomatognatic Jurnal Kedokteran Gigi*. 2014; 11(1) p: 23-26.
- XIV. Biharee, A., Sharma, A., Kumar, A., dan Jaitak, V. *Antimicrobial Flavonoids as a Potential Substitute for Overcoming Antimicrobial Resistance*. *Fitoterapia*. 2020; 146 (104270): 1-22.
- XV. Gusviputri, Arwinda., Meliana, Njoo., Aylianawati., Indraswati, Nani. *Pembuatan Sabun dengan Lidah Buaya (Aloe vera) sebagai Antiseptik Alami*. *Widya Teknik*. 2013; 12(1): 11-21.
- XVI. Pujiastuti, Peni dan Lestari, Sri. *Perbedaan Efektifitas Antibakteri Ekstrak Daun Sirih Merah (Piper crocatum) pada Porphyromonas gingivalis dan Streptococcus viridans*. *Stomatognatic Jurnal Kedokteran Gigi*. 2015; 12(1) p:1-4.
- XVII. Kırmusaoğlu, S., Gareayaghi, N. dan Kocazeybek, B. S. *Introductory Chapter: The Action Mechanisms of Antibiotics and Antibiotic Resistance*. In: *Antimicrobials, Antibiotic Resistance, Antibiofilm Strategies and Activity Methods*. Turkey: Intech Open. 2019; 1-7.
- XVIII. Widiastuti, D., Karima, I. F., Setiyani, E. *Efek Antibakteri Sodium Hypochlorite terhadap Staphylococcus aureus*. *Jurnal Ilmiah Kesehatan Masyarakat*. 2019; 11(4): 302-307.
- XIX. Mozartha, M., Silvia, P., dan Sujatmiko, B. *Perbandingan Aktivitas Antibakteri Ekstrak Curcuma zedoaria dan Bahan Irigasi Natrium Hipoklorit 2.5% terhadap Enterococcus faecalis*. *Jurnal Material Kedokteran Gigi*. 2019; 8(1) p:22-29.
- XX. Aplugi, D. M. A., Melati, M., Kurniawati, A., dan Faridah, D. N. *Keragaman Kualitas Buah pada Dua Varietas Okra (Abelmoschus esculentus L. Moench) dari Umur Panen Berbeda*. *J. Agron. Indonesia*. 2019; 47(2): 196-202.
- XXI. Kusumawardhani, T., Sukaton, dan Sudirman., A. *Perbedaan Khasiat Antibakteri Bahan Irigasi Larutan Propolis dan Sodium Hypochlorite Terhadap Bakteri Streptococcus viridans*. *Conservative Dentistry Journal*. 2018; 8(1): 42-48.