

http://e-journal.unair.ac.id/JNERS | Control | Control

Volume 14, Issue 2, October 2019

- A QUALITATIVE INQUIRY INTO THE ADHERENCE OF ADULTS TYPE 2 DIABETES MELLITUS WITH DIETARY PROGRAMS
- ♦ THE AFFIRMATION TAPPING ON PAIN PERCEPTION AND SEROTONIN SERUM LEVEL OF POST CAESARIAN SECTION PATIENTS FACTORS CORRELATED TO JOB STRESS AMONG ICU NURSES IN SURABAYA INDONESIA
- ♦ ANALYSIS OF RISK FACTORS OCCURRENCE OF JUVENILE DELINQUENCY BEHAVIOR
- THE EFFECTIVENESS OF PRONE AND SUPINE NESTING POSITIONS ON CHANGES OF OXYGEN SATURATION AND WEIGHT IN PREMATURE BABIES
- ANALYSIS OF SOCIODEMOGRAPHIC AND INFORMATION FACTORS ON FAMILY BEHAVIOUR IN EARLY DETECTION
 FF HIGH-RISK PREGNANCY
- ◆ THE EFFECT OF COMBINATION THERAPY OF A WARM GINGER STEW COMPRESS AND KI. 3 POINT ACUPRESSURE ON THE PAIN LEVEL OF GOUT ARTHRITIS PATIENTS IN INDONESIA
- ETHNIC FOODS DIET PROGRAM IMPROVE SELF-EFFICACY AND DIET COMPLIANCE AMONG TYPE 2 DIABETIC PATIENTS
- ◆ DIFFERENCES IN CLINICAL SIMULATION WITH AUDIOVISUAL AND PRACTICUM-BASED STANDARD OPERATING PROCEDURES IN NURSING STUDENT COMPETENCIES
- ♦ DEVELOPING FAMILY RESILIENCE MODELS: INDICATORS AND DIMENSIONS IN THE FAMILIES OF PULMONARY TB PATIENTS IN SURABAYA
- ◆ FACTORS INFLUENCING THE SUCCESS OF THE NATIONAL NURSING COMPETENCY EXAMINATION TAKEN BY THE NURSING DIPLOMA STUDENTS IN YOGYAKARTA
- THE IMPACT OF SELF EFFICACY ON THE FOOT CARE BEHAVIOR OF TYPE 2 DIABETES MELLITUS PATIENTS IN INDONESIA
- CONTENT VALIDITY AND THE RELIABILITY OF TECHNOLOGICAL COMPETENCY AS CARING IN THE NURSING INSTRUMENT INDONESIAN VERSION (TCCNI IV)
- ◆ FACTORS AFFECTING DRUG ADHERENCE ON HYPERTENSION GRADE 2 AND 3
- ◆ FAMILY SUPPORT SYSTEM AS AN EFFORT TO OPTIMIZE COPING MECHANISM OF PRESCHOOL CHILDREN DURING HOSPITALIZATION
- ◆ CORRELATION BETWEEN EMOTIONAL PEER SUPPORT AND CYBERBULLYING BEHAVIOUR IN SENIOR HIGH SCHOOL STUDENTS
- ◆ THE RELATIONSHIP BETWEEN PARTNER SUPPORT AND INTERDIALYTIC WEIGHT GAIN (IDWG) IN HEMODIALYSIS PATIENTS
- ANALYSIS OF THE SOCIODEMOGRAPHIC AND PSYCHOLOGICAL FACTORS OF THE FAMILY CAREGIVERS' SELF-MANAGEMENT CAPABILITIES FOR TYPE 2 DIABETES MELLITUS IN JEMBER REGENCY, EAST JAVA, INDONESIA

Published by

Faculty of Nursing Universitas Airlangga in collaboration with Indonesia National Nurses Association (PPNI), East Java Province

Accredited SINTA 2 No: 21/E/KPT/2018

Jurnal Ners (J. Ners)	.14 No.1	Page 118-223	October 2019	p-ISSN 1858-3598 e-ISSN 2502-5791
--------------------------	----------	--------------	--------------	--------------------------------------

JOURNAL CONTACT

MAILING ADDRESS

Faculty of Nursing Universitas Airlangga Campus C Mulyorejo, Surabaya 60115 Indonesia

PRINCIPAL CONTACT

Prof. Dr. Nursalam, M. Nurs (Hons) Editor in Chief Faculty of Nursing, Universitas Airlangga, Indonesia

Jl. Mulyorejo Campus C Unair, Surabaya Indonesia, 60115

Phone: +62-8113194433 Fax: +62-31-5913257 Email: ners@journal.unair.ac.id

SUPPORT CONTACT

Dimas Dwi Arbi, S.Kom. Phone: +62-31-5913754 Email: dimasarbi@staf.unair.ac.id

Editorial Team

Editor-In-Chief

1. <u>Prof. Dr. Nursalam M.Nurs. (Hons)</u>, (Scopus ID: 56660628500; h-index: 5); Faculty of Nursing, Universitas Airlangga, Indonesia

Advisory International Editorial Boards

- 1. Prof. Angeline Bushy, PhD, RN, PHCNS-BC, FAAN, (Scopus ID: 7003851740; h-index: 13); College of Nursing, University of Central Florida, United States
- 2. Prof. Ching-Min Chen, RN, DNS, (Scopus ID: 57154846200; h-index: 10); Department of Nursing, Institute of Allied Health Sciences, National Cheng Kung University, Taiwan
- 3. <u>Prof. Eileen Savage, Bns., Msc., P.hD.</u>, (Scopus ID: 8293647300; h-index: 12); School of Nursing and Midwifery, University College Cork, Ireland, Ireland
- 4. Prof. Josefina A. Tuazon, RN, MN, DrPH, (Scopus ID: 6602856172; h-index: 2); College of Nursing, University of the Philippines Manila, Philippines
- 5. <u>Dr. Nicola Cornally</u>, (Scopus ID: 36982904800; h-index: 13); School of Nursing and Midwifery, University College Cork, Ireland
- 6. <u>Dr. David Pickles</u>, (Scopus ID: 57190150026; h-index: 5); College of Nursing & Health Sciences, Flinders University, South Australia, Australia
- 7. <u>Dr. Farhan Alshammari</u>, (Scopus ID: 57192298773; h-index: 3); College of Nursing, University of Hail, Saudi Arabia

- 8. <u>Dr. Patricia Leahy-Warren</u>, (Scopus ID: 55954181800; h-index: 11); School of Nursing and Midwifery, University College Cork, Ireland
- 9. <u>Dr. Wendy Abigail, PhD</u>, (Scopus ID: 24467540600; h-index: 3); School of Nursing and Midwifery, Flinders University, Australia
- Dr. Chong Mei Chan, SCM, BNSc, MSc, PhD, (Scopus ID: 57189591887; h-index: 2); Dept. of Nursing Faculty of Health Science, University of Malaya, Malaysia
- 11. <u>Dr. Sonia Reisenhofer</u>, (Scopus ID: 16310818100; h-index: 4); School of Nursing and Midwifery, La Trobe University, Australia, Australia

Editor

- 1. <u>Ferry Efendi, S.Kep., Ns., MSc, PhD</u>, (Scopus ID: 55301269100; h-index: 6); Faculty of Nursing, Universitas Airlangga, Indonesia
- 2. <u>Dr. Rizki Fitryasari, S. Kep., Ns., M. Kep.</u>, (Scopus ID: 57200912279; h-index: 2); Faculty of Nursing, Universitas Airlangga, Surabaya, Indonesia
- 3. <u>Ilya Krisnana, S. Kep., Ns., M. Kep.</u>, (Scopus ID: 57204558756; h-index: 1); Faculty of Nursing, Universitas Airlangga, Indonesia, Indonesia
- 4. Retnayu Pradanie, S.Kep., Ns., M.Kep., (Scopus ID: 57201190282; h-index 1); Faculty of Nursing, Universitas Airlangga, Indonesia
- 5. <u>Praba Diyan Rachmawati, S.Kep., Ns., M.Kep.</u>, (Scopus ID: 57201182562); Hindex: 1, Faculty of Nursing, Universitas Airlangga, Indonesia
- 6. <u>Laily Hidayati, S.Kep., Ns., M.Kep.</u>, (Scopus ID: 57202743375); Faculty of Nursing, Universitas Airlangga, Indonesia

Assistant Editor

- Gading Ekapuja Aurizki, S.Kep., Ns., (Scopus ID: 57201187775); Faculty of Nursing, Universitas Airlangga, Indonesia
- 2. <u>Hidayat Arifin, S. Kep., Ns., M. Kep.</u>, (Scopus ID: 57211333166; h-index: 1); Faculty of Nursing, Universitas Airlangga, Indonesia, Indonesia
- 3. Masunatul Ubudiyah, Faculty of Nursing, Universitas Airlangga, Indonesia
- 4. <u>Dluha Maf'ula, S.Kep., Ns</u>, Faculty of Nursing,. Universitas Airlangga, Indonesia
- 5. <u>Rifky Octavia Pradipta, S.Kep., Ns</u>, Faculty of Nursing, Universitas Airlangga, Indonesia
- 6. <u>Diah Priyantini, S. Kep., Ns.</u>, (Scopus ID: 57215964912)Faculty of Nursing, Universitas Airlangga, Surabaya, Indonesia

Reviewers

Prof Lisa McKenna, RN, P.hD, (Scopus ID: 56231862800: h-index: 23); La Trobe University, Australia

<u>Dr. Tim Schultz, BA, BSc (Hons), GradDipl (PublHlth), PhD, (Scopus ID: 7201770262; h-index: 18); The University of Adelaide, Australia, Australia</u>

<u>Prof. Jing-Jy Wang, P.hD</u>, (Scopus ID: 57154844600; h-index: 17); National Cheng Kung University, Department of Nursing, Tainan, Taiwan

Prof. Angeline Bushy, PhD, RN, PHCNS-BC, FAAN, (Scopus ID: 7003851740; h-index: 13); College of Nursing, University of Central Florida, United States

Associate Professor Linda Sweet, RN, RM, NICC, BNg, MNgS, PhD, (Scopus ID: 23111463500; h-index: 13); School of Nursing and Midwifery Flinders University Australia, Australia

<u>Prof. Eileen Savage, Bns., Msc., P.hD.</u>, (Scopus ID: 8293647300; h-index: 12); School of Nursing and Midwifery, University College Cork, Ireland, Ireland

<u>Susy Katikana Sebayang, Ph.D</u>, (Spocus ID: 24068188900; h-index: 5); Fakultas Kesehatan Masyarakat, Program Studi Kesehatan Masyarakat, Program Studi di Luar Kampus Utama Universitas Airlangga di Banyuwangi, Indonesia

Ari Natalia Probandari, dr., MPH., PhD., (Scopus ID: 35741558600; h-index: 7); Faculty of Medicine, Universitas Sebelas Maret, Indonesia, Indonesia

<u>Pi-Ming Yeh</u>, (Scopus ID: 35335763000; h-index: 6); Missouri Western State University, United States

<u>Dr. Yunita Sari</u>, (Scopus ID: 24077392400; h-index: 6); Jenderal Soedirman University, Indonesia

Anna Kurniati, SKM, MA, P.hD., (Scopus ID: 56492973100; h-index: 2); Ministry of Health, Indonesia, The Board for Development and Empowerment of Human Resources for Health (BPPSDMK), Jakarta, Indonesia, Indonesia

<u>Ellen Rosskam, PhD, MPH.</u>, UNHEALTHY WORK, website of the Center For Social Epidemiology., Switzerland

<u>Dr Vimala Ramoo</u>, (Scopus ID: 55886233900; h-index: 4); University of Malaya, Malaysia, Malaysia

Asst. Prof. Dr. Pratuma Rithpho, MSN., RN, (Scopus ID: 30567733900; h-index: 2); Faculty of Nursing, Naresuan University, Phitsanulok, Thailand

<u>Dr Tantut Susanto</u>, Family and Community Health Nursing, School of Nursing, Universitas Jember, Indonesia

S. Suriadi, AWCS, PhD, (Scopus ID: 14625710700; h-index: 4); Sekolah Tinggi Ilmu Keperawatan Muhammadiyah, Pontianak, Indonesia

<u>Dr. Saryono Saryono, S.Kp., M.Kes</u>, (Scopus ID: 57193566655; h-index: 4); Universitas Jenderal Soedirman

Elsi Dwi Hapsari, S.Kp, M.S., D.S, (Scopus ID: 13406659900; h-index: 4); Universitas Gadjah Mada, Indonesia

Agung Waluyo, S.Kp., MSc, PhD, (Scopus ID: 56113458000; h-index: 4); Faculty of Nursing, Universitas Indonesia, Indonesia

Dr. Tri Rini Nuringtyas, S.Si., M.Sc., (Scopus ID: 55184030800; h-index: 4); Tropical Biology, Universitas Gadjah Mada, Indonesia, Indonesia

<u>Prof. Dr. Yati Afiyanti, S.Kp., M.N.</u>, (Scopus ID: 55312075600; h-index: 4); Faculty of Nursing, University of Indonesia, Indonesia

<u>Dr. Sonia Reisenhofer</u>, (Scopus ID: 16310818100; h-index: 4); School of Nursing and Midwifery, La Trobe University, Australia, Australia

<u>Ya-Ping Yang, PhD</u>, (Scopus ID: 57194901868; h-index: 4); College of Nursing/Department of Nursing, Kaohsiung Medical University, Taiwan, Province of China

<u>Joko Gunawan, P.hD</u>, (Scopus ID: 57192718324; h-index: 3); Chulalongkorn University, Thailand

Mrs Rr Dian Tristiana, Nursing Faculty Universitas Airlangga Surabaya Indonesia, Indonesia

<u>Prof. Dr. Ah. Yusuf S.Kp. M.Kes.</u>, (Scopus ID: 57200914632; h-index: 3); Faculty of Nursing Universitas Airlangga, Indonesia

<u>Teuku Tahlil, S.Kp., MS, PhD</u>, (Scopus ID: 24492770100; h-index: 3); Faculty of Nursing, Universitas Syiah Kuala, Indonesia

<u>Kusman Ibrahim, SKp., MNS., PhD</u>, (Ssopus ID: 36518811400; h-index: 3); Fakultas Keperawatan Universitas Padjajaran, Indonesia

<u>Dr. Wendy Abigail, PhD</u>, (Scopus ID: 24467540600; h-index: 3); School of Nursing and Midwifery, Flinders University, Australia

<u>Prof. Achir Yani S. Hamid, MN., DN.Sc</u>, (Scopus ID: 12140222400; h-index: 3); Fakultas Ilmu Keperawatan Universitas Indonesia, Indonesia

<u>Dr. Chong Mei Chan, SCM, BNSc, MSc, PhD</u>, (Scopus ID: 57189591887; h-index: 2); Dept. of Nursing Faculty of Health Science, University of Malaysia

<u>Kai-Li Chen</u>, (Scopus ID: 56395676600; h-index: 2); Tajen Technological University, Taiwan

<u>Pei-Lun Hsieh, P.hD</u>, (Scopus ID: 57190748913; h-index: 2); Chung Hwa University of Medical Technology, Taiwan

<u>Elida Ulfiana, M.Kep.</u>, (Scopus ID: 57188641641; h-index: 1); Faculty of Nursing Universitas Airlangga, Indonesia

<u>Siti Pariani, dr., MS., MSc., PhD</u>, (Scopus ID: 6508106527; h-index: 2); Faculty of Medicine, Universitas Airlangga, Indonesia

<u>Dwi Ananto Wibrata, M.Kes</u>, (Scopus ID: 57205682601; h-index: 2); Jurusan Keperawatan Poltekkes Kemenkes Surabaya, Indonesia

<u>Dr. Titin Andri Wihastuti</u>, (Scopus ID: 56368450300 ; h-index: 4); College of Nursing, Universitas Brawijaya, Indonesia

<u>Dr. Hilmi Yumni, S.Kep., Ns., M.Kep., Sp. Mat</u>, (Scopus ID: 57196939372; h-index: 1) Politeknik Kesehatan Kemenkes Surabaya, Indonesia, Indonesia

Dr. Esti Yunitasari, Faculty of Nursing Airlangga University, Indonesia

<u>Dr Meidiana Dwidiyanti, S.Kp, M.Sc</u>, (Scopus ID: 57194603317; h-index: 1); Department of Nursing, Faculty of Medicine, Universitas Diponegoro, Indonesia

<u>Dr. Kusnanto Kusnanto, S. Kp., M. Kes</u>, (Scopus ID: 57203535705; h-index: 1); Faculty of Nursing, Universitas Airlangga, Indonesia

<u>Dr. Takdir Tahir, S. Kep., Ns., M. Kes</u>, (Scopus ID: 57193349327) Faculty of Nursing Hasanuddin University, Indonesia

<u>Dr. Tri Johan Agus Yuswanto, M.Kep.</u>, (Scopus ID: 57204565862); Politeknik Kesehatan Kemenkes Malang, Indonesia

Dr. Abu Bakar, Faculty of Nursing, Universitas Airlangga, Indonesia

<u>Dr. Christiana Rialine Titaley,</u> (Scopus ID: 24475807400); Fakultas Kedokteran, Universitas Indonesia, Indonesia

Purwaningsih S.Kp. M.Kes., Faculty of Nursing Universitas Airlangga, Indonesia

Rosnani Rosnani, S. Kp., M. Kep., Sp. Mat, (Scopus ID: 57209713420); Poltekkes Kemenkes Palembang, Indonesia

<u>Muhammad Arsyad Subu</u>, University of Ottawa Canada Sekolah Tinggi Ilmu Kesehatan Binawan Jakarta, Indonesia



https://e-journal.unair.ac.id/JNERS/article/view/13726

http://dx.doi.org/10.20473/jn.v14i2.13726



Original Research

Correlation Between Emotional Peer Support and Cyberbullying Behaviour in Senior High School Students

Emi Wuri Wuryanningsih, Enggal Hadi Kurniyawan, and Emila Cahya Aisyah

Faculty of Nursing, Universitas Jember, East Java, Indonesia

ABSTRACT

Introduction: The biggest users of the internet and social media are teenagers. This has an impact on the tendency for harassment behavior known as cyberbullying. This harassment is quite serious because it is massive; it can happen at any time and anywhere. This harassment generally comes from the victim's peers. This research aimed to analyze the correlation between peer emotional support and the cyber-bullying behavior among the students in senior high school.

Methods: This research used a cross-sectional study design. The sample size of this study was 246 students in senior high school from the academic year 2018-2019 collected through purposive sampling. The instrument of this research was emotional support from their peers and cyberbullying behavior. The bivariate analysis used was the Spearman test (α <0.05; CI=95%).

Results: There is a significant correlation between emotional peer support and cyberbullying behavior among the students in senior high school.

Conclusion: Community health nurses should improve the emotional peer support among the students in order to promote the prevention of cyberbullying behavior.

ARTICLE HISTORY

Received: December 6, 2019 Accepted: January 14, 2020

KEYWORDS

Cyberbullying; peer emotional support; senior high school student

CONTACT

Emi Wuri Wuryanningsih

emi_wuri.psik@unej.ac.id
Faculty of Nursing,
Universitas Jember, East Java,
Indonesia

Cite this as: Wuryanningsih, E. W., Kurniyawan, E. H., & Aisyah, E. C. (2019). Correlation Between Emotional Peer Support and Cyberbullying Behaviour in Senior High School Students. *Jurnal Ners*, 14(2), 205-209.

doi:http://dx.doi.org/10.20473/jn.v14i2.13726

INTRODUCTION

One of the characteristics of the development of high school-aged adolescents is that they need friends, that they are eager to try everything that is not yet known to them and they have a desire to explore their natural surroundings (Putro, 2017). This has an impact on their use of the internet and social media, which is high in the adolescent age group. Data from Indonesian Internet Service Providers Association (2018) shows that the number of internet users in Indonesia has now reached 88.1 million. Most users are teenagers, especially those in high school, reaching 64.7%. Teenagers use social media to interact with their friendship groups. The results related to conventional harassment behavior tends to shift towards cyberbullying. A survey was conducted with 259 participants as the sample (202 female), with all of the respondents aged 19-25 years of. In this survey, 58,1% had experienced some form of cyberviolence (Ham & Livazovic, 2019). Cyberbullying perpetration indicates the "repeated" violation, harassment and ridicule of others online, or using mobilephones or even other electronic devices" (Patchin and Hinduja, 2012). Cyberbullying is a mischievous behavior that is usually done by individuals or groups intentionally and repetitively on purpose to harm others using computers, phones, and other electronic devices. Additionally, this behavior has so far been considered safe because adults do not recognize when the behavior occurs. This is as it is not easy to monitor activity related to the internet (Sari, 2016). Using technology, people can do things that may bring either good or harm to both themselves and others (Utami, 2014). The user of the internet is not limited because all circles can access it quickly and they are free to do anything (Bauman, Toomey, & Walker, 2013).

In Indonesia, there are no age restrictions for smartphone users. There is a vulnerability associated with the negative impact of smartphone use in adolescents, both emotionally and socially. Based on the results of the study, it shows that 21% report regular cyber-victimization with a distinct emotional disturbance (31,3%), anger (20,8%), helplessness (13,1%) and sorrow (20,5%) (Ham & Livazovic, 2019). The victims also feel insecure in any situation and they often experience despair due to the oppression in cyberspace (Vaillancourt, Faris, & Mishna, 2017). The victims feel afraid and uncomfortable with and in their environment, and the victims furthermore feel insecure and threatened in terms of their safety (Hidajat, Adam, Danaparamita, & Suhendrik, 2015). Cyberbullying behavior that occurs over a long period of time can have an impact on the victim's psychology, such as a loss of self-confidence, increased anxiety and decreased performance (Rifauddin, 2016).

Cyberbullying behavior uses more forms of verbal communication through writing such as what is experienced on the internet and through social media (Maya, 2015). Willard (2007) indicated a taxonomy of the different types of cyberbullying: 1) flaming (i.e. an online fight), 2) harassment (i.e. repetitive, offensive messages), 3) outing and trickery (i.e. soliciting personal information from someone and then electronically sharing that information without the individual's consent), 4) exclusion (i.e., blocking an individual), 5) impersonation (i.e. posing as the victim), 6) cyberstalking (i.e. sending repetitive threats) and 7) sexting (i.e. distributing pictures of another individual without that person's consent). Cyberbullying behavior is usually done freely on the internet. Moreover, bullies can sometimes be falsely known; their hidden identity allows them to do anything without fear (Narpaduhita & Suminar, 2014).

Cyberbullying perpetrators among teenagers generally comes from among their friends. Teenagers will behave in order to be accepted by their group of friends even if this behaviour is not in accordance with their wishes. Social support, especially peer emotional support, plays a vital role preventing cyberbullying behavior. emotional support will build empathy when dealing with the adverse behavioral problems that occur in adolescents (Steffgen, König, Pfetsch, & Melzer, 2011). Teens receive more emotional support from their peers than from their parents. This may come from the interdependence between them and their peers in terms of giving and receiving support and motivation, which they usually like to do as part of an exchange (Lakon, Wang, Butts, Jose, & Hipp, 2017; Keliat, 2016). Our study aims to analyze the relationship between peer emotional support and cyberbullying behavior in high school-aged adolescents.

Table 1. Distribution of the Respondents by sex, class, the occupation of their parents, the parents' education, height, and student weight referring to the Senior High School Students, Jember (n = 246)

Jember (II – 240)				
Characteristics of the respondents	n	%		
Gender				
Men	62	25,2		
Women	184	74,8		
Class				
X	125	50,8		
XI	121	49,2		
Parents' job				
Not working	6	2,4		
Government employees	52	21,1		
Private employees	73	29,7		
Entrepreneurship	63	25,7		
Etc (farmer, laborer)	52	21,1		
Parents' education				
Elementary school	4	1,6		
Junior High School	15	6,1		
Senior High School	159	64,6		
College	68	27,6		
Height				
140-150 cm	37	15,0		
151-160 cm	117	47,6		
161-170 cm	67	27,2		
171-180 cm	25	10,2		
Body Mass Index (BMI)				
Less weight	90	36,6		
Normal weight	112	45,5		
Overweight	41	16,7		
Obesity	3	1,2		

MATERIALS AND METHODS

This research used an analytical observation design with a cross-sectional approach. This research was conducted in a senior high school in the district of Jember. The population included students from the 10th and 11th grades, totaling 635 students in the 2018-2019 academic year. Based on the Slovin Formula (d=5%), the sample size of this study was 246 students via a proportionate stratified random sampling technique. The data was collected between February and March 2019. The instrument of this research was peer emotional support (12 item questions about empathy, caring, concern, positive regard, and encouragement focused towards the person; α-Cronbach score=0,849) and cyberbullying behavior (10 item questions about the identification of the perpretator, victims, both, or none of them regarding cyberbullying; α -Cronbach score=0,849). The data collection was conducted after getting a permit from the school. The students were gathered after informed consent was given and through the students filling in the provided questionnaires. After all of the data was collected, bivariate analysis was performed using the Spearman test (α <0.05; CI=95%). This study was approved by the Health Research Ethics Commission of the Faculty of Jember University Dentistry, of No.334/UN25.8/KEPK/DL/2019..

Table 2. Frequency distribution of the respondents' characteristics with the category of cyberbullying in Senior High School Students. Jember (n = 246)

Characteristics of the respondents		- Total			
	Perpretator	Victim	Both	Not doing	n (%)
	n (%)	n (%)	n (%)	n (%)	11 (70)
Gender					
Men	9 (14,6)	5 (8,0)	5 (8,0)	43 (69,4)	62 (25,2)
Women	16 (8.7)	28 (15,2)	25 (13,6)	115 (62,5)	184 (74,8)
Class					
X	11 (8,8)	10 (8)	14 (11,2)	90 (72)	125 (50,8)
XI	14 (11,6)	23 (19)	16 (13,2)	68 (56,2)	121 (49,2)
Parents' job					
Not working	1 (16,7)	2 (33,3)	0 (0)	3 (50)	6 (2,4)
Government employees	7 (13,5)	8 (15,4)	6 (11,5)	31 (59,6)	52 (21,1)
Private employees	6 (8,2)	9 (12,3)	12 (16,5)	46 (63)	73 (29,7)
Entrepreneurship	4 (6,3)	7 (11,1)	8 (12,7)	44 (69,8)	63 (25,7)
Etc (farmer, laborer)	7 (13,5)	7 (13,5)	4 (7,7)	34 (65,4)	52 (21,1)
Parents education					
Elementary School	0 (0)	1 (25)	0 (0)	3 (75)	4 (1,6)
Junior High School	3 (20)	3 (20)	1(6,7)	8 (53,3)	15 (6,1)
Senior High School	16 (10,1)	20 (12,6)	22 (13,8)	101 (63,5)	159 (64,6)
College	6 (8,8)	9 (13,2)	7 (10,3)	46 (67,6)	68 (27,7)
Height	()				
140-150 cm	5 (13,5)	6 (16,2)	2 (5,4)	24 (64,9)	37 (15)
151-160 cm	10 (8,5)	17 (14,5)	16 (13,7)	74 (63,2)	117 (47,6)
161-170 cm	7 (10,5)	7 (10,5)	8 (11,9)	45 (67,1)	67 (27,2)
171-180 cm	3 (12)	3 (12)	4 (16)	15(60)	25 (10,2)
Body Mass Index (BMI)	,	()	,	()	(, ,
Less weight	7 (7,8)	6 (6,7)	5 (5,5)	72 (80)	90 (36,6)
Normal weight	13 (11,6)	10 (8,9)	19 (17)	70 (62,5)	112 (45,5)
Overweight	5 (12,2)	16 (39)	5 (12,2)	15 (36,6)	41 (16,7)
Obecity	0 (0)	1 (33,3)	1 (33,3)	1 (33,4)	3 (1,2)

RESULTS

Several respondent characteristics were used in the present study including gender, parental occupation, the parent's education and height. Based on Table 1, the frequency distribution of gender obtained from the 246 respondents yielded that the female respondents outnumbered the male respondents with a total of 184 (74.8%). The score for the most common parental occupation was that of a private worker, with a total of 73 students (29.7%). The occupations second most common entrepreneurs, civil workers and others. The least common occupation was unemployment. Furthermore, the parental education indicator, which had the most common distribution, was that of senior high school. This is as shown in the response from 159 students (64.6%). Based on the distribution of height obtained from 246 respondents, most students (as many as 117 students) were 151 to 160 cm tall. The least common distribution was that from only 25 students at 171 to 180 cm tall (10.2%).

In Table 2, it can be observed that out of the 246 respondents, the male respondents were most often the bullies (as many as 9 students; 14.6%). The table also informs us that the most common parental occupation was that of a private worker; 6 (8.2%) were bullies, 9 (12.3%) were victims and 12 (16.5%) were bullies and victims referring back to this. It was also found that cyberbullying incidents occur very

little occur for the respondents whose parents did not go to school or who had graduated only from elementary education; none (0%) of these respondents were either bullies or bullies and the victims of bullying. Only 1 (25%) respondent was identified as a victim.

Table 3, on the other hand, explains that the students who became the research respondents preferred receiving emotional support from their peers (195 students or 79.3%). High peer emotional support means that the students genuinely care about their peers in terms of empathy, caring, concern, positive regard and encouragement. Emotional support is usually characterized by the perception of trust in relation to others (Shensa, Sidani, Escobar-Viera, et al., 2020). Related to this, the indicator of peer emotional support, which was considered to be the most influential, was encouragement toward the person. This is because most of the respondents marked this indicator higher than the other indicators. It was known that from the 246 respondents, most of them (158 -64.2%- respondents) did not become either bullies or victims. The rest of them (35.8%) were bullies, victims or both. Finally, the Spearman test resulted in the relationship between the variable of peer emotional support and the variable of cyberbullying behavior as being determined to have a p-value of 0.001. The correlation value was -0.228. In other words, the correlation of the two variables was classified as low. The negative correlation implies that the more that cyberbullying behavior is done, the lower the emotional support from their peers. The less the cyberbullying behavior is done, the higher the emotional support given by their peers.

DISCUSSION

As found in the present study focused on 246 respondents, the number of students who were both a bully and a victim of cyberbullying was quite considerable. Cyberbullying is commonly done because of the dislike of a person which cannot be directly expressed or uttered in real life. Therefore, social media and online platforms are preferred (Budiarti, 2016). Teenagers who are active users of social media are more prone to cyberbullying behavior as it opens up chances for them to become either bullies or victims of cyberbullying (Mesch, 2009).

A previous study conducted by Febrianti & Hartana (2014) obtained the result that females are more involved in cyberbullying than males. The findings of the study do not conform to the findings of the present study where more male students are involved in cyberbullying. Male students usually belong to a particular group who like to do bad things to other students outside of the group. Cyberbullying usually happens to people or victims who have a different appearance. For example, if they are smaller in body size or if they seem to weigh more (overweight) than others (Rahayu, 2012). Teenagers with a distinctly bigger or thinner body than their peers tend to be less accepted among their friends, compared to those with an (considered) average body size (Kustanti, 2015).

Emotional support is very crucial because the victims of cyberbullying need to feel comfortable and loved by others, especially their friends (Sundari, 2015). Several factors influence the high and low emotional support given by peers to the teens that are the receivers of the support and the support provider themselves. Emotional support can be in the form of expressions of empathy such as listening, being open, trusting, understanding, compassion, and attention being given. The receiver of the support can be influenced if the receiver of the support does not like to socialize, if they do not get along with others, if they are not motivated to help others and if they not want others to know that she or he needs help. The second factor can be influential because teenagers are not likely to support their friends emotionally if they seem to have nothing (no resource) to help others with, if they struggling with their own depression and if they are not sensitive to their surroundings, thus making them unaware of their friend's emotions (Pragwati, 2014). The ability of the students to get emotional support can help them to overcome the problems that are being faced so then the teens are not immersed in the sadness that is being experienced (Ristianti, 2008).

It is implied in the findings of the present study that there is a correlation between peer emotional

		(A)			
Table 3. Analysis of the Relationships Between					
Peer Emotional Support and Cyberbullying					
Behavior in Senior High School Students in Jember					
Variable	n (%)	Correlation			
Peer Emotional Support		9/~			
High Peer Emotional	44 (17,9)				
Support $(x \ge 38)$					
Medium Peer Emotional	195 (79,3)				
Support $(22 \le x < 38)$					
Low Peer Emotional	7 (2,8)				
Support (x<22)		r = -0.228			
Cyberbullying Behavior		p = 0.001			
Categories					
Perpretator	25 (10,2)				
Victim	33(13,4)				
Both (perpretator and	30 (12,2)				
victim)					
Not doing (neither	158 (64,2)				
perpretator nor victim)					

support and the cyberbullying behavior of teenagers. It was known that the more that cyberbullying behavior is done, the less peer emotional support is being given. This is because the worse the interactions are among their peers, the more this can lead to cyberbullying behavior. Groups of teenagers have a relationship with the cyberbullying behavior of other teenagers. Worse interactions among their peers may trigger cyberbullying (Hinduja & Patchin, n.d.). Moreover, their peers can play a role in the media related to informing individuals of the social norms or agreements that are allowed to be done by teens. Therefore, teenagers are prone to being involved in cyberbullying because they believe that their negative behavior is confirmed and supported by their friends. In other words, their peers are an essential element in how teenagers behave (Budiarti, 2016). Researchers argue that cyberbullying behavior is a form of negative behavior that results from a lack of peer emotional support. Excellent emotional support will make someone avoid negative behaviors such as cyberbullying.

CONCLUSION

According to the findings of the study and the discussion in the previous section, it can be concluded that there is a relationship between peer emotional support and cyberbullying behavior. The results imply that the more cyberbullying there is, the lesser peer emotional support has been given.

Prospective studies can focus more cyberbullying by taking into account other factors in addition to peer emotional support such as the parent's role and the attitude of the groups of their peers towards cyberbullying. Both teachers and parents are expected to play an active role in overseeing the student's activities when they are interacting via the internet. They should also provide good parenting for the students.

REFERENCES

- Bauman, S., Toomey, R. B., & Walker, J. L. (2013). Associations among bullying, cyberbullying, and suicide in high school students. *Journal of Adolescence*, 36(2), https://doi.org/10.1016/j.adolescence.2012.12.0 01
- Budiarti, A. I. (2016). Pengaruh Interaksi Dalam Peer Group Terhadap Perilaku Cyberbullying Siswa. *Jurnal Pemikiran Sosiologi*, 3(1), https://doi.org/10.22146/jps.v3i1.23522
- Febrianti, R., & Hartana, G. T. (2014). *Cyberbullying Pada Mahasiswa Universitas Indonesia*. *Skripsi*. Jakarta: Fakultas Psikologi Universitas Indonesia.
- Hidajat, M., Adam, A. R., Danaparamita, M., & Suhendrik, S. (2015). Dampak Media Sosial dalam Cyber Bullying. *ComTech: Computer, Mathematics and Engineering Applications*, 6(1), https://doi.org/10.21512/comtech.v6i1.2289
- Hinduja, S., & Patchin, J. W. (n.d.). *Identification, Prevention, and Response. Cyberbullying Research Center.*
- Keliat, B. (2016). *Prinsip dan Praktik Keperawatan Kesehatan Jiwa Stuart, Edisi Indonesia Pertama*. Singapura: Elsevier Ltd.
- Kustanti, E. R. (2015). Gambaran Bullying Pada Pelajar Di Kota Semarang. *Jurnal Psikologi Undip14*(1),
 - https://doi.org/10.14710/jpu.14.1.29-39
- Lakon, C. M., Wang, C., Butts, C. T., Jose, R., & Hipp, J. R. (2017). Cascades of emotional support in friendship networks and adolescent smoking. *PLoS ONE*, 12(6), https://doi.org/10.1371/journal.pone.0180204
- Livazovic, G & Ham, E. (2019). Cyberbullying and emotional distress in adolescents: the importance of family, peers and school. Heliyon 5: 1-9 https://doi.org/10.1016/j.heliyon.2019.e01992
- Mesch, G. S. (2009). Parental mediation, online activities, and cyberbullying. *Cyberpsychology and Behavior*, 12(4), https://doi.org/10.1089/cpb.2009.0068
- Narpaduhita & Suminar. (2014). Perbedaan Perilaku Cyberbullying Ditinjau Dari Persepsi Siswa Terhadap Iklim Sekolah Di SMK Negeri 8 Surabaya. *Jurnal Psikologi Klinis Dan Kesehatan Mental*, 3(3),
- Nirwana Sari, R. (2016). Kecerdasan Emosi, Anonimitas dan Cyberbullying (Bully Dunia Maya). *Persona:Jurnal Psikologi Indonesia*, 5(01), https://doi.org/10.30996/persona.v5i01.741
- Patchin, J.W., & Hinduja, S., (2012). Cyberbullying

- Prevention and Response: Expert Perspectives. Routledge, New York
- Pragwati, P. Y. M. A. (2014). Hubungan Antara Tingkat Dukungan Sosial Teman Sebaya degan Jenis Mekanisme Koping Terhadap Stres pada Remaja di SMAN 8 Malang.
- Putro, K.Z. (2017). Memahami Ciri dan Tugas Perkembangan Masa Remaja. APLIKASIA: Jurnal Aplikasi Ilmu-ilmu Agama. Vol. 17(1): 25-32 ONLINE: ejournal.uin-suka.ac.id/pusat/aplikasia ISSN 1411-8777
- Rahayu, F. (2012). Cyberbullying Sebagai Dampak Negatif Penggunaan Teknologi Informasi. *Jornal* of Information System, 8.
- Rifauddin, M. (2016). Fenomena Cyberbullying pada Remaja (Studi Analisis Media Sosial Facebook). Khizanah Al-Hikmah: Jurnal Ilmu Perpustakaan, Informasi, Dan Kearsipan, 4(1),
- Ristianti, A. (2008). Hubungan antara dukungan sosial teman sebaya dengan identitas diri pada remaja di SMA Pusaka 1 Jakarta. *Jurnal Fakultas Psikologi Universitas Gunadarma*, 000, 2–4. Retrieved from http://publication.gunadarma.ac.id/handle/1234 56789/1581.
- Soemartono, H.K. (2018). Survei APJII: Penetrasi Internet di Indonesia Capai 143 Juta Jiwa. *Buletin Asosiasi Penyelenggara Jasa Internet Indonesia*,
- Steffgen, G., König, A., Pfetsch, J., & Melzer, A. (2011). Are cyberbullies less empathic? Adolescents' cyberbullying behavior and empathic responsiveness. *Cyberpsychology, Behavior, and Social Networking, 14*(11), 643–648. https://doi.org/10.1089/cyber.2010.0445
- Sundari, L. (2015). Hubungan Antara Dukungan Emosional Teman Sebaya dengan Motivasi Berprestasi pada Atlet Hockey di Kabupaten Kendal. Universitas Salatiga.
- Utami, Y. C. (2014). Cyberbulliying di Kalangan Remaja (Studi tentang Korban Cyberbullying di Kalangan Remaja di Surabaya). *Komunitas, 3(3)*
- Vaillancourt, T., Faris, R., & Mishna, F. (2017). Cyberbullying in Children and Youth: Implications for Health and Clinical Practice. *Canadian Journal of Psychiatry*, 62(6), https://doi.org/10.1177/0706743716684791
- Willard, N.E., 2007. *Cyberbullying and Cyberthreats:*Responding to the challenge of Online Social Aggression, Threats, and Distress.
 Research Press, Champaign, IL.