

HOME ABOUT ▼ PEOPLE ▼ ISSUES ▼ SUBMISSIONS ▼

ANNOUNCEMENTS REGISTER LOGIN



HOME / ARCHIVES / Vol. 2 No.1 (2022): March 2022

## Vol. 2 No. 1 (2022): March 2022



**Nursing and Health Sciences Journal (NHSJ)** is peer-reviewed and open access international journal which published by KHD Production, to accommodate researchers and health practitioners publishing their scientific articles. NHSJ accepts original papers, review articles, short communications, case reports and letters to the editor in the fields of nursing, midwifery, public health, pharmacy, medicine, nutrition, and allied health sciences. NHSJ is published four times a year, March, June, September, and December.

DOI: <https://doi.org/10.53713/nhs.v2i2>

PUBLISHED: 2022-04-01

## ARTICLES

---

Crohn's disease and nursing care from a patient treated with corticosteroids: a case report

**Shima Heidary, Haydeh Heidari**

1-4

 PDF

The Effect of Ginger Decoction on Emesis Gravidarum among Trimester I Pregnant Women

**Nur Azizah, Rini Kundaryanti, Shinta Novelia**

5-9

 PDF

Impact of The Covid-19 Pandemic on The Psychological Response of Adolescents: A Literature Review

**Ahmad Zainuri, Raden Endro Sulistyono, Arista Maisyaroh, Primasari Mahardhika Rahmawati**

10-19

 PDF

Farmer Resilience After Floods and Landslides

**Enggal Hadi Kurniyawan, Erti Ikhtiarini Dewi, Emi Wuri Wuryaningsih, Fitrio Deviantony, Yeni Fitria**

20-23

 PDF

Factors Related to Prevention Behavior of COVID-19 Transmission among Pregnant Women

**Mila Oktaviani, Rini Kundaryanti, Shinta Novelia**

24-28

 PDF

Yoga Exercise on Reduction of Menstrual Pain among Adolescent Girls

**Bunga Tiara Carolin, Ilah Maesari, Dayan Hisni**

29-33

 PDF

The Overview of the Nurse's Discharge Planning Implementation in Children with ARI in Indonesia : Literature Review

**Natasya Dinda, Lantin Sulityorini, Ira Rahmawati**

34-40

 PDF

Factors Related to Perineal Wound Healing in Postpartum Mothers at Jawilan Public Health Center

**Euis Nurul Fauziah Suharja, Retno Widowati, Shinta Novelia**

41-46

 PDF

The Application of Virgin Coconut Oil (VCO) on Dermatitis Patients with Impaired Skin Integrity in Agricultural Areas: A Literature Review

**Rizeki Dwi FIBriansari, Siti Eka Yuni, Arista Maisyaroh, Eko Prasetya Widiyanto**

47-55

 PDF

The Correlation of Peer Social Support with Anxiety Levels of Students Working on Undergraduate Thesis at The Faculty of Nursing, University of Jember

**Feno Aureola Maharani, Erti Ikhtiarini Dewi, Enggal Hadi Kurniyawan**

56-62

 PDF

An Overview of Stress Levels on Fishermen on The Payangan Coastal Jember

**Nurul Izzah Regita Cahyani, Retno Purwandari, Kholid Rosyidi Muhammad Nur, Anisah Ardiana, Alfid Tri Afandi**

63-68

 PDF

Effect of Red Betel Leaf (*Piper crocatum*) on Dam for Breast Milk Postpartum Mothers at Public Health Center of Jawilan

**Iis Yulia, Retno Widowati, Shinta Novelia**

69-73

 PDF

Vapor Inhalation Therapy (Eucalyptus) Introduction to The Event of ARI in Toddlers

Bunga Tiara Carolin, Dewi Kurniati, Siti Satikah

74-78

 PDF

The Characteristic of Toddlers with ARI Disease in Kanigaran Public Health Center, Probolinggo City

Badrus Sholeh, Peni Perdani Juliningrum, Ira Rahmawati

79-86

 PDF

Comparison Between the Provision of White Ambon Banana Fruit and Red Dragon Fruit on Hemoglobin Levels

Elis Muliawati, Bunga Tiara Carolin, Nurul Husnul Lail

87-93

 PDF

## QUICK MENU

---

[Focus and Scope](#)

---

[Section Policies](#)

---

[Peer Review Process](#)

---

[Publication Ethics](#)

---

[Plagiarism Policies](#)

---

[Indexing & Abstracting](#)

---

[Visitor Statistics](#)

---

[Contacts](#)

---

[Article Processing Charge](#)

---

[Originality Statement](#)

---

## DOWNLOAD

---



Article  
template

---

## USER ACCOUNT

---

Username

Password

Remember me

Login

---

## STATISTICS

---

 Flag Counter

**00010250** View My Stats

---

**Custom By** IdPublishing

## INFORMATION

---

For Readers

For Authors

For Librarians

---

### Editorial Office:



Jl. Kaliyanyar Selatan RT 019 RW 004 Tamanan  
Bondowoso, Indonesia  
Tlp. 082282813311 | Email:

Platform &  
workflow by  
**OJS / PKP**

nhs.journal@gmail.com

Web: [khdproduction.com](http://khdproduction.com)



**Nursing and Health Sciences Journal (NHSJ)** is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/)

---

[HOME](#) [ABOUT](#) [PEOPLE](#) [ISSUES](#) [SUBMISSIONS](#)[ANNOUNCEMENTS](#) [REGISTER](#) [LOGIN](#)[HOME](#) / [Editorial Team](#)

## Editorial Team

### EDITOR IN CHIEF

**Ns. Kholid Rosyidi Muhammad Nur, S.Kep., MNS.**

General Manager of KHD Production, Bondowoso, Indonesia

[Google](#) | [SINTA](#) | [Scopus](#)

### MANAGING EDITOR

**Ns. Dicky Endrian Kurniawan, M.Kep.**

Faculty of Nursing, Universitas Jember, Indonesia

[Google](#) | [SINTA](#) | [Scopus](#)

### EDITORIAL BOARD:

**Ns. Alfid Tri Afandi, M.Kep.**

Faculty of Nursing, Universitas Jember, Indonesia

[Google](#) | [SINTA](#) | [Scopus](#)**Ns. Enggal Hadi Kurniyawan, M.Kep.**

Faculty of Nursing, Universitas Jember, Indonesia

[Google](#) | [SINTA](#) | [Scopus](#)

**Faisal Usman, M.Phil., Pharm.D., Ph.D.**

Bahauddin Zakariya University, Multan, Pakistan



**Orachorn Lumprom, RN., MNS.**

Prince of Songkla University, Thailand



**Sasa Aung, RN., M.N.Sc.**

Department of Adult Health Nursing, University of Nursing, Mandalay-Myanmar



**Sagun Thapa, BSN., MNS.**

Department of Nursing, Purbanchal University, Nepal



**ADMINISTRATOR**

**Etika Rangga Kharisma, Amd.Keb., SST.**

Midwife Practitioner, KHD Production, Indonesia

**QUICK MENU**

---

Focus and Scope

---

Section Policies

---

Peer Review Process

---

Publication Ethics

---

Plagiarism Policies

---

Indexing & Abstracting

---

Visitor Statistics

---

Contacts

---

Article Processing Charge

---

Originality Statement

---



## DOWNLOAD

---



Article  
template

---

## USER ACCOUNT

---

Username

Password

Remember me

Login

---

## STATISTICS

---

 Flag Counter

**00010251** [View My Stats](#)

---

**Custom By** IdPublishing

## INFORMATION

---

[For Readers](#)

[For Authors](#)

[For Librarians](#)

---

**Editorial Office:**

Platform &  
workflow by  
**OJS / PKP**



Jl. Kaliyanyar Selatan RT 019 RW 004 Tamanan  
Bondowoso, Indonesia  
Tlp. 082282813311 | Email:  
nhs.journal@gmail.com  
Web: [khdproduction.com](http://khdproduction.com)



**Nursing and Health Sciences Journal**  
(NHSJ) is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](https://creativecommons.org/licenses/by-sa/4.0/)

---

## Farmer Resilience After Floods and Landslides

---

Enggal Hadi Kurniyawan<sup>1\*</sup>, Erti Ikhtiarini Dewi<sup>2</sup>, Emi Wuri Wuryaningsih<sup>3</sup>,  
Fitrio Deviantony<sup>4</sup>, Yeni Fitria<sup>5</sup>

<sup>1,2,3,4,5</sup>Psychiatric Nursing, Faculty of Nursing, Universitas Jember, Indonesia; [enggalhadi.psik@unej.ac.id](mailto:enggalhadi.psik@unej.ac.id) (Corresponding Author)

---

**Article Info:**

Submitted:  
31-12-2021  
Revised:  
24-02-2022  
Accepted:  
07-03-2022

---

**ABSTRACT**

Floods and landslides are crisis conditions for farmers who have the potential to cause trauma. The capacity of farmers to deal with, overcome and change due to traumatic experiences varies throughout life. Resilience will form coping mechanisms and influence mental health. Method: This research is a descriptive study with a cross-sectional design. Questionnaires were given to 100 farmers. Resilience was assessed using The Connor-Davidson Resilience Scale (CD-RISC). Univariate statistical analysis to determine the proportion of resilience. Results: The mean resilience of farmers after a disaster is 95.72. Discussion: Resilience is a stable personality trait characterized by an individual's ability to rise again from negative experiences and the ability to adapt to continual changes in life. Farmers who are directly affected by a disaster are in a traumatic condition, so they are very vulnerable to stress. The mental endurance of each farmer is different, according to the influencing factors

Keywords: resilience, farmers, disaster

---

### INTRODUCTION

Indonesia is one of the countries that are prone to landslides. Climatic, geographical, and topographical conditions in Indonesia are factors that have the potential to increase the incidence of floods and landslides. Floods and landslides cause physical impacts such as material damage, loss of life, environmental damage, and psychological impacts. Many farmers experienced floods and landslides as victims who were directly affected by the incident. The Jember National Disaster Management Agency noted that landslides and floods caused damage to elementary schools, 2.5 hectares of chili plants, and 7.5 hectares of rice plants to be flooded (Mulyono, 2017). Floods and landslides hit three sub-districts, namely Sumberbaru, Tanggul, and Semboro Sub-districts so that as many as 230 residents fled to several locations (Laily, 2021). Landslides also occurred in the area of Curah Ungkal, Pace Village, Silo District, Jember due to heavy rain which caused several houses to be badly damaged (Hatta, 2022)

Floods and landslides are crisis conditions for farmers that have the potential to cause trauma (BNPB, 2014). The results of previous studies have shown that floods and landslides can cause extraordinary feelings of uncertainty, fear, and panic in affected residents (Subandi, Achmad, Kurniati, & Febri, (2014). The capacity of farmers to face, cope with, and change as a result of traumatic experiences varies throughout life. The ability to adapt to traumatic situations is called resilience (Revich & Shatte, 2002). Resilience will shape coping mechanisms and affect mental health. The role of mental nurses is needed to explore the resilience of farmers, as a basis for determining nursing interventions for clients with psychosocial risks/problems. The results of this study can be used as initial data in establishing nursing diagnoses and as a development related to the rehabilitation process in disaster-affected communities by determining aspects of mental problems and appropriate management in the post-disaster period occur.

### METHOD

This study used a descriptive research design with a cross-sectional approach. Descriptive research is research that describes and describes a phenomenon or problem that exists in a place (Budiarto, 2003). The population in this study amounted to 100 farmers. The sample is part of the number and characteristics possessed by the population used in a study (Sugiyono, 2017). The sampling technique used in this research is total sampling. The measuring instrument used is a resilience questionnaire from Connor and Davidson (2001). Analysis of research results is used to describe descriptively the frequency distribution and proportion of each variable studied. This analysis aims to explain or describe

the characteristics of each research variable (Sumantri, 2015). The data is presented in the form of a frequency distribution table and is displayed as a percentage of each data. Numerical data uses the mean and standard deviation, while categorical data types use the proportion value.

### RESULT

Description of Respondents Characteristics Respondent characteristics consists of farmer characteristics which include: age, gender, marital status, last employment status, and family income. Characteristic data was obtained by asking directly to the respondent.

Table 1. Distribution of Respondents' Characteristics by Age and Income

Characteristics of Respondents	Mean	SD	Minimum Maximum
Age (years)	45.07	12.988	23-85
Income (IDR)	1,234,000 (88\$)	486,270 (34\$)	500,000 (35\$)-2,500,000 (178\$)

Table 1 shows the distribution of respondents' age and income where the average age is 45.07 which means it is close to the minimum value, while the average income is around IDR 1,234,000 (88 \$) which means it is close to the minimum income.

Table 2. Distribution of Respondents Characteristics Based on: Gender, Marital Status, and Last Education

Characteristics of Respondents	Frequency	Percentage
<b>Gender</b>		
Male	54	54
Female	46	46
Total	100	100
<b>Marital Status</b>		
Not yet/Not Married	9	9
Married	81	81
Widows/Widowers	10	10
Total	100	100
<b>Recent Education</b>		
No school/Not finished Elementary school	17	17
Primary school	52	52
Junior high school	17	17
Senior high school	14	14
Total	100	100

Data analysis in table 2 shows the number of male respondents 54 people, 81 respondents married, and 52 respondents with elementary school education.

Table 3. Overview of Farmer Resilience

Variable	Mean	SD	Min – Max
Resilience	95,72	5,691	75 – 118

Based on data analysis from table 3 shows that the mean resilience of respondents is 95.72 so that it is close to the maximum value.

## DISCUSSION

Resilience is a stable personality trait characterized by an individual's ability to bounce back from negative experiences and the ability to adapt to continuous life changes (Connor, 2006; Rinaldi, 2010). Flores, Cicchetti, and Rogosch (2005) explain that resilience is a dynamic process that affects a person's capacity to adapt and succeed in dealing with chronic stress and adversity.

Coping style and personality also have a role in resilience. There are two forms of coping styles in resilience, namely flexible adaptation, and pragmatic coping. First, most people who have resilience in the face of adversity are people who have psychological health. This individual has flexibility in adapting to shifts with challenges. As an example of the resilience and endurance ego variables. Second, the idea of pragmatic coping stems from the fact that some people can achieve resilience from adversity in ways that may not be adaptive under normal circumstances. Forms of this strategy include repressive coping, dismissive attachment, and habitual use of attribution of self-attainment, and bias (Mancini and Bonano, 2006).

There is a very significant difference in resilience between men and women. According to Mancini and Bonano (2006) that men are more resilient than women. The results of this study are also in line with the results of Barends (2004), and Bonano, Rennicke, and Dekel (2007). Barends (2004) shows that demographic factors including age, gender, language, race, native and immigrant, income have a significant relationship with resilience. Bonanno, Galea, Bucciarelli, & Vlahov (2007) in their research found that the factors that influence resilience are gender, age, race, education, trauma level, income, social support, frequency of chronic illness, past and present life stresses.

This study only focuses on age and gender factors. The results of previous studies found that there were gender differences in responding to disasters. The results of Karanci et al's (1999) research on the ability to adapt to earthquakes found that men often use a problem-solving approach and have an optimistic attitude compared to women, while women use a pattern of helplessness compared to men.

According to Eisenberg et al (2003), individuals with high levels of resilience (males) can adapt to various conditions to change circumstances and are flexible in solving problems, while individuals with low levels of resilience (women) have little adaptive flexibility. , is unable to react to changing circumstances, tends to be stubborn or disorganized when faced with change or stress, and has difficulty adjusting after a traumatic experience. Differences in the adjustment of men and women are influenced by biological conditions. This can be seen from the physical differences between men and women. Biological conditions affect behavioral differences between the sexes. According to the theory of natural selection, this division of roles tends to encourage behavioral differences based on biological circumstances. Every trait that is innate from birth determines that men are aggressive and free, and women behave as caregivers, and stay at home, while the opposite trait of male passivity, female aggressiveness, is deeply suppressed (Calhoun and Acocella, 1990). Men and women have different views on how to perceive risk. Women are more concerned with the affective aspect of taking risks, while men are more concerned with cognitive considerations in viewing risk and danger as part of life. The results of Karanci et al's (1999) research on the ability to adapt to earthquakes that men often use a problem-solving approach and have an optimistic attitude compared to women, while women use a pattern of helplessness. The results of research conducted by Barends (2004) indicate that men have confidence in solving problems and believe in their ability (competence) to master difficult tasks or situations, more positively than women.

Community resilience is influenced by internal and external factors. Internal factors are intrapersonal or personality. Intrapersonal factors include cognitive factors and special competencies. Cognitive factors include optimism, intelligence, creativity, humor, and belief systems that give meaning to life, as a collection of life stories and respect for each other's uniqueness (Tusaie and Dyer, 2004), social skills or positive responses to others, self-esteem and positive self-concept and internal locus of control. Empathy, humor, flexibility, and gentle personality, all of which can enhance social skills (Everal, Altrows, and Paulson., 2006; Hoge, Austin, and Pollack, 2007). Specific competencies that contribute to resilience include coping strategies, social skills, talents, and having above-average memory abilities (Tusaie and Dyer, 2004). The external factor is social support (Bonano et al, 2007). Social support is an important factor in resilience. Social support includes the many sources of social support as a process that affects individuals. Social support is a form of relationship that individuals receive from the environment, including family and society (Eisenberg et al, 2003; Everal, Altrows, and Paulson., 2006).

## CONCLUSION

The average value of farmer resilience is 95.72 with a moderate resilience category. Farmers who experience floods and landslides are in a traumatic condition and are at risk of experiencing stress. Each farmer has a different mental resilience in managing his problems.

## ACKNOWLEDGEMENT

The researchers would like to thank the Dean of the Faculty of Nursing and LP2M University of Jember

## REFERENCES

- Badan Nasional Penanggulangan Bencana (BNPB). (2014). *Jurnal Penanggulangan Bencana*. Volume 3 Nomor 1. Jakarta: BNPB
- Barends, M.S. (2004). Overcoming adversity: An investigation of the role of resilience constructs in the relationship between socioeconomic and demographic factors and academic coping.
- Bonanno, G. A., Galea, S., Bucciarelli, A., & Vlahov, D. (2007). What predicts psychological resilience after disaster? The role of demographics, resources, and life stress. *Journal of Consulting and Clinical Psychology*, 75(5), 671–682
- Budiarto, E. (2003). *Metodologi penelitian kedokteran : Sebuah pengantar*. Jakarta: EGC
- Calhoun, J.F. and Acocella, J.R. (1990). *Psychology of adjustment and human relationship*. New York: McGraw-Hill Publishing.
- Connor, M. K. (2006). Assesment of resilience in the aftermath trauma. *Journal of Clinical Psychiatry*, 67, 46-49
- Connor, K. M., & Davidson, J. R. T. (2001). SPRINT: A brief global assessment of post-traumatic stress disorder. *International Clinical Psychopharmacology*, 16(5), 279–284
- Eisenberg, N., Valiente, C., Fabes, A.R., Smith, L.C., Reiser, M., Shepard, A.S., Losoya, H.S., Guthrie, K.I., Murphy, C.B., and Cumberland, J.A. (2003). The reaction of effortfull control and ego control to children’s resilience and social functioning. *Developmental Psychology*, 39, 761-776.
- Everal, D.R., Altrows, J.K., and Paulson, L.B. (2006). Creating a future: A study of resilience in suicidal female adolescents. *Journal of Counseling and Development*, 84, 461-470
- Flores, E., Cicchetti, D., & Rogosch, F. A. (2005). Predictors of Resilience in Maltreated and Nonmaltreated Latino Children. *Developmental Psychology*, 41(2), 338–351
- Hatta, M. (2022). *Bencana Tanah Longsor di Jember, Akibat Diguyur Hujan Lebat*. <https://faktualnews.co/2022/01/18/bencana-tanah-longsor-di-jember-akibat-diguyur-hujan-lebat/300175/>
- Hoge, A.E., Austin, D.E., and Pollack, H.M. (2007). Resilience: Research evidence and conceptual for posttraumatic stress disorder. *Depression and Anxiety*, 24, 139-152.
- Karanci, N. A., Alkan, N., Aksit, B., Sucuoglu, H., & Balta, E. (1999). Gender differences in psychological distress coping, social support and related variables following the 1995 Dinar (Turkey) earthquake. *North American Journal of Psychology*, 1(2), 189–204.
- Laily, RN. (2021). *Kabar Terbaru Banjir dan Tanah Longsor Jember, Begini Nasib Para Korban*. <https://www.merdeka.com/jatim/kabar-terbaru-banjir-dan-tanah-longsor-jember-begini-nasib-para-korban.html>
- Mancini, A. D., & Bonanno, G. A. (2006). Resilience in the Face of Potential Trauma: Clinical Practices and Illustrations. *Journal of Clinical Psychology*, 62(8), 971–985
- Mulyono Y. (2017). *Sejumlah Kecamatan di Jember Diterjang Banjir dan Tanah Longsor*. Detik News. Berita Jawa Timur.
- Reivich, K., & Shatte, A. (2002). *The Resilience Factor*. New York: Random House, Inc
- Rinaldi. (2010). Resiliensi Pada Masyarakat Kota Padang Ditinjau Dari Jenis Kelamin. *Jurnal Psikologi*, 3(2).
- Subandi, S, Achmad, T, Kurniati H, & Febri R. (2014). Spirituality, gratitude, hope and post-traumatic growth among the survivors of the 2010 eruption of Mount Merapi in Java, Indonesia. *Australasian Journal of Disaster and Trauma Studies*, 18(1),19-26
- Sugiyono. (2017). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta, CV
- Sumantri, A. (2015). *Metodologi Penelitian Kesehatan*. Jakarta: Prenada Media
- Tusaie, K., and Dyer, J. (2004). Resilience: A historical review of the construct. *Holistic Nursing Practice*, 2, 3- 10.

---

## The Correlation of Peer Social Support with Anxiety Levels of Students Working on Undergraduate Thesis at The Faculty of Nursing, University of Jember

---

Feno Aureola Maharani<sup>1\*</sup>, Erti Ikhtiarini Dewi<sup>2</sup>, Enggal Hadi Kurniyawan<sup>3</sup>

<sup>1\*</sup>Faculty of Nursing, Universitas Jember, Indonesia; [fenomaharani@gmail.com](mailto:fenomaharani@gmail.com) (Corresponding Author)

<sup>2,3</sup>Department of Mental Health Nursing, Faculty of Nursing, Universitas Jember, Indonesia

---

**Article Info:**

Submitted:  
19-01-2022  
Revised:  
29-03-2022  
Accepted:  
29-03-2022

---

**ABSTRACT**

In the process of writing a thesis, students often find various difficulties that can lead to negative feelings which if it is allowed to continue, it will cause psychological problems. This study analyzes the relationship between peer social support and anxiety levels of students who are writing thesis at the Faculty of Nursing, University of Jember. Furthermore, this study used an analytical correlational research design with a cross sectional approach. Meanwhile, respondents in this study were 113 college students who were writing thesis which were obtained by stratified random sampling technique. This study used a peer social support questionnaire and a State-Trait Anxiety Inventory (STAI) anxiety level questionnaire which were conducted online via google form. In addition, bivariate analysis was conducted by using the Kendall tau correlation test ( $p=0.05$ ). The results show that 51 students (45.1%) have very high peer social support while 38 students (33.6%) have mild anxiety. Furthermore, there is no significant relationship between peer social support and anxiety levels ( $p<0.05$ ) with a correlation coefficient of 0.189. The most influential factors in the anxiety level of college students who are writing thesis are fear and nervousness. For clinical nurse, the results obtained from the research can be used as a source of knowledge in an effort to reduce the anxiety level of students who are working on their thesis.

Keywords: thesis students, peer social support, anxiety levels

---

### INTRODUCTION

The transition from adolescence to adulthood is a period where one of which is identified by the change in the status of high school children to college students. College students are categorized in the stages of human development that is in the age of 18-25 years where it is considered as the developmental stage of early adulthood. In a survey which had conducted by the American College Health Association in 2008, it was stated that more than 90,000 college students on 177 campuses are often feel tired with everything, feel hopeless, sad and also depressed (Santrock, 2012). When entering the final level, college students will be required to write a final project, that is a thesis (Abdullah et al., 2017). It is a scientific work which is conducted through scientific research carried out according to scientific procedures; besides, a thesis is a requirement which should be taken by undergraduate students (S1) as the requirements for the bachelor degree. In the process of writing a thesis, students often experience difficulties; such as, difficulties in finding references, difficulties in conducting guidance with the advisors and the pressure from people around them to immediately complete the thesis. These difficulties can certainly cause negative feelings which if it is allowed to continue, it will cause problems related to psychology; such as, stress, depression, and anxiety. Anxiety experienced by students when they are writing thesis is that feeling unable to complete their thesis, feeling more stupid than other friends, feeling insecure, feeling sad and uneasy, often having headaches, and being easily angry and offended (Marjan et al., 2018; Dwi et al., 2021).

Anxiety is a disease which has a prevalence of more than 200 million people around the world or around 3.6% of the population (World Health Organization, 2017). In Indonesia, according to Riskesdas (2018), it stated that the prevalence of emotional mental disorders showing signs of depression and anxiety at the age of 15 years and over is 6% in 2013 and increased to 9.8% in 2018. Moreover, Chrysty (2016) stated that based on the results of his research which had conducted on 75 students, the results show that most of the college students experience mild anxiety that are 26 students (34.7%), moderate anxiety as many as 22 students (29.3%), not anxious as many as 11 students (14.7%), severe anxiety as many as 9 students (12.0%), and panic as many as 7 students (9.3%). Anxiety is a feeling of doubt or

ambiguity which develops when a person experiences stress so that these feelings cannot be resolved. College students who experience anxiety have difficulty in achieving good performance, have difficulty in dealing with assignments, and get less learning outcomes when compared to students who do not experience anxiety; besides, female college students are more often affected by anxiety disorders than male college students (Bamber and Kraenzle Schneider, 2016; Putri et al., 2020). In addition, anxiety is a symptom of stress. In order to deal with stress, it is necessary to have a coping mechanism to overcome it (Lumban Gaol, 2016). Sources of this coping include economic assets, skills or abilities, motivation, and social support. The relationship between individuals, families, groups, and society is crucial and influential in this coping resource (Stuart, 2013).

Social support is a form of treatment which refers to providing a sense of comfort, caring for and respecting others. It comes from partners, family, friends, or others who are considered to be able to help when needed (Sarafino and Smith, 2011). Meanwhile, Peer social support means that peers provide moral and spiritual encouragement, attention, and information in order to increase the intensity of behavior at a certain time (Rahmawan and Selviana, 2020).

Based on the problems described above, the researcher wants to conducted research in order to find out how the relationship between peer social support and anxiety levels in college students who are writing thesis at the Faculty of Nursing, Universitas Jember.

### METHOD

The research design which was used in this study was analytic correlational and used a cross sectional approach. This study used a side probability technique with stratified random sampling with a total sample of 113 college students who were writing a thesis and met the inclusion and exclusion criteria. The study was conducted in July 2021. Moreover, the questionnaire used to measure the research variables which were peer social support questionnaire adopted from Hanapi and Agung's research (2018) and the State-Trait Anxiety Inventory (STAI) anxiety questionnaire adopted from Chrysty's (2016) research. Bivariate analysis in this study used the Kendall-tau correlation test with an error tolerance level ( $\alpha$ ) of 0.05. In addition, this study had received ethical approval by the Health Research Ethics Committee, Faculty of Nursing, University of Jember with ethics number 133/UN25.1.14/KEPK/2021.

### RESULT

#### Characteristics of Respondents

Table 1. Distribution of characteristics of college students who are writing thesis based on age at the Faculty of Nursing, University of Jember (n=113)

Variable	Mean	Median	Min-Max
Age (years)	22.16	22.00	21 – 25

Based on table 1 regarding the distribution of respondents' characteristics by age, it is found that the average age of college students writing thesis is 22.16 and the middle age of college students is 22 years. For the youngest college student age is 21 years (12.4%) while the oldest college student age is 25 years (1.8%).

Table 2. Distribution of characteristics of college students who are writing thesis based on gender, class, and current place of residence at the Faculty of Nursing, University of Jember (n=113)

Variable	Frequency (f)	Percentage (%)
Gender		
Male	16	14.2
Female	97	85.8
Class		
2016	26	23.0
2017	87	77.0
Current place of residence		
boarding house	36	31.9
home	77	68.1



Based on table 2, it can be seen that the majority of college students who are writing thesis at the Faculty of Nursing, University of Jember are 97 women (85.8%) while men are 16 (14.2%). For the class of students who are writing thesis, the majority are from the 2017 class as many as 87 people (77%) while the 2016 class is 26 people (23%). Most of the college students who are writing thesis currently live at home or with their parents as many as 77 students (68.1%) while for those who live in boarding houses as many as 36 students (31.9%).

**Peer Social Support College Students who are Writing Thesis**

Table 3. Frequency Distribution of College Students Peer Social Support who are Writing Thesis at the Faculty of Nursing, University of Jember (n=113)

Variables	Frequency (f)	Percentage (%)
Peer Social Support		
Very low	1	0.9
Low	1	0.9
Moderate	15	13.3
High	45	39.8
Very high	51	45.1

In table 3, it shows that the results of the peer social support questionnaire assessment are 44 questions which have been conducted to 113 respondents, most of the college students receive very high peer social support as many as 51 students (45.1%). Meanwhile, college students with very low peer social support is 1 student (0.9%), receives low peer social support as much as 1 student (0.9%), receive moderate peer social support as many as 15 students (13.3%), and obtain high peer social support as many as 45 students (39.8%).

Table 4. Indicators of Peer Social Support College Students who are Writing Thesis at the Faculty of Nursing, University of Jember (n=113)

	Mean	Standard Deviation
Peer Social Support Indicator		
Emotional Support	3.26	0.51
Appreciation Support	3.35	0.47
Instrumental Support	3.17	0.49
Informational Support	3.22	0.48
Social Network Support	2.83	0.53

Based on table 4, it is known that the five indicators have a standard deviation value which is lower than the mean, which means that the mean value can be used as a representation of all data. Of the five indicators, appreciation support is the indicator which has the highest mean value of 3.35 with a standard deviation of 0.47. It means that the appreciation support indicator is part of the most influential peer social support for college students who are writing thesis.

**Anxiety Level of College Students who are Writing Thesis**

Table 5. Frequency Distribution of Anxiety Levels of College Students who are Writing Thesis at the Faculty of Nursing, University of Jember (n=113)

Anxiety Level Variables	Frequency (f)	Percentage (%)
No anxiety	10	8.8
Mild Anxiety	38	33.6
Moderate Anxiety	31	27.4
Severe Anxiety	26	23.0
Panic	8	7.1

In table 5, it can be seen that the results of the anxiety level questionnaire assessment are 17 questions which have been conducted to 113 respondents, most of the college students experience mild anxiety as many as 38 students (33.6%). Furthermore, college students who do not experience anxiety are 10 students (8.8%), experience moderate anxiety as many as 31 students (27.4%), experience severe anxiety as many as 26 students (23%), and experience panic as many as 8 students (7.1%).

Table 6. Anxiety Indicators of College Students who are Writing Thesis at the Faculty of Nursing, University of Jember (n=113)

Anxiety Indicator	Mean	Standard Deviation
Tension	2.40	0.66
Anxiety	2.29	0.65
nervousness	2.46	0.56
Fear	2.48	0.61

Based on table 6, it shows that the four indicators have a standard deviation value which is lower than the mean. It means that the mean value can be used as a representation of all data. Of the four indicators, fear is the indicator which has the highest mean value of 2.48 with a standard deviation of 0.61. It means that the fear indicator is the most influential part of the anxiety level of students who are writing thesis.

**Correlation Test Results Peer Social Support and Anxiety Levels**

Table 7. Analysis of the Relationship of Peer Social Support and Anxiety Levels (n=113)

Variable	p-value	Correlation coefficient (r)
Peer Social Support Anxiety Level	0.021	0.189

Table 7 is the result of the Kendall-tau correlation test and it is obtained a significance value or p-value of 0.021. It means that  $p < 0.05$  with the results of the correlation coefficient obtained 0.189 which shows that the close relationship between peer social support and anxiety levels is very weak and has a positive relationship. Thus, it can be concluded that there is no relationship between peer social support and the level of anxiety of students who are writing thesis at the Faculty of Nursing, University of Jember.

**DISCUSSION**

**Characteristics of Respondents**

The results of this study show that college students who are writing thesis have an average age of 22 years with the youngest age is 21 years while the oldest is 25 years. According to Isaac (2004) in Untari & Rohmawati (2014) stated that the older a person is, the more mature his mindset will be in solving a problem. Furthermore, the age of 22 years is included in the early adulthood age range which is vulnerable to experience anxiety. According to the theory of anxiety disorders, most anxiety exists in the age range of 21-45 years. It is in line with research which had conducted by Malfasari, et al. (2019), which in the age range of 21-23 years the majority of respondents have high anxiety in facing the final project.

Based on the results of the study, as many as 91 out of 97 female college students experience anxiety (93.8%) while 12 out of 16 male college students experience anxiety (75%). Based on the theory, gender can affect a person's level of anxiety, where women tend to experience anxiety more often since women tend to be more emotional when compare to men who are rational and calmer in dealing with a problem (Malfasari et al., 2019). Moreover, the number of research respondents who are female is based on the high interest of female students to major in health sciences; especially, nursing, which tends to be higher than male students. In addition, in carrying out the role as a professional nurse, caring attitude is the main thing which should be given to patients so that the majority considers that the nursing profession is more suitable for women (Constantia et al., 2017; Allaili et al., 2021).

Most of the respondents in this study are college students of class 2017 since the curriculum system at the Faculty of Nursing at the University of Jember divides final project courses which can be taken by 7th and 8th semester students (Nursing Science Study Program, 2017).

The number of college students who live at home rather than in boarding houses is due to the fact that starting the 2020/2021 school year all learning uses an online system due to the Covid-19 pandemic. Therefore, many college students prefer to return to their respective homes even though there are still those who live in boarding houses since there are several things related to their thesis which require students to attend to campus or to the research site directly.

### **Peer Social Support College Students who are Writing Thesis**

The results show that as many as 51 college students (45.1%) at the Faculty of Nursing, University of Jember who are writing thesis receive social support from their peers in the very high category. It is in line with previous research which stated that as many as 63 college students (80.8%) who are writing thesis at the NU Tuban College of Health Sciences receive social support in the high category, 14 college students (17.9%) in the medium category and 1 college student (1.3%) in the low category (Fa'izaul Maziyah, 2015).

Peer social support is defined as the treatment which a person gets from peers in the form of help, input or advice, care, and a sense of comfort that can make the recipient feel that he or she is valued and loved so that they feel safe and comfortable when they need help. Furthermore, social support includes emotional support, informational support, instrumental support and affiliation support (Stuart, 2013; Sarafino & Smith, 2011). In this study, peer social support was measured by using an adaptation questionnaire from Hanapi and Agung (2018) which consisted of several indicators, that were emotional support, appreciation, instrumental, informational, and social networks.

Very high social support from peers which are given to college students in this study can have a positive impact on students since with good social support, students who are writing thesis will help in increasing positive coping. Therefore, it can reduce anxiety experienced. In addition, peers are one of the important sources which can provide social encouragement to foster self-confidence in someone. Emotional support which is formed with social approval is confirmed in oneself so that it can bring up trust, attention, increase self-esteem and self-acceptance for someone (Rahmanda, 2020). High social support for students who are writing thesis has a good impact on students since it can create a sense of optimism and skill in solving problems while writing thesis.

### **Anxiety Level of College Students who are Writing Thesis**

Based on the results of the study, it shows that the majority of respondents experience mild anxiety as many as 38 college students (33.6%). It is in line with research which had conducted in 2016, which of 75 college students obtain the results that most of the students experience mild anxiety, that are 26 students (34.7%), moderate anxiety as many as 22 students (29.3%), no anxiety as many as 11 students (14.7%), severe anxiety as many as 9 students (12.0%), and panic as many as 7 students (9.3%) when they are writing thesis (Chrysty 2016).

According to the theory, anxiety is a feeling which arises and develops when a person is experiencing stress so that these feelings cannot be controlled. Furthermore, anxiety arises due to many factors; such as, age, gender, education, perceived meaning, spiritual and cultural values, social and environmental support and coping mechanisms (Untari & Rohmawati 2014). In students who are writing thesis, anxiety can arise since it is based on many things; such as, individual characteristics which exist within the student itself including age, gender and several factors that come from outside themselves; such as, the influence of peers, the environment, and the supervisor while working on the thesis (Malfasari et al., 2019). In this study, the measurement of student anxiety levels was conducted by using the State-Trait Anxiety Inventory (STAI) questionnaire which was adapted from (Chrysty, 2016) which had several indicators, that were tension, anxiety, nervousness, and fear.

The anxiety experienced by students when writing thesis does not always have a negative impact. However, it is based on the individual's coping abilities in solving the problems they face. Individual coping abilities depend on many factors; such as, social support and past experiences. In addition, the high and low levels of anxiety which experience by college students who are writing thesis depend on many things; such as, internal and external factors as well as the support and coping they have when writing the thesis.

### **Relationship between Peer Social Support and Anxiety Levels**

Based on the results of research which have been conducted by using the correlation test, a p value of 0.021 is obtained, which means p value  $< \alpha = 0.05$  with a correlation coefficient of 0.189 means that the closeness of the relationship is very weak. It can be said that there is no relationship between peer social support and the level of anxiety of college students who are writing thesis. Thus, it can be concluded that in this study the alternative hypothesis ( $H_a$ ) is

rejected and  $H_0$  is accepted. In this study, the majority of respondents have a mild level of anxiety with very high peer social support.

The results of this study are not in accordance with the results of research which had been conducted by Maziyah (2015) who got the results that social support has an influence on the anxiety level of college students who are writing their thesis. The higher the social support, the lower the anxiety experienced by college students. College students who are writing thesis at the Faculty of Nursing, University of Jember tend to have very high peer social support since they have very good support from the surrounding environment. Therefore, they have a high level of confidence in dealing with a problem when writing thesis which lead to low level of anxiety.

Based on the indicators of college student anxiety levels in this study, the most influential factors in student anxiety levels are fear and tension. Moreover, another study stated that final year students who are writing thesis are often afraid of being caused by several things; such as, they afraid if they cannot finish their thesis properly and on time; besides, afraid to answer questions from lecturers (Habibullah et al., 2019). Meanwhile, on the indicators of peer social support, appreciation support is the most widely accepted support by college students in writing their thesis. Peers are an environment for students who are writing thesis. A good environment will have a positive impact on learning (Hanapi and Agung, 2018). The better the existing environment, the better college students will develop and learn.

Thus, peer social support does not have a significant effect on the level of anxiety of college students who are writing thesis at the Faculty of Nursing, University of Jember since there are other factors which may have more influence on the level of anxiety. In addition, previous research which had conducted by Husada (2021) stated that the factors which influence student anxiety in preparing the final project ( $n = 40$ ) include lazy (70%), lack of enthusiasm (82.5%), fear of advisors (62.5%), difficult to concentrate (65%), difficult to arrange titles (60%), difficult to arrange background (72.5%), difficult to arrange content (75%), and difficult to arrange references (57.5%).

## CONCLUSION

The conclusion of this study is that students who are writing thesis at the Faculty of Nursing, University of Jember have an age range of 21-25 years with the majority is female as many as 97 students (85.8%), coming from the 2017 class of 87 students (77%), and live at home as many as 77 students (68.1%). Furthermore, the results of peer social support are very high with 51 students (45.1%), 45 students (39.8%) have high social support, 15 students (13.3%) have moderate support and the rest are low and very low. Meanwhile, the results of the anxiety level are that the majority have mild anxiety levels as many as 38 students (33.6%), 31 students (24.4%) have moderate levels of anxiety, 26 students (23%) have severe anxiety levels, 10 students do not feel anxious and 8 students (7.1%) experience panic when writing their thesis. In addition, for the correlation results, it shows that there is no relationship between peer social support and the level of anxiety of college students who are writing their thesis at the Faculty of Nursing, University of Jember.

It is expected that further research can identify the factors which cause anxiety in thesis of college students; besides, it is expected to provide interventions in the form of nursing actions given to college students who are writing their thesis and experiencing anxiety; such as, laughter therapy which can be conducted in groups. And for clinical nurse, the results obtained from the research can be used as a source of knowledge in an effort to reduce the anxiety level of students who are working on their thesis.

## ACKNOWLEDGEMENT

The researcher would like to thank to all college students who have been willing to be respondents in this research and thank to all parties involved in the process of making this research.

## REFERENCES

- Abdullah, S. A., Sarirah, T., & Lestari, S. (2017). Perfeksionisme dan strategi coping: studi pada mahasiswa tingkat akhir. *Mediapsi*, 3(1), 9–16. <https://doi.org/10.21776/ub.mps.2017.003.01.2>
- Allaili, A., Ikhtiarini Dewi, E. and Hadi Kurniyawan, E. (2021) "The Relationship Between Culture Shock And Self-Esteem Of New Students Outside Java Island At University Of Jember", *Nursing and Health Sciences Journal (NHSJ)*, 1(1), pp. 12-19. doi: 10.53713/nhs.v1i1.4.
- Bamber, M. D., & Kraenzle Schneider, J. (2016). Mindfulness-based meditation to decrease stress and anxiety in college students: A narrative synthesis of the research. *Educational Research Review*, 18, 1–32. <https://doi.org/10.1016/j.edurev.2015.12.004>
- Chrysty, A. P. (2016). *Hubungan Komunikasi Interpersonal dengan Kecemasan Mahasiswa dalam Menempuh Skripsi di Program Studi Ilmu Keperawatan Universitas Jember*. Universitas Jember.

- Constantia, A., Arneliwati, & Utomo, W. (2017). Faktor-faktor internal yang berhubungan dengan motivasi mahasiswa untuk melanjutkan pendidikan ners di PSIK Universitas Riau. *Jurnal Ners Indonesia*, 8(1), 69–78.
- Dwi Pratiwi, R., Ikhtiarini Dewi, E. and Hadi Kurniyawan, E. (2021) "Relationships Self-Regulation Learning and Academic Stress First Year Students at Faculty of Nursing University of Jember", *Nursing and Health Sciences Journal (NHSJ)*, 1(1), pp. 81-87. doi: 10.53713/nhs.v1i1.21.
- Habibullah, M., Hastiana, Y., & Hidayat, S. (2019). Kecemasan Mahasiswa Dalam Menghadapi Seminar Hasil Skripsi Di Lingkungan Fkip Universitas Muhammadiyah Palembang. *BIOEDUKASI (Jurnal Pendidikan Biologi)*, 10(1), 36. <https://doi.org/10.24127/bioedukasi.v10i1.2015>
- Hanapi, I., & Agung, I. M. (2018). Dukungan sosial teman sebaya dengan self efficacy dalam menyelesaikan skripsi pada mahasiswa. *Jurnal RAP UNP(Riset Aktual Psikologi Universitas Negeri Padang)*, 9(1), 37–45.
- Husada, I. (2021). Gambaran faktor-faktor yang mempengaruhi kecemasan mahasiswa dalam tugas akhir masa pandemi Covid-19. *Jurnal Ilmiah Keperawatan*, 9(1), 1–10. <https://doi.org/10.26877/wp.v>
- Keperawatan, P. S. I. (2017). *Buku Konseling Mahasiswa*. Jember: Universitas Jember.
- Lumban Gaol, N. T. (2016). Teori Stres: Stimulus, Respons, dan Transaksional. *Buletin Psikologi*, 24(1), 1–11. <https://doi.org/10.22146/bpsi.11224>
- Malfasari, E., Devita, Y., Erlin, F., & Filer, F. (2019). Faktor-Faktor Yang Mempengaruhi Kecemasan Mahasiswa Dalam Menyelesaikan Tugas Akhir Di Stikes Payung Negeri Pekanbaru. *Jurnal Ners Indonesia*, 9(1), 124. <https://doi.org/10.31258/jni.8.2.124-131>
- Marjan, F., Sano, A., & Ildil. (2018). Tingkat kecemasan mahasiswa bimbingan dan konseling dalam menyusun skripsi. *JPGI (Jurnal Penelitian Guru Indonesia)*, 3(2), 84–89. <https://doi.org/10.29210/02247jpgi0005>
- Maziyah, Fa'izatul. (2015). *Hubungan Dukungan Sosial dengan Tingkat Kecemasan dalam Mengerjakan Skripsi pada Mahasiswa Sekolah Tinggi Ilmu Kesehatan (STIKES) NU Tuban*. Universitas Islam Negeri Maulana Malik Ibrahim Malang. Diambil dari <http://etheses.uin-malang.ac.id/1243/>
- Maziyah, Fa'izaul. (2015). Hubungan Dukungan Sosial Dengan Tingkat Kecemasan Dalam Mengerjakan Skripsi Pada Mahasiswa Sekolah Tinggi Ilmu Kesehatan (Stikes) Nu Tuban. *Metrologia*, 53(5), 1–116. <https://doi.org/10.1590/s1809-982320130004000>. *Metrologia*, 53(5), 1–116.
- Putri, P., Maurida, N., Novitasari, F., Rosalina, W., & Afandi, A.T. 2020. Self-Motivation and Social Support with Burnout Syndrome in Students who Complete Undergraduate Thesis. *Pakistan Journal of Medical & Health Sciences*.1322.
- Rahmanda, R. (2020). Hubungan antara dukungan sosial teman sebaya dengan kecemasan menghadapi presentasi pada mahasiswa uin suska riau. *Skripsi*.
- Rahmawan, F. R., & Selviana. (2020). Hubungan adversity quotient dan dukungan sosial teman sebaya dengan tingkat stres mahasiswa yang menyelesaikan skripsi. *IKRA-ITH Humaniora*, 5(1), 67–75.
- Riskesdas, K. (2018). Hasil Utama Riset Kesehatan Dasar (RISKESDAS). Kementerian Kesehatan Republik Indonesia. <https://doi.org/10.1088/1751-8113/44/8/085201>
- Santrock, J. W. (2012). *Life-Span Development* (14th ed.). New York: McGraw-Hill.
- Sarafino, E. P., & Smith, T. W. (2011). *Health Psychology: Biopsychosocial Interactions* (7th ed.). USA: John Wiley & Sons, Inc.
- Stuart, G. W. (2013). *Principles and Practice of Psychiatric Nursing* (10th ed.). Missouri: Elsevier Mosby. <https://doi.org/10.1097/00000446-198112000-00038>
- Untari, I., & Rohmawati. (2014). Faktor-faktor yang mempengaruhi kecemasan pada usia pertengahan dalam menghadapi proses menua (aging process). *Jurnal Keperawatan Akper 17 Karanganyar*, 1(2), 83–90. Diambil dari [https://www.e-jurnal.com/2015/05/faktor-faktor-yang-mempengaruhi\\_18.html](https://www.e-jurnal.com/2015/05/faktor-faktor-yang-mempengaruhi_18.html)
- World Health Organization. (2017). Depression and other common mental disorders: global health estimates. Geneva: World Health Organization.