


Digital Repository Universitas Jember

**PROCEEDING
THE 1ST INTERNATIONAL CONFERENCE OF
KERTA CENDEKIA NURSING ACADEMY
2019**

**Improving Quality of Life: Shifting from
Hospital-Based Care to Community-Based Care**



PROCEEDING
THE 1ST INTERNATIONAL CONFERENCE OF
KERTA CENDEKIA NURSING ACADEMY
2019

**Improving Quality of Life: Shifting from
Hospital-Based Care to Community-Based Care**

Lumonir Hotel, Sidoarjo
September 7, 2019





SUPPORTED BY:



The Authors

Proceeding of the 1st International Conference of Kerta Cendekia Nursing Academy 2019

Theme: Improving Quality of Life: Shifting from Hospital-Based to Community-Based Care

Chairman

Agus Sulistyowati, S.Kep., M.Kes | Kerta Cendekia Nursing Academy, Sidoarjo

Scientific Committee (Reviewer)

Assoc. Prof. Dr. Chintana Watcharasin | Burapha University, Thailand

Assist. Prof. Dr. Yupin Tanatwanitch | Burapha University, Thailand

Assist. Prof. Dr. Jinjuta Chaisena Dallas | Burapha University, Thailand

Assist. Prof. Dr. Chanandchidadussadee Toonsiri | Burapha University, Thailand

Kusuma Wijaya Ridi Putra, S.Kep.Ns., MNS | Kerta Cendekia Nursing Academy, Sidoarjo

Faida Annisa, S.Kep.Ns., MNS | Kerta Cendekia Nursing Academy, Sidoarjo

Suveksha Shrestha, RN, MNS | Clinical Practice Manager in Gurkha Welfare Trust Nepal

Steering Committee

Assist. Prof. Dr. Pornchai Jullamate | Burapha University, Thailand

Kusuma Wijaya Ridi Putra, S.Kep.Ns., MNS | Kerta Cendekia Nursing Academy, Sidoarjo

Faida Annisa, S.Kep.Ns., MNS | Kerta Cendekia Nursing Academy, Sidoarjo

Meli Diana, S.Kep.Ns., M.Kes | Kerta Cendekia Nursing Academy, Sidoarjo

Marlita Dewi Lestari, S.Kep.Ns., M.Kes | Kerta Cendekia Nursing Academy, Sidoarjo

Organizing Committee

Dini Prastyo Wijayanti, S.Kep.Ns., M.Kep | Kerta Cendekia Nursing Academy, Sidoarjo

Elok Triestuning, S.Psi., M.Si | Kerta Cendekia Nursing Academy, Sidoarjo

Sofi Nur Rahman, SM | Kerta Cendekia Nursing Academy, Sidoarjo

Hj. Muniroh H. Mursan, Lc. | Kerta Cendekia Nursing Academy, Sidoarjo

Nanda Ratri Nurwanti, SE | Kerta Cendekia Nursing Academy, Sidoarjo

Ibnul Mubarak, S.Kom | Kerta Cendekia Nursing Academy, Sidoarjo

Anita Dewi Andyni, S.Kep | Kerta Cendekia Nursing Academy, Sidoarjo

Susila Nur Islami | Kerta Cendekia Nursing Academy, Sidoarjo

Sri Wiji Lestari | Kerta Cendekia Nursing Academy, Sidoarjo

M. Fatkhul M. | Kerta Cendekia Nursing Academy, Sidoarjo

Febriany Carla Prameswary | Kerta Cendekia Nursing Academy, Sidoarjo

Dini Fridasari | Kerta Cendekia Nursing Academy, Sidoarjo

Connie Wahyu Wijayanti | Kerta Cendekia Nursing Academy, Sidoarjo

Andan Ayu Ariyanti | Kerta Cendekia Nursing Academy, Sidoarjo

Moch. Rifki N. | Kerta Cendekia Nursing Academy, Sidoarjo

Muhebbi | Kerta Cendekia Nursing Academy, Sidoarjo

Indra Muhammad | Kerta Cendekia Nursing Academy, Sidoarjo

Marita Milenia | Kerta Cendekia Nursing Academy, Sidoarjo

Elsa Meilani Ekasari | Kerta Cendekia Nursing Academy, Sidoarjo

Editor : 1. Kusuma Wijaya Ridi Putra, S.Kep.Ns., MNS

2. Meli Diana, S.Kep.Ns., M.Kes

3. Faida Annisa, S.Kep.Ns., MNS

Cover Design : Sofi Nur Rahman

Setting & Content Layout : Kusuma Wijaya Ridi Putra, S.Kep.Ns., MNS

Published and printed by Akademi Keperawatan Kerta Cendekia Sidoarjo

Jalan Lingkar Timur, Rangkah Kidul, Sidoarjo, Jawa Timur – 61234

Telp. (031) 8961496, Fax. (031) 8961497

Email: international.conference.kcna@gmail.com

First Edition. 2019

ISBN : 978-623-90450-7-4

© 2019. All Rights Reserved.

Prohibited quote or reproduce part or all of the contents of this book from the publisher WITHOUT WRITTEN PERMISSION.

Preface: Proceeding of the 1st International Conference of Kerta Cendekia Nursing Academy (ICKCNA) 2019

Aims and Scope of the Conference

As the first held, the International Conference hosted by Kerta Cendekia Nursing Academy, Sidoarjo focuses on improving the nursing care by gathering the academicians, practitioners, and researchers which have concern in health care services fields.

The issues of community-based care have brought various considerations in many fields. The continuous health care services should sufficient and adequate distribution of resources, and expansion of health care policies. This conference covers a wide range of critically important sessions from hospital-based care to community-based care and continues to lead the way in integrating that healthcare in order to improve the clients' quality of life.

The scope of this International Conference is articles in the fields of health, public health, nursing (basic nursing, medical surgical nursing, pediatric nursing, maternity nursing, community health nursing, family nursing, emergency nursing, mental nursing, gerontic nursing, and also nursing management), and Psychological Sciences.

Paper Peer Review

All papers submitted to the Conference were reviewed using blind peer-review process. The Conference Scientific Committee decided about the acceptance or not of the submitted papers, with contribution of competent and expertise reviewers.

Thank

We would like to thank all member that participated in any way in the ICKCNA 2019 Conference and especially:

- The co-organizing Universities and Academies for their support and development of a high-quality Conference Scientific Level and profile.
- The members of the Scientific Committee that honored the Conference with their presence and provided a significant contribution to the review of papers as well as for their indications for the improvement of the Conference.
- All members of the Organizing Committee for their help, support, and spirit participation before, during, and after the Conference.
- The Session Organizers for their willing to organize sessions of high importance and for their editorial work, contributing in the development of valued services to the Conference.

CONFERENCE DETAILS

Chairman

Agus Sulistyowati, S.Kep., M.Kes | Kerta Cendekia Nursing Academy, Sidoarjo

Scientific Committee

Assoc. Prof. Dr. Chintana Watcharasin | Burapha University, Thailand

Assist. Prof. Dr. Yupin Tanatwanitch | Burapha University, Thailand

Assist. Prof. Dr. Jinjuta Chaisena Dallas | Burapha University, Thailand

Assist. Prof. Dr. Chanandchidadussadee Toonsiri | Burapha University, Thailand

Hem Kumar Nepal, RN, MNS | Clinical Nurse Quality Management Service in Mongar Regional Referral Hospital, Bhutan

Kusuma Wijaya Ridi Putra, S.Kep.Ns., MNS | Kerta Cendekia Nursing Academy, Sidoarjo

Faida Annisa, S.Kep.Ns., MNS | Kerta Cendekia Nursing Academy, Sidoarjo

Organizing Committee

Meli Diana, S.Kep.Ns., M.Kes | Kerta Cendekia Nursing Academy, Sidoarjo

Marlita Dewi Lestari, S.Kep.Ns., M.Kes | Kerta Cendekia Nursing Academy, Sidoarjo

Dini Prastyo Wijayanti, S.Kep.Ns., M.Kep | Kerta Cendekia Nursing Academy, Sidoarjo

Elok Triestuning, S.Psi., M.Si | Kerta Cendekia Nursing Academy, Sidoarjo

Sofi Nur Rahman, SM | Kerta Cendekia Nursing Academy, Sidoarjo

Hj. Muniroh H. Mursan, Lc. | Kerta Cendekia Nursing Academy, Sidoarjo

Nanda Ratri Nurwanti, SE | Kerta Cendekia Nursing Academy, Sidoarjo

Ibnul Mubarak, S.Kom | Kerta Cendekia Nursing Academy, Sidoarjo

Anita Dewi Andyni, S.Kep | Kerta Cendekia Nursing Academy, Sidoarjo

Susila Nur Islami | Kerta Cendekia Nursing Academy, Sidoarjo

Sri Wiji Lestari | Kerta Cendekia Nursing Academy, Sidoarjo

M. Fatkhul M. | Kerta Cendekia Nursing Academy, Sidoarjo

Febriany Carla Prameswary | Kerta Cendekia Nursing Academy, Sidoarjo

Dini Fridasari | Kerta Cendekia Nursing Academy, Sidoarjo

Connie Wahyu Wijayanti | Kerta Cendekia Nursing Academy, Sidoarjo

Andan Ayu Ariyanti | Kerta Cendekia Nursing Academy, Sidoarjo

Moch. Rifki N. | Kerta Cendekia Nursing Academy, Sidoarjo

Muhebbi | Kerta Cendekia Nursing Academy, Sidoarjo

Indra Muhammad | Kerta Cendekia Nursing Academy, Sidoarjo

Marita Milenia | Kerta Cendekia Nursing Academy, Sidoarjo

Elsa Meilani Ekasari | Kerta Cendekia Nursing Academy, Sidoarjo

KEYNOTE SPEAKER



Assistant Professor Dr Pornchai Jullamate
(Dean of Faculty of Nursing, Burapha University Thailand)

Theme: Resilience of Elderly Patient



Professor Dr Yoshiko Tsukada
(School of Nursing, Saku University, Japan)

Theme: Quality of Life of Elderly in Japan

INVITED SPEAKER



Hem Kumar Nepal, RN, MNS

(Clinical Nurse at Quality Management Service in Mongar Regional Referral Hospital,
Eastern Bhutan)

Theme: Role of Nurse in Patient Discharge



Riesmiyatiningdyah, S.Kep., Ns., M.Kes

(Lecturer of Pediatric Nursing at Kerta Cendekia Nursing Academy)

Theme: Parenting Effects on Child's Health

TABLE OF CONTENTS

Preface	i
Conference Details	ii
Keynote Speaker	iii
Invited Speaker	iv
Table of Contents	v
Abstract of Conference Participants (Oral Presentation).....	ix
Abstract of Conference Participants (Poster Presentation)	xxiii
Material of Keynote Speaker	
Material of Keynote Speaker 1 (Assistant Professor Dr Pornchai Jullamate)	
Theme: Resilience of Elderly Patient	xxii
Material of Keynote Speaker 2 (Professor Dr Yoshiko Tsukada)	
Theme: Quality of Life of Elderly in Japan	xxiii
Material of Invited Speaker	
Material of Invited Speaker 1 (Hem Kumar Nepal, RN., MNS)	
Theme: Role of Nurse in Patient Discharge	xxv
Material of Invited Speaker 2 (Riesmiyatiningdyah, S.Kep.Ns., M.Kes)	
Theme: Parenting Effects on Child's Health	xxx
Chapter 1 Material of Conference Participants (Oral Presentation)	1-168
The Influence of Facilities and Health Personnel Factors on the Implementation of Family Health Duties in Controlling Hypertension in the Working Area of the Pucang Sewu Community Health Center, Surabaya, East Java.	
<i>Lembunai Tat Alberta, Dwi Utari Widyastuti</i>	1-7
The Effect of Breathing Exercises: Pursed-Lips Breathing and Diaphragm Breathing in COPD Patients.	
<i>Dwi Ananto Wibrata, Reny Nur Afni Putri, Faida Annisa, Siti Nur Kholifah</i>	8-11
Autogenic Relaxation for Postoperative Caesarean Section Pain in RSAD Kodam V Brawijaya Surabaya.	
<i>Jufri, Roby Aji Permana, Ibnu Widagdo</i>	12-18
Non-Pharmacological Therapies to Improve Patient Sleep Quality in ICU/CCU: Literature Review.	
<i>Elfa Lailatul Izza</i>	19-25
Effect of SEFT (Spiritual Emotional Freedom Technique) Therapy on Decreasing Levels of Anxiety in Students of Class VIII SMP That Will Face Middle Semester Exams in the 4 th Junior High School of Muhammadiyah Surabaya.	
<i>Sosilo Yobel</i>	26-34

Perception of Youth Age Pregnancy with Stress Facing Labor in Trimester III Pregnant Women in Community Health Center of Tanah Kali Kedinding Surabaya. <i>Dewi Andriani</i>	35-41
Effects of Use of Red Ginger Compress on Pain in Elderly That Suffer Uric Acid: Case Study. <i>Mustayah, Sarah Dwi Anggraeni</i>	42-48
Relationship Between Educational Level and Early Breastfeeding Side Meal in Gemurung Village Sidoarjo Regency. <i>Nurul Pujiastuti, Binarti Dwi Wahyuningsih</i>	49-56
Brain Gym Improves Cognitive Function for Elderly with Demensia. <i>Suhari, Anggia Astuti, Primasari Mahardhika Rahmawati, Musviro</i>	57-62
The Effect of Cold Compress on Pain in Muscle Injury After Collection of Loads in The JM Fitness Center, Kapas Madya Village, Kenjeran Subdistrict, Surabaya. <i>Rina Budi Kristiani</i>	63-67
Difference Metacognitive Skills with Achievement Index in Nursing Students Diploma in Lumajang. <i>Achlish Abdillah, Indriana N. Istiqomah, Laili Nur Azizah</i>	68-74
The Comparison Between Progressive Muscle Relaxation and Slow Deep Breathing Exercise on Blood Pressure in Hypertensive Patients. <i>Muhammad Ikhwan, Agus Setyo Utomo, Tri Nataliswati</i>	75-86
Cadre's Empowerment and Counseling in Increasing Society's Behavior About Content and Effect of Pesticides on Fresh Vegetables. <i>Nurul Hidayah</i>	87-94
Proactive Public Health Approach to Prevention of Occupational Disease on Farmers in Lumajang. <i>Eko Prasetya Widiyanto, Arista Maisyaroh, Rizeki Dwi Fibriansari</i>	95-101
Individual Health Beliefs about Osteoporosis on Adult Self-Care Behavior in Mojo Surabaya. <i>Jujuk Proboningsih, Aida Novitasari, Anita Joeliantina, Masamah Almahmudah, Sri Hardi Wuryaningsih</i>	102-107
The Important of Social Support for Quality of Life People with Spinal Cord Injury: A Perspective. <i>Aby Yazid Al Busthomy Rofi'i</i>	108-110

Parental Behaviors in Influencing Dental Caries Occurrence at The First and Second Graders of Elementary School. <i>Anggraini Dwi Kurnia, Nur Melizza, Nur Lailatul Masruroh, and Chandra Dewi Kusumaningtyas</i>	111-116
The Effect of Diabetic Feet Spa Therapy to Blood Glucose Level and Sleep Quality of Diabetes Mellitus Patient. <i>Erika Martining Wardani, Lono Wijayanti, Nur Ainiyah</i>	117-121
Self-Efficacy and Selected Demographics as Determinants of The Family Behavior on Examination for Patients with Tuberculosis in Pamekasan. <i>Ahmadi, Arif Rahman Hakim</i>	122-132
The Relationship of Individual Characteristics and Nurses Caring Behavior in Jombang General Hospital. <i>Sylvie Puspita, Ardiyanti Hidayah</i>	133-138
Cognitive Stimulation Therapy on Elderly with Dementia in Panti Werdha Pandaan, Pasuruan. <i>Elok Triestuning, Berliany Venny Sipollo</i>	139-144
The Effect of Piper Betle Leaf Extract Lotion to Older People Skin Moisture. <i>Oda Debora, Betty Dwi Kartikasari</i>	145-149
Application of Classification and Regression Tree (CART) on Life Independency based on Functional Capacity and Health Condition of Older Adults in Kasin Village Bareng Health Center, Malang. <i>Wisodhanie Widi Anugrahanti, Oda Debora</i>	150-157
The Effect of Boiled Ginger Drink Jahecang on Blood Pressure Reduction in Hypertension Patients in The Hamlet of Baban Arosbaya Village Arosbaya District Bangkalan Regency. <i>Anik Supriani, Nabila Aisyah Andinata, Winda Maulidia Yanti, Sutomo, Nasrul Hadi Purwanto, Edy Siswantoro</i>	158-162
Correlation between Menstrual Pain and Level of Cortisol among Nursing Student of Nahdlatul Ulama University, Surabaya. <i>Yurike Septianingrum, Nety Mawarda Hatmanti</i>	163-168
Chapter 2 Material of Conference Participants (Poster Presentation)	169-252
Monthly Income of Family, Educational Level, Knowledge, and Eating Behaviors among People with Type 2 Diabetes Mellitus in Sidoarjo. <i>Kusuma Wijaya Ridi Putra, Chanandchidadussadee Toonsiri, Suwanna Junprasert</i>	169-173

Relation between Family Support and Anxiety in Preoperative Patients in Indonesia. <i>Faida Annisa, Deny Suhermanto</i>	174-178
Issues and Trends in Nursing Administration: Nursing Staff Shortage. <i>Faith Kanini Mutisya</i>	179-193
The Influence of Passive Range of Motion (ROM) on Lower Extremity in Postoperative Patients with Spinal Anesthesia in Rumkitban Sidoarjo. <i>Meli Diana, Ainul Yachin</i>	194-198
Relationship with The Level of Anxiety Hemodynamic Status (Pulse) in Patients Pre Sectio Caesaria Operations in A Unit of The Central Surgical (UBS) of Muslim Hospital of Siti Hajar, Sidoarjo. <i>Agus Sulistyowati, Agus Wiyono</i>	199-207
Nurse's Efforts to Transform of Nurse Roles in Primary Health Care from Promotive to Curative in Managing Patients with ACS in Primary Health Care Malang Regency, East Java, Indonesia. <i>Dini Prastyo Wijayanti, Kumboyono, Titin Andri Wihastuti, Septy Dewi Racmawati</i>	208-214
The Relation Ship between Nurse Performance and Inpatient Satisfaction in The Jasmine Room of Delta Surya Hospital, Sidoarjo. <i>Marlita Dewi Lestari, Fitria Ningsih</i>	215-220
Awareness on Health Effects of Smoking among Secondary School Children in Bangladesh. <i>Jebunnahar, Happy Bandana Biswas, Sazzad Hossain, Shariful Islam</i>	221-231
Knowledge and Practice of Weaning among Bangladeshi Lactating Mother. <i>Kamrun Naher, Happy Bandana Biswas, Sazzad Hossain, Hee Soon Kim</i>	232-240
Ankle Pumping Exercise and Leg Elevation In 30° Has the Same Level of Effectiveness to Reducing Foot Edema at Chronic Renal Failure Patients in Mojokerto. <i>Prastika, Supono, Sulastyawati</i>	241-248
Nurse Motivation in Admission A New Patients at Menur Psychiatric Mental Hospital Surabaya. <i>Suprianto, Hadi Purwanto, Krisnawati</i>	249-252

ORIGINAL RESEARCH

PROACTIVE PUBLIC HEALTH APPROACH TO PREVENTION OF OCCUPATIONAL DISEASE ON FARMERS IN LUMAJANG

Eko Prasetya Widianto^{1*}, Arista Maisyaroh¹, Rizeki Dwi Fibriansari¹

¹ Nursing Diploma Program, University of Jember

*Correspondence:

Eko Prasetya Widianto

Email: ekoprastw@unej.ac.id

ABSTRACT

Background: Occupational Disease is a disease caused by work, work tools, materials, processes, and work environment. Safe work behavior is a systematic application of someone to work on safety issues in the workplace to avoid work-related illnesses. Through the Proactive Public Health Approach, it is expected to be able to prevent Occupational Diseases.

Objective: This study aimed at analyzing the relationship between occupational disease and proactive public health approaches in Lumajang District.

Methods: This research is quantitative research, which used a descriptive-analytic study with cross-sectional. The sample in this study was 164 respondents from February until May 2019, with the sampling method using purposive sampling. Data presented in the form of Spearman's Rho Correlation test 0.05 statistical test with a value of α .

Results: Based on the results of data analysis by most respondents (50.6%), the proactive public health approach is a category, and having an occupational disease is often a category (54.3%). The results of data analysis used Spearman's Rho showed that p -value = 0.001 with correlation coefficient $r = 0.674$ means the level of relationship is a strong category.

Conclusion: Trauma and pesticides cause problems of occupational diseases that arise often. Farmers are expected to pay more attention to the method or method of using and preventing occupational diseases. So, the role of nurses or Occupational Health Nursing (OHN) in agriculture must be increased.

Key words: Occupational illness, pro-active public health approach, farmer.

INTRODUCTION

In Indonesia, the agricultural sector is one type of work that has a high risk for workers, extreme environmental conditions, and how to use technology in the field of land management that is still sufficient about the level of health and safety of farmers. One of the health and safety problems that are often experienced by workers, such as farmers is ergonomic problems. Health problems that occur in agriculture have taken the opponent from the challenges that arise on agriculture. The number of fatalities that occur due to lack

of knowledge and skills of the community in health management in agriculture. This seems to be a compilation of more indigenous people who received negative impacts from repeated improvements in agriculture.

Occupational Disease is a disease caused by work, work tools, materials, processes or the work environment so that occupational diseases are that are artificial or human-made disease defined as diseases made themselves in the process of work done by humans (Silalahi, 2006). World Health Organization (WHO), 1985; in

Sulaksmo, 2009) explaining occupational diseases is the link between causative factors in the emergence of occupational diseases and entirely ascertained these factors can be identified, measured, and controlled. Occupational illnesses divided into several groups, namely environmental groups, chemical groups, biological groups, psychological groups, and physiological groups. Health problems that occur in the field have claimed hundreds or even thousands of human lives due to chronic illness due to work in the agricultural area. The number of fatalities that occur due to lack of knowledge and basic skills of the community in health management in agriculture. This can be seen when there are many people, especially farmers, who hurt work-related diseases in the agricultural area.

Working position by bending causes the muscles to become tensor. A worker who works in a bent position requires greater muscular endurance; this causes a more significant burden on the spine and triggers the emergence of musculoskeletal pain (Wicaksono, 2011). Based on the initial survey conducted, it found that 30% of farmers complained of suffering from lower back pain. Obtained 90% of cases of low back pain are not caused by organic abnormalities, but by errors in body position at work.

Farmers are people who have an important role in the farming process to make autonomous and appropriate decisions about existential farming processes to produce the desired crop. Farmers play two essential roles related to the farming business, which include the role of a farmer (cultivator) and manager (Nasoetion, 2002 in Intani, 2013). Workers in the agricultural sector reach 41.20 million or around 43.4% of the total population of Indonesia. This figure has

increased by 4.76% or 1.9 million compared to August 2011. Indonesia ranks 3rd in the world after China (66%) and India (53.2%). This shows that the average livelihood of the Indonesian people is as farmers (Badan Pusat Statistik, 2012). Based on the results of records from the Indonesian Ministry of Health's Data and Information Center (2014) and BPJS Employment (2018) the number of work accident cases in Indonesia from 2011 to 2017 has fluctuated, the highest figure in 2015 was 110,285 cases. In 2011 there were 9,891 cases; in 2012 there were 21,735 cases; in 2013 35,917 cases, in 2014, there were 24,910 cases.

Extreme environmental conditions and the way and use of technology in managing land that is still quite behind compared to other regions determine the level of health and safety of the farmers (Dewi, Sutresna, & Susila, 2017). The facilities that support agriculture include agricultural equipment, artificial fertilizers (Urea, TSP, NPK, Za, etc.), additional chemicals, including pesticides (Sungkawa, 2008). The highest demands for increased profits and salvage of production in the agricultural industry result in unavoidable use of pesticides. The large percentage of workers who work in the agricultural sector and the widespread use of uncontrolled pesticides results in problems or risks of pesticide intoxication (poisoning) in the community becoming a severe problem (Purnawati, 2008).

The high intensity of pesticide use, and carried out continuously in every planting season will cause several losses, including pesticide residues that will accumulate in agricultural products and waters, pollution in the agricultural environment, poisoning in animals, poisoning in humans and thus adversely affect human health (Pacific, 1999). The adverse effects of these pesticides are not only about farmers or workers who spray pesticides, but also

about families and neighbors where the activity is carried out. Pesticide poisoning can be acute or chronic. Acute pesticide poisoning is local and systemic. Systemic pesticide poisoning can attack the kidneys and urinary tract, nervous system, liver or liver, stomach, immune system, and hormonal balance (Department of Health Examination, 1992).

The use of pesticides by farmers is increasing every day, but it balanced with farmers' knowledge about the effects of pesticides. A poor experience will affect the behavior or practices of farmers when working (Yuantari et al., 2013). Many farming communities are still not aware of the dangers that can be caused by the use of pesticides; they again underestimated when there is trauma or disease due to the impact of pesticides.

According to Bond and Fried Meyer, work behavior is the ability to work and responses where it is essential in every job or work situation. Safe work behavior is a systematic application of someone to work on safety issues in the workplace to avoid work-related illnesses (PAK). Safe work behavior places more emphasis on aspects of human behavior towards workplace accidents and diseases.

Health promotion in the sense of education, in general, is all efforts planned to influence other people, individuals, groups or communities so that they do what is expected by the perpetrators of education or health promotion and this limit implies elements of input, process, output. The expected results of health promotion or education are health or behavioral behaviors to maintain and improve conducive health improve the quality of farmers' health and avoid the effects of acute intoxication and long-term use of pesticides; a strategy is needed to anticipate aspects of impact through the Total Ergonomics approach. TEA (Total

Ergonomics Approach) is an approach that includes the SHIP approach (Systemic, Holistic, Interdisciplinary and Participatory) and Appropriate Technology considerations in the design of work tools and work systems (Manuaba A. 2005) in (Purnawati, 2008). With the preparation of anticipatory strategies for the impact of pesticide intoxication on farmers, it expected that future use of pesticides could meet safety standards so that the quality of life of farmers and the wider community can be improved (Purnawati, 2008). One method of health education in existing nursing is the demonstration method, namely nurses and officers provide direct knowledge and examples of PPE that are by the work of farmers in the hope of increasing awareness and motivation for using PPE on farmers (Susilo, 2011).

The agricultural nursing-based Occupational Health and Safety (PK3) approach at the public health center aims to improve occupational health services to be more directed at community participation. This approach is expected to meet the need to establish or establish primary health care units in the community through health services that are promotive, preventive, curative and rehabilitative through a nursing care approach in the community with a method to specialized groups of workers (Susanto, Purwandar, & Wuryaningsih, 2016).

Based on this background, the research question emerged about "How is the relationship between Occupational Diseases and Proactive Public Health Approaches to Farmers in Lumajang."

METHODS

Study Design

This research was quantitative research, which used a descriptive analytic study with cross-sectional.

Setting

The study conducted in Lumajang District from February until May 2019.

Research Subject

The research population was farmers in Lumajang District. The sample in this study was 164 respondents with the sampling method using purposive sampling.

Instruments

Proactive public health approach will be done by technique health education, medical examination, and use personal protective equipment. The tool used for occupational assessment illness used questionnaire about the incidence of disease in agriculture due to injury, trauma, known trauma, and pesticides.

Data Analysis

This study presented in the form of Spearman’s Rho Correlation statistical test with a value of $\alpha \leq 0.05$.

Ethical Consideration

Before collecting data, the researcher conducted ethical clearance from the Ethics Committee of Faculty of Dentistry on February 29, 2019 number: 341/UN25.8/KEPK/DL/2019. The authors confirmed that all respondents had obtained appropriate informed consent.

RESULTS

Characteristics of Respondents

Based on the results of the statistical analysis in Table 1, the data on respondents' characteristics showed that the majority of respondents were male (54 %) had the last education of elementary school (65%) and work become farmers (70%).

Table 1. Distribution of Frequency of Respondents in the Lumajang District (n = 164).

Characteristics		n = 164	
		Frequency	%
Gender	Male	89	54
	Female	75	46
Last education	No education	11	7
	Elementary school	107	65
	Junior high school	21	13
	Senior high school	18	11
Job	Others	7	4
	Farmer	115	70
	Farmworker	49	30

Examination of Relationship between Proactive Public Health Approach and Occupational Disease

Table 2. Relationship between Proactive Public Health Approach and Occupational in the Lumajang District (n = 164).

Parameter	n = 164	
	Frequency	%
Proactive public health approach		
Minus	2	1.2
Moderate	47	28.7
Medium	83	50.6
Good	27	16.5
Very good	5	3
Occupational illness		
Often	89	54.3
Rarely	32	19.6
Never	43	26.1
$p\text{-value} = 0.001$		
$r = 0.674$		

Based on the results of data analysis in Table 2, most respondents (50.6%) a proactive public health approach is a medium category and had an occupational illness is often category (54.3%).

The results of data analysis used Spearman's Rho showed that the significance value was $\alpha = <0.05$ with p -value = 0.001. It showed that the research hypothesis accepted with correlation coefficient $r = 0.674$ shows the level of relationship is a strong category.

DISCUSSION

The risks that occur caused by the use of machines that are a source of noise, heavy working tools and the smell/dust of the environment/production sites so that it certainly has the potential to cause workplace accidents and work-related diseases. Another result is that the disease caused by work is also increasing so that it can cause harm to workers. Occupational diseases are abnormal conditions or diseases caused by vulnerability to work-related environmental factors. This includes acute and chronic diseases caused by breathing, absorption, digestion, or direct contact with toxic chemicals or dangerous introductory substances (Kurniasih, 2013). Research (Suhari et al., 2018) that some farmers have chronic diseases and the amount of drinking intake that is less than one liter per day causes the higher risk of occupational diseases to occur in farmers.

Another factor that triggers accidents in agriculture is the limited time available to complete a work caused by climate constraints. This results in the rush of workers in completing work, which leads to indifference to their safety (Haerani, 2010). Some of the impacts of other trauma caused by agricultural machinery and equipment were 36%, had fallen 36%, and pierced by sharp objects 28% (Widianto, Maisyaroh, & Fibriansari, 2018).

Based on research (Fibriansari & Musviro, 2018) that most farmers experience low back pain of 48.8% due to excessive workload (42.6%), work posture

(24.6%), work frequency (18%) and duration of work. (14.8%). In addition, the tenure of > 10 years has a 3.2 times greater risk of experiencing low back pain compared to a mandate of, 10 years, abnormal posture at work has a 2.5 times greater risk of potentially experiencing low back pain compared to average position body, lifting heavier weights > 5 kg risk 2.3 times greater experience low back pain compared to lifting weight <5 kg. The most dominant factor that affects low back pain together is work period (Syuhada & Setyaningsih, 2018)

Use of PPE by farmers when spraying pesticides using masks 17%, gloves 12%, googles 9%, caps 39, and special clothes 23%. The problem of pesticide poisoning, which can cause respiratory problems, chemical exposure dermatitis, cataract pneumatics, and chemical abrasion is the impact of the use of pesticides (Widianto, Maisyaroh, & Fibriansari, 2018). Improper level of knowledge of farmers in using pesticides should be improved. Inappropriate experience in using pesticides will affect the behavior or practices that are also inappropriate by farmers on agricultural land. Increasing farmers' knowledge will be more productive with participation from farmers and for farmers using community empowerment.

The most common types of trauma in 19%, followed by chemical exposure to pesticide poisoning and animals both with 10% each. The lowest incidence of trauma due to objects and injuries due to agricultural machinery with each occurrence of 1%. The sequence of causes of trauma occurring is chemical exposure of 29% and the% 3% and 1% respectively — Farmers 72% of actions against injuries in the area handled by themselves. And 28% taken to health services. This result indicates that the injuries have been very

diverse and significantly affect the health conditions of farmers (Maisyaroh, 2019).

The results of the study indicate a relationship between the proactive approach of public health and the prevention of occupational diseases with a strong level of relationship. Agricultural work varies significantly with the type of commodity and related work practices. Certain types of work practices highly identified as a higher risk of recurrent injuries. Such as harvesting small manual vegetables and fruits, meat processing, and dairy farming. When this injury or disorder is considered work-related, they identified as a work-related musculoskeletal disorder. The use of agricultural tools and machinery and the use of pesticides can significantly increase the productivity of agricultural products. But behind that, there are all risks or threats in their use, both the risk of trauma due to the use of agricultural machinery and equipment that is not by the procedure or the risk of acute or chronic pesticide poisoning. Therefore, health education is needed for farmers in the use of food or pesticides, so that farmers need to give an understanding of the dangers that occur in agricultural areas due to the use of agricultural equipment and machinery and exposure to pesticides, so farmers are more aware and more careful in using alms and wiser in using pesticides (Maisyaroh, 2019).

CONCLUSION

Trauma and pesticides often cause occupational illnesses that arise. Farmers are expected to pay more attention to the method or method of using and reducing work-related diseases. The role of nurses or Occupational Health Nursing (OHN) in agriculture must increase. Efforts to reduce the incidence of the increase in victims of health problems caused by the agricultural sector, one of which can do through a

proactive approach to the delivery of information or education about health promotion that can be done with health education for farmers.

SUGGESTION

Future research is expected to reduce the incidence of occupational diseases through a proactive public health approach to farmers. The government as the owner of the policy is expected to pay more attention to the method or method of work by emphasizing the principles of objectives to improve work efficiency and productivity by providing education and training to workers regarding the use of agricultural machinery or correct pesticides so that farmers avoid the risk of occupational diseases.

DECLARATION OF CONFLICTING INTERESTS

None declared.

ACKNOWLEDGMENTS

The authors express the deepest gratitude to all respondents who sincerely want to be involved in this research, and to all who were actively engaged directly or indirectly to do this research completed on time.

REFERENCES

- Maisyaroh, A., & Widiyanto, E. P. (2019). Survey Of Work-Related Trauma Of Agricultural In Lumajang Regency. *Aquichan*.
- Fibriansari, R. D., & Musviro, A. M. (2018). Cedera berulang bidang ergonomi bagi petani hortikultura. *1st Annual Agricultural Health Nursing Seminar* (hal. 25-32). Jember: UPT Percetakan dan Penerbitan Universitas Jember.

- Maisyaroh, A. (2019). *Buku Ajar Agronursing*. Bondowoso: KHD Production.
- Suhari, Mashuri, Maisyaroh, A., Zainal, Fibriansari, R.D., Widiyanto, E.P., et al. (2018). *Identifikasi identifikasi penanggulangan gawat darurat terpadu petani berbasis agriculture nursing*. Jember: Universitas Jember.
- Susanto, T., Purwandar, R., & Wuryaningsih, E. W. (2016). Model Kesehatan Keselamatan Kerja Berbasis Agricultural Nursing Studi Analisis Masalah Kesehatan Petani. *Jurnal Ners Vol 11* , 45-50.
- Syuhada, A. D., & Setyaningsih, A. S. (2018). Faktor Risiko Low Back Pain pada Pekerja Pemetik Teh di Perkebunan Teh Ciater Kabupaten Subang. *Jurnal Promosi kesehatan Indonesia Vol 13, No 1* , 91-100.
- Widiyanto, E. P., Maisyaroh, A., & Fibriansari, R. D. (2018). Arisan sebagai media pengurangan resiko bahaya pestisida di kelompok tani. *1st Annual Agricultural Health Nursing Seminar* (hal. 1-7). Jember: UPT Percetakan dan Penerbit Universitas Jember.